

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070115\
 Data File : BF080293.D
 Acq On : 2 Jul 2015 3:24
 Operator : TP/UM
 Sample : G2855-02
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SIDEWALLNORTH(4FT)63015

Quant Time: Jul 02 05:05:30 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF070115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 02 03:50:52 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.27	152	61196	20.00	ng	0.00
21) Naphthalene-d8	8.56	136	243867	20.00	ng	0.00
38) Acenaphthene-d10	10.32	164	137013	20.00	ng	0.00
63) Phenanthrene-d10	11.83	188	264595	20.00	ng	0.00
75) Chrysene-d12	14.72	240	248852	20.00	ng	-0.02
86) Perylene-d12	16.55	264	231303	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.88	112	239030	67.64	ng	0.00
7) Phenol-d6	6.87	99	317787	66.99	ng	0.00
23) Nitrobenzene-d5	7.82	82	174965	39.50	ng	0.00
41) 2,4,6-Tribromophenol	11.12	330	75758	58.07	ng	0.00
44) 2-Fluorobiphenyl	9.64	172	339315	35.64	ng	0.00
78) Terphenyl-d14	13.49	244	397823	37.45	ng	-0.01
Target Compounds						
49) Dimethylphthalate	10.02	163	35571	3.40	ng	Qvalue # 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070115\
Data File : BF080293.D
Acq On : 2 Jul 2015 3:24
Operator : TP/UM
Sample : G2855-02
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SIDEWALLNORTH(4FT)63015

Quant Time: Jul 02 05:05:30 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF070115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 02 03:50:52 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.27 min Scan# 366

Delta R.T. 0.00 min

Lab File: BF080293.D

Acq: 2 Jul 2015 3:24

Instrument :

BNA_F

ClientSampleId :

SIDEWALLNORTH(4FT)63015


Tgt Ion:152 Resp: 61196

Ion Ratio Lower Upper

152 100

150 154.3 124.7 187.1




115 48.7 41.0 61.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 67.64 ng

RT: 5.88 min Scan# 244

Delta R.T. 0.00 min

Lab File: BF080293.D

Acq: 2 Jul 2015 3:24


Tgt Ion:112 Resp: 239030

Ion Ratio Lower Upper

112 100

64 58.8 45.5 68.3



63 29.6 22.4 33.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 66.99 ng

RT: 6.87 min Scan# 331

Delta R.T. 0.00 min

Lab File: BF080293.D

Acq: 2 Jul 2015 3:24

Instrument :

BNA_F

ClientSampleId :

SIDEWALLNORTH(4FT)63015


Tgt Ion: 99 Resp: 317787

Ion Ratio Lower Upper

99 100

42 19.2 15.4 23.2




71 32.9 25.8 38.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.56 min Scan# 479

Delta R.T. 0.00 min

Lab File: BF080293.D

Acq: 2 Jul 2015 3:24

Tgt Ion: 136 Resp: 243867


Ion Ratio Lower Upper

136 100

137 10.6 8.4 12.6

54 5.3 4.9 7.3

68 4.2 4.0 6.0






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 39.50 ng
 RT: 7.82 min Scan# 414
 Delta R.T. 0.00 min
 Lab File: BF080293.D
 Acq: 2 Jul 2015 3:24

Instrument :
 BNA_F
 ClientSampleId :
 SIDEWALLNORTH(4FT)63015

Tgt Ion: 82 Resp: 174965
 Ion Ratio Lower Upper
 82 100
 128 36.8 29.0 43.4
 54 56.1 45.3 67.9




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.32 min Scan# 633
 Delta R.T. 0.00 min
 Lab File: BF080293.D
 Acq: 2 Jul 2015 3:24

Tgt Ion: 164 Resp: 137013
 Ion Ratio Lower Upper
 164 100
 162 100.2 84.8 127.2
 160 44.9 35.8 53.8



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 58.07 ng
 RT: 11.12 min Scan# 703
 Delta R.T. 0.00 min
 Lab File: BF080293.D
 Acq: 2 Jul 2015 3:24

Instrument :
 BNA_F
 ClientSampleId :
 SIDEWALLNORTH(4FT)63015

Tgt Ion:330 Resp: 75758
 Ion Ratio Lower Upper
 330 100
 332 98.5 77.4 116.2
 141 37.1 28.0 42.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 35.64 ng
 RT: 9.64 min Scan# 573
 Delta R.T. 0.00 min
 Lab File: BF080293.D
 Acq: 2 Jul 2015 3:24

Tgt Ion:172 Resp: 339315
 Ion Ratio Lower Upper
 172 100
 171 34.6 28.1 42.1
 170 23.5 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 3.40 ng
RT: 10.02 min Scan# 607
Delta R.T. 0.00 min
Lab File: BF080293.D
Acq: 2 Jul 2015 3:24




Instrument :
BNA_F
ClientSampleId :
SIDEWALLNORTH(4FT)63015


Tgt Ion:163 Resp: 35571
Ion Ratio Lower Upper
163 100
194 4.8 3.0 4.4#
164 9.1 7.9 11.9



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.83 min Scan# 765
Delta R.T. 0.00 min
Lab File: BF080293.D
Acq: 2 Jul 2015 3:24

Tgt Ion:188 Resp: 264595
Ion Ratio Lower Upper
188 100
94 5.6 5.4 8.0
80 5.8 5.8 8.6





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.72 min Scan# 1018

Delta R.T. -0.02 min

Lab File: BF080293.D

Acq: 2 Jul 2015 3:24

Instrument :

BNA_F

ClientSampleId :

SIDEWALLNORTH(4FT)63015


Tgt Ion:240 Resp: 248852

Ion Ratio Lower Upper

240 100

120 13.0 8.7 13.1




236 26.2 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 37.45 ng

RT: 13.49 min Scan# 910

Delta R.T. -0.01 min

Lab File: BF080293.D

Acq: 2 Jul 2015 3:24


Tgt Ion:244 Resp: 397823

Ion Ratio Lower Upper

244 100

212 6.5 5.0 7.6



122 8.4 6.6 9.8




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 16.55 min Scan# 1178
Delta R.T. -0.02 min
Lab File: BF080293.D
Acq: 2 Jul 2015 3:24

Instrument :
BNA_F
ClientSampleId :
SIDEWALLNORTH(4FT)63015

Tgt Ion: 264 Resp: 231303
Ion Ratio Lower Upper
264 100
260 24.1 19.2 28.8
265 21.8 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

