

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070116\
 Data File : BF088592.D
 Acq On : 2 Jul 2016 00:08
 Operator : UM/SJ
 Sample : H3816-04
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-10-COMP

Quant Time: Jul 02 02:19:48 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 30 18:01:55 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	381027	20.00	ng	0.16
21) Naphthalene-d8	8.09	136	504499	20.00	ng	-0.01
38) Acenaphthene-d10	9.84	164	204639	20.00	ng	-0.01
63) Phenanthrene-d10	11.31	188	330985	20.00	ng	-0.01
75) Chrysene-d12	13.94	240	252767	20.00	ng	-0.01
86) Perylene-d12	15.35	264	215452	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	773393	30.42	ng	0.00
7) Phenol-d6	6.44	99	1154947	35.16	ng	0.00
23) Nitrobenzene-d5	7.37	82	639700	66.45	ng	-0.01
41) 2,4,6-Tribromophenol	10.63	330	173684	91.40	ng	-0.01
44) 2-Fluorobiphenyl	9.18	172	983601	75.92	ng	0.00
78) Terphenyl-d14	12.90	244	560086	49.35	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.37	70	86864	3.94	ng	# 73
25) Isophorone	7.37	82	470130	26.36	ng	# 65
49) Dimethylphthalate	9.56	163	173254	11.88	ng	98
56) 2,4-Dinitrotoluene	9.84	165	26451	6.26	ng	# 38
66) 4-Bromophenyl-phenylether	10.63	248	12193	3.66	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070116\
Data File : BF088592.D
Acq On : 2 Jul 2016 00:08
Operator : UM/SJ
Sample : H3816-04
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-10-COMP

Quant Time: Jul 02 02:19:48 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 30 18:01:55 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.97 min Scan# 471
Delta R.T. 0.16 min
Lab File: BF088592.D
Acq: 2 Jul 2016 00:08

Instrument :
BNA_F
ClientSampleId :
SB-10-COMP

Tgt Ion:152 Resp: 381027
Ion Ratio Lower Upper
152 100
150 153.2 123.8 185.6
115 59.1 39.6 59.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 30.42 ng
RT: 5.40 min Scan# 334
Delta R.T. 0.00 min
Lab File: BF088592.D
Acq: 2 Jul 2016 00:08

Tgt Ion:112 Resp: 773393
Ion Ratio Lower Upper
112 100
64 61.9 42.2 63.2
63 32.9 21.8 32.8#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 35.16 ng

RT: 6.44 min Scan# 425

Delta R.T. 0.00 min

Lab File: BF088592.D

Acq: 2 Jul 2016 00:08

Instrument :

BNA_F

ClientSampleId :

SB-10-COMP


Tgt Ion: 99 Resp: 1154947

Ion Ratio Lower Upper

99 100

42 17.3 12.2 18.2




71 35.8 23.4 35.0#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 3.94 ng

RT: 7.37 min Scan# 506

Delta R.T. 0.14 min

Lab File: BF088592.D

Acq: 2 Jul 2016 00:08

Tgt Ion: 70 Resp: 86864


Ion Ratio Lower Upper

70 100

42 43.5 49.6 74.4#

101 0.0 7.1 10.7#

130 2.0 15.4 23.2#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.09 min Scan# 569
Delta R.T. -0.01 min
Lab File: BF088592.D
Acq: 2 Jul 2016 00:08

Instrument :
BNA_F
ClientSampleId :
SB-10-COMP

Tgt Ion:	136	Resp:	504499
Ion	Ratio	Lower	Upper
136	100		
137	11.2	9.1	13.7
54	9.1	6.6	10.0
68	7.6	5.1	7.7




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 66.45 ng
RT: 7.37 min Scan# 506
Delta R.T. -0.01 min
Lab File: BF088592.D
Acq: 2 Jul 2016 00:08

Tgt Ion:	82	Resp:	639700
Ion	Ratio	Lower	Upper
82	100		
128	41.1	35.9	53.9
54	48.3	40.9	61.3



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#25

Isophorone

Concen: 26.36 ng

RT: 7.37 min Scan# 506

Delta R.T. -0.27 min

Lab File: BF088592.D

Acq: 2 Jul 2016 00:08

Instrument :

BNA_F

ClientSampleId :

SB-10-COMP


Tgt Ion: 82 Resp: 470130

Ion Ratio Lower Upper

82 100

95 0.0 5.4 8.2#




138 0.0 14.6 21.8#



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 95.00 (94.70 to 95.70): BF0

Ion 138.00 (137.70 to 138.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.84 min Scan# 722

Delta R.T. -0.01 min

Lab File: BF088592.D

Acq: 2 Jul 2016 00:08


Tgt Ion: 164 Resp: 204639

Ion Ratio Lower Upper

164 100

162 103.5 85.4 128.2



160 46.0 39.5 59.3




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 91.40 ng
 RT: 10.63 min Scan# 791
 Delta R.T. -0.01 min
 Lab File: BF088592.D
 Acq: 2 Jul 2016 00:08

Instrument :
 BNA_F
 ClientSampleId :
 SB-10-COMP

Tgt Ion:330 Resp: 173684
 Ion Ratio Lower Upper
 330 100
 332 97.0 0.0 0.0#
 141 43.2 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 75.92 ng
 RT: 9.18 min Scan# 664
 Delta R.T. 0.00 min
 Lab File: BF088592.D
 Acq: 2 Jul 2016 00:08

Tgt Ion:172 Resp: 983601
 Ion Ratio Lower Upper
 172 100
 171 35.4 28.6 43.0
 170 23.9 19.2 28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 11.88 ng

RT: 9.56 min Scan# 698

Delta R.T. -0.01 min

Lab File: BF088592.D

Acq: 2 Jul 2016 00:08

Instrument :

BNA_F

ClientSampleId :

SB-10-COMP


Tgt Ion:163 Resp: 173254

Ion Ratio Lower Upper

163 100

194 3.4 2.8 4.2




164 9.7 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#56

2,4-Dinitrotoluene

Concen: 6.26 ng

RT: 9.84 min Scan# 722

Delta R.T. -0.19 min

Lab File: BF088592.D

Acq: 2 Jul 2016 00:08

Tgt Ion:165 Resp: 26451


Ion Ratio Lower Upper

165 100

63 1.8 22.0 33.0#

89 1.5 41.1 61.7#

182 0.0 2.0 3.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.31 min Scan# 851
Delta R.T. -0.01 min
Lab File: BF088592.D
Acq: 2 Jul 2016 00:08

Instrument :
BNA_F
ClientSampleId :
SB-10-COMP

Tgt Ion:188 Resp: 330985
Ion Ratio Lower Upper
188 100
94 15.1 9.0 13.6#
80 17.7 10.0 15.0#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#66
4-Bromophenyl-phenylether
Concen: 3.66 ng
RT: 10.63 min Scan# 791
Delta R.T. -0.25 min
Lab File: BF088592.D
Acq: 2 Jul 2016 00:08

Tgt Ion:248 Resp: 12193
Ion Ratio Lower Upper
248 100
250 205.8 77.1 115.7#
141 521.0 50.6 76.0#



Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.94 min Scan# 1081

Delta R.T. -0.01 min

Lab File: BF088592.D

Acq: 2 Jul 2016 00:08

Instrument :

BNA_F

ClientSampleId :

SB-10-COMP


Tgt Ion:240 Resp: 252767

Ion Ratio Lower Upper

240 100

120 14.7 6.8 10.2#

236 26.2 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E

300000



200000

100000

0

13.94

Time-->



#78

Terphenyl-d14

Concen: 49.35 ng

RT: 12.90 min Scan# 990

Delta R.T. -0.01 min

Lab File: BF088592.D

Acq: 2 Jul 2016 00:08


Tgt Ion:244 Resp: 560086

Ion Ratio Lower Upper

244 100

212 7.7 6.0 9.0

122 14.1 11.2 16.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E

800000

600000


400000


200000

0

12.90

Time-->






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.35 min Scan# 1204
Delta R.T. 0.00 min
Lab File: BF088592.D
Acq: 2 Jul 2016 00:08

Instrument :
BNA_F
ClientSampleId :
SB-10-COMP

Tgt Ion: 264 Resp: 215452

Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.2	28.8
265	21.3	16.9	25.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

