

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070116\
 Data File : BF088589.D
 Acq On : 1 Jul 2016 22:40
 Operator : UM/SJ
 Sample : PB91760BL
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB91760BL

Quant Time: Jul 02 03:36:40 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 30 18:01:55 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.81	152	133360	20.00	ng	0.00
21) Naphthalene-d8	8.09	136	503573	20.00	ng	-0.01
38) Acenaphthene-d10	9.84	164	210231	20.00	ng	-0.01
63) Phenanthrene-d10	11.33	188	348843	20.00	ng	0.00
75) Chrysene-d12	13.94	240	260016	20.00	ng	-0.01
86) Perylene-d12	15.35	264	213575	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	1035603	116.38	ng	0.01
7) Phenol-d6	6.44	99	1203154	104.64	ng	0.00
23) Nitrobenzene-d5	7.37	82	721648	75.10	ng	-0.01
41) 2,4,6-Tribromophenol	10.63	330	204100	104.55	ng	-0.01
44) 2-Fluorobiphenyl	9.18	172	1308019	98.28	ng	0.00
78) Terphenyl-d14	12.90	244	822632	70.47	ng	-0.01


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070116\
Data File : BF088589.D
Acq On : 1 Jul 2016 22:40
Operator : UM/SJ
Sample : PB91760BL
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB91760BL

Quant Time: Jul 02 03:36:40 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 30 18:01:55 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.81 min Scan# 457

Delta R.T. 0.00 min

Lab File: BF088589.D

Acq: 1 Jul 2016 22:40

Instrument :

BNA_F

ClientSampleId :

PB91760BL


Tgt Ion:152 Resp: 133360

Ion Ratio Lower Upper

152 100

150 156.9 123.8 185.6



115 59.5 39.6 59.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 116.38 ng

RT: 5.42 min Scan# 335

Delta R.T. 0.01 min

Lab File: BF088589.D

Acq: 1 Jul 2016 22:40


Tgt Ion:112 Resp: 1035603

Ion Ratio Lower Upper

112 100

64 55.1 42.2 63.2



63 28.6 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 104.64 ng

RT: 6.44 min Scan# 425

Delta R.T. -0.00 min

Lab File: BF088589.D

Acq: 1 Jul 2016 22:40

Instrument :

BNA_F

ClientSampled :

PB91760BL


Tgt Ion: 99 Resp: 1203154

Ion Ratio Lower Upper

99 100

42 18.2 12.2 18.2



71 36.9 23.4 35.0#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.09 min Scan# 569

Delta R.T. -0.01 min

Lab File: BF088589.D

Acq: 1 Jul 2016 22:40

Tgt Ion: 136 Resp: 503573


Ion Ratio Lower Upper

136 100

137 11.1 9.1 13.7

54 8.8 6.6 10.0

68 7.5 5.1 7.7





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 75.10 ng
 RT: 7.37 min Scan# 506
 Delta R.T. -0.01 min
 Lab File: BF088589.D
 Acq: 1 Jul 2016 22:40

Instrument :
 BNA_F
 ClientSampleId :
 PB91760BL

Tgt Ion: 82 Resp: 721648
 Ion Ratio Lower Upper
 82 100
 128 41.3 35.9 53.9
 54 48.7 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.84 min Scan# 722
 Delta R.T. -0.01 min
 Lab File: BF088589.D
 Acq: 1 Jul 2016 22:40

Tgt Ion:164 Resp: 210231
 Ion Ratio Lower Upper
 164 100
 162 105.7 85.4 128.2
 160 47.3 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 104.55 ng
 RT: 10.63 min Scan# 791
 Delta R.T. -0.01 min
 Lab File: BF088589.D
 Acq: 1 Jul 2016 22:40

Instrument :
 BNA_F
 ClientSampleId :
 PB91760BL

Tgt Ion	Ratio	Lower	Upper
330	100		
332	95.2	0.0	0.0#
141	42.6	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 98.28 ng
 RT: 9.18 min Scan# 664
 Delta R.T. -0.00 min
 Lab File: BF088589.D
 Acq: 1 Jul 2016 22:40

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	28.6	43.0
170	24.3	19.2	28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.33 min Scan# 852
Delta R.T. -0.00 min
Lab File: BF088589.D
Acq: 1 Jul 2016 22:40




Instrument :
BNA_F
ClientSampleId :
PB91760BL

Tgt Ion:188 Resp: 348843
Ion Ratio Lower Upper
188 100
94 7.0 9.0 13.6#
80 7.0 10.0 15.0#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.94 min Scan# 1081
Delta R.T. -0.01 min
Lab File: BF088589.D
Acq: 1 Jul 2016 22:40

Tgt Ion:240 Resp: 260016
Ion Ratio Lower Upper
240 100
120 14.7 6.8 10.2#
236 26.3 20.2 30.2









#78
 Terphenyl-d14
 Concen: 70.47 ng
 RT: 12.90 min Scan# 990
 Delta R.T. -0.01 min
 Lab File: BF088589.D
 Acq: 1 Jul 2016 22:40

Instrument :
 BNA_F
 ClientSampleId :
 PB91760BL

Tgt Ion:244 Resp: 822632
 Ion Ratio Lower Upper
 244 100
 212 8.0 6.0 9.0
 122 15.8 11.2 16.8



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.35 min Scan# 1204
 Delta R.T. 0.00 min
 Lab File: BF088589.D
 Acq: 1 Jul 2016 22:40

Tgt Ion:264 Resp: 213575
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.2 28.8
 265 21.6 16.9 25.3

