

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070215\
 Data File : BF080335.D
 Acq On : 3 Jul 2015 10:26
 Operator : TP/IZ
 Sample : G2873-03
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SIDEWALLNW-2-070115

Quant Time: Jul 03 23:03:30 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF070115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 03 22:57:58 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.24	152	33125	20.00	ng	0.00
21) Naphthalene-d8	8.53	136	123693	20.00	ng	0.00
38) Acenaphthene-d10	10.29	164	59565	20.00	ng	-0.01
63) Phenanthrene-d10	11.80	188	133856	20.00	ng	0.00
75) Chrysene-d12	14.80	240	139598	20.00	ng	0.08
86) Perylene-d12	16.68	264	136368	20.00	ng	0.14
System Monitoring Compounds						
5) 2-Fluorophenol	5.85	112	225547	117.91	ng	0.00
7) Phenol-d6	6.84	99	274884	107.05	ng	0.00
23) Nitrobenzene-d5	7.80	82	150285	66.90	ng	0.00
41) 2,4,6-Tribromophenol	11.09	330	71929	126.82	ng	0.00
44) 2-Fluorobiphenyl	9.61	172	337815	81.63	ng	0.00
78) Terphenyl-d14	13.51	244	395855	66.42	ng	0.03
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.80	70	18822	11.03	ng	# 74
25) Isophorone	7.80	82	149994	34.35	ng	# 65
49) Dimethylphthalate	10.00	163	46078	10.13	ng	100
56) 2,4-Dinitrotoluene	10.29	165	7538	6.25	ng	# 19
66) 4-Bromophenyl-phenylether	11.09	248	4643	3.21	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070215\
Data File : BF080335.D
Acq On : 3 Jul 2015 10:26
Operator : TP/IZ
Sample : G2873-03
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SIDEWALLNW-2-070115

Quant Time: Jul 03 23:03:30 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF070115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 03 22:57:58 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.24 min Scan# 451

Delta R.T. 0.00 min

Lab File: BF080335.D

Acq: 3 Jul 2015 10:26

Instrument :

BNA_F

ClientSampleId :

SIDEWALLNW-2-070115


Tgt Ion:152 Resp: 33125

Ion Ratio Lower Upper

152 100

150 163.6 124.7 187.1




115 59.5 41.0 61.6



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 117.91 ng

RT: 5.85 min Scan# 329

Delta R.T. 0.00 min

Lab File: BF080335.D

Acq: 3 Jul 2015 10:26


Tgt Ion:112 Resp: 225547

Ion Ratio Lower Upper

112 100

64 57.7 45.5 68.3



63 29.7 22.4 33.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 107.05 ng

RT: 6.84 min Scan# 416

Delta R.T. 0.00 min

Lab File: BF080335.D

Acq: 3 Jul 2015 10:26

Instrument :

BNA_F

ClientSampleId :

SIDEWALLNW-2-070115


Tgt Ion: 99 Resp: 274884

Ion Ratio Lower Upper

99 100

42 21.6 15.4 23.2




71 34.6 25.8 38.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 11.03 ng

RT: 7.80 min Scan# 500

Delta R.T. 0.17 min

Lab File: BF080335.D

Acq: 3 Jul 2015 10:26

Tgt Ion: 70 Resp: 18822


Ion Ratio Lower Upper

70 100

42 43.5 49.8 74.8#

101 0.0 6.8 10.2#

130 2.7 13.0 19.4#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.53 min Scan# 564
Delta R.T. 0.00 min
Lab File: BF080335.D
Acq: 3 Jul 2015 10:26

Instrument :
BNA_F
ClientSampleId :
SIDEWALLNW-2-070115

Tgt Ion:	136	Resp:	123693
Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.4	12.6
54	6.4	4.9	7.3
68	5.3	4.0	6.0




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 66.90 ng
RT: 7.80 min Scan# 500
Delta R.T. 0.00 min
Lab File: BF080335.D
Acq: 3 Jul 2015 10:26

Tgt Ion:	82	Resp:	150285
Ion	Ratio	Lower	Upper
82	100		
128	53.9	29.0	43.4#
54	46.2	45.3	67.9



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#25

Isophorone

Concen: 34.35 ng

RT: 7.80 min Scan# 500

Delta R.T. -0.25 min

Lab File: BF080335.D

Acq: 3 Jul 2015 10:26

Instrument :

BNA_F

ClientSampleId :

SIDEWALLNW-2-070115


Tgt Ion: 82 Resp: 149994

Ion Ratio Lower Upper




82 100

95 0.0 5.3 7.9#

138 0.0 14.4 21.6#



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 95.00 (94.70 to 95.70): BF0
Ion 138.00 (137.70 to 138.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.29 min Scan# 718

Delta R.T. -0.01 min

Lab File: BF080335.D

Acq: 3 Jul 2015 10:26


Tgt Ion: 164 Resp: 59565

Ion Ratio Lower Upper



164 100


162 100.6 84.8 127.2

160 45.6 35.8 53.8



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 126.82 ng
 RT: 11.09 min Scan# 788
 Delta R.T. 0.00 min
 Lab File: BF080335.D
 Acq: 3 Jul 2015 10:26

Instrument :
 BNA_F
 ClientSampleId :
 SIDEWALLNW-2-070115

Tgt Ion:330 Resp: 71929
 Ion Ratio Lower Upper
 330 100
 332 96.7 77.4 116.2
 141 34.3 28.0 42.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 81.63 ng
 RT: 9.61 min Scan# 658
 Delta R.T. 0.00 min
 Lab File: BF080335.D
 Acq: 3 Jul 2015 10:26

Tgt Ion:172 Resp: 337815
 Ion Ratio Lower Upper
 172 100
 171 34.4 28.1 42.1
 170 23.3 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 10.13 ng
RT: 10.00 min Scan# 692
Delta R.T. 0.00 min
Lab File: BF080335.D
Acq: 3 Jul 2015 10:26

Instrument :
BNA_F
ClientSampleId :
SIDEWALLNW-2-070115

Tgt Ion:163 Resp: 46078
Ion Ratio Lower Upper
163 100
194 4.0 3.0 4.4
164 9.9 7.9 11.9




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#56
2,4-Dinitrotoluene
Concen: 6.25 ng
RT: 10.29 min Scan# 718
Delta R.T. -0.18 min
Lab File: BF080335.D
Acq: 3 Jul 2015 10:26

Tgt Ion:165 Resp: 7538
Ion Ratio Lower Upper
165 100
63 0.0 38.7 58.1#
89 0.0 62.0 93.0#
182 0.0 1.8 2.8#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF0
Ion 89.00 (88.70 to 89.70): BF0
Ion 182.00 (181.70 to 182.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.80 min Scan# 850
Delta R.T. 0.00 min
Lab File: BF080335.D
Acq: 3 Jul 2015 10:26

Instrument :
BNA_F
ClientSampleId :
SIDEWALLNW-2-070115

Tgt Ion:188 Resp: 133856
Ion Ratio Lower Upper
188 100
94 9.3 5.4 8.0#
80 9.8 5.8 8.6#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#66
4-Bromophenyl-phenylether
Concen: 3.21 ng
RT: 11.09 min Scan# 788
Delta R.T. -0.24 min
Lab File: BF080335.D
Acq: 3 Jul 2015 10:26

Tgt Ion:248 Resp: 4643
Ion Ratio Lower Upper
248 100
250 229.2 78.2 117.4#
141 356.9 31.9 47.9#



Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.80 min Scan# 1112

Delta R.T. 0.08 min

Lab File: BF080335.D

Acq: 3 Jul 2015 10:26

Instrument :

BNA_F

ClientSampleId :

SIDEWALLNW-2-070115


Tgt Ion:240 Resp: 139598

Ion Ratio Lower Upper

240 100

120 11.0 8.7 13.1




236 25.0 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 66.42 ng

RT: 13.51 min Scan# 999

Delta R.T. 0.03 min

Lab File: BF080335.D

Acq: 3 Jul 2015 10:26


Tgt Ion:244 Resp: 395855

Ion Ratio Lower Upper

244 100

212 7.3 5.0 7.6



122 13.2 6.6 9.8#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 16.68 min Scan# 1277
Delta R.T. 0.14 min
Lab File: BF080335.D
Acq: 3 Jul 2015 10:26

Instrument :
BNA_F
ClientSampleId :
SIDEWALLNW-2-070115

Tgt Ion:	264	Resp:	136368
Ion Ratio	Lower	Upper	
264	100		
260	23.8	19.2	28.8
265	21.5	16.9	25.3

