

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070215\
 Data File : BF080336.D
 Acq On : 3 Jul 2015 10:55
 Operator : TP/IZ
 Sample : G2873-04
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BOTTOMMNW-2-070115

Quant Time: Jul 03 23:27:56 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF070115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 03 22:57:58 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.24	152	31459	20.00	ng	0.00
21) Naphthalene-d8	8.53	136	114749	20.00	ng	0.00
38) Acenaphthene-d10	10.29	164	54754	20.00	ng	-0.01
63) Phenanthrene-d10	11.80	188	117980	20.00	ng	0.00
75) Chrysene-d12	14.74	240	132306	20.00	ng	0.02
86) Perylene-d12	16.58	264	126519	20.00	ng	0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.85	112	291237	160.32	ng	0.00
7) Phenol-d6	6.84	99	350620	143.78	ng	0.00
23) Nitrobenzene-d5	7.80	82	201029	96.46	ng	0.00
41) 2,4,6-Tribromophenol	11.09	330	95874	183.89	ng	0.00
44) 2-Fluorobiphenyl	9.61	172	446056	117.25	ng	0.00
78) Terphenyl-d14	13.48	244	531592	94.11	ng	0.01
Target Compounds						
49) Dimethylphthalate	10.00	163	77208	18.46	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070215\
Data File : BF080336.D
Acq On : 3 Jul 2015 10:55
Operator : TP/IZ
Sample : G2873-04
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BOTTOMNW-2-070115

Quant Time: Jul 03 23:27:56 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF070115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 03 22:57:58 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.24 min Scan# 451
Delta R.T. -0.00 min
Lab File: BF080336.D
Acq: 3 Jul 2015 10:55

Instrument :
BNA_F
ClientSampleId :
BOTTOMNW-2-070115

Tgt Ion:152 Resp: 31459
Ion Ratio Lower Upper
152 100
150 155.6 124.7 187.1
115 56.7 41.0 61.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 160.32 ng
RT: 5.85 min Scan# 329
Delta R.T. -0.00 min
Lab File: BF080336.D
Acq: 3 Jul 2015 10:55

Tgt Ion:112 Resp: 291237
Ion Ratio Lower Upper
112 100
64 58.8 45.5 68.3
63 29.8 22.4 33.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 143.78 ng

RT: 6.84 min Scan# 416

Delta R.T. -0.00 min

Lab File: BF080336.D

Acq: 3 Jul 2015 10:55

Instrument :

BNA_F

ClientSampleId :

BOTTOMNW-2-070115


Tgt Ion: 99 Resp: 350620

Ion Ratio Lower Upper

99 100

42 21.8 15.4 23.2




71 34.0 25.8 38.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.53 min Scan# 564

Delta R.T. -0.00 min

Lab File: BF080336.D

Acq: 3 Jul 2015 10:55

Tgt Ion: 136 Resp: 114749


Ion Ratio Lower Upper

136 100

137 10.9 8.4 12.6

54 6.4 4.9 7.3

68 4.8 4.0 6.0






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 96.46 ng
 RT: 7.80 min Scan# 500
 Delta R.T. -0.00 min
 Lab File: BF080336.D
 Acq: 3 Jul 2015 10:55

Instrument :
 BNA_F
 ClientSampleId :
 BOTTOMNW-2-070115

Tgt Ion: 82 Resp: 201029
 Ion Ratio Lower Upper
 82 100
 128 53.9 29.0 43.4#
 54 44.2 45.3 67.9#




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.29 min Scan# 718
 Delta R.T. -0.01 min
 Lab File: BF080336.D
 Acq: 3 Jul 2015 10:55

Tgt Ion: 164 Resp: 54754
 Ion Ratio Lower Upper
 164 100
 162 99.7 84.8 127.2
 160 44.1 35.8 53.8



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 183.89 ng
 RT: 11.09 min Scan# 788
 Delta R.T. -0.00 min
 Lab File: BF080336.D
 Acq: 3 Jul 2015 10:55

Instrument :
 BNA_F
 ClientSampleId :
 BOTTOMNW-2-070115

Tgt Ion:330 Resp: 95874
 Ion Ratio Lower Upper
 330 100
 332 96.5 77.4 116.2
 141 33.7 28.0 42.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 117.25 ng
 RT: 9.61 min Scan# 658
 Delta R.T. -0.00 min
 Lab File: BF080336.D
 Acq: 3 Jul 2015 10:55

Tgt Ion:172 Resp: 446056
 Ion Ratio Lower Upper
 172 100
 171 35.9 28.1 42.1
 170 24.0 18.6 28.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 18.46 ng

RT: 10.00 min Scan# 692

Delta R.T. -0.00 min

Lab File: BF080336.D

Acq: 3 Jul 2015 10:55

Instrument :

BNA_F

ClientSampleId :

BOTTOMNW-2-070115


Tgt Ion:163 Resp: 77208

Ion Ratio Lower Upper

163 100

194 3.6 3.0 4.4




164 9.7 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.80 min Scan# 850

Delta R.T. -0.00 min

Lab File: BF080336.D

Acq: 3 Jul 2015 10:55


Tgt Ion:188 Resp: 117980

Ion Ratio Lower Upper

188 100

94 6.4 5.4 8.0



80 6.5 5.8 8.6




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.74 min Scan# 1107

Delta R.T. 0.02 min

Lab File: BF080336.D

Acq: 3 Jul 2015 10:55

Instrument :

BNA_F

ClientSampleId :

BOTTOMNW-2-070115


Tgt Ion:240 Resp: 132306

Ion Ratio Lower Upper

240 100

120 7.4 8.7 13.1#




236 25.1 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 94.11 ng

RT: 13.48 min Scan# 997

Delta R.T. 0.01 min

Lab File: BF080336.D

Acq: 3 Jul 2015 10:55


Tgt Ion:244 Resp: 531592

Ion Ratio Lower Upper

244 100

212 6.1 5.0 7.6



122 5.5 6.6 9.8#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 16.58 min Scan# 1268
Delta R.T. 0.03 min
Lab File: BF080336.D
Acq: 3 Jul 2015 10:55

Instrument :
BNA_F
ClientSampleId :
BOTTOMNW-2-070115

Tgt Ion: 264 Resp: 126519
Ion Ratio Lower Upper
264 100
260 24.4 19.2 28.8
265 21.3 16.9 25.3

