

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070216\
 Data File : BF088617.D
 Acq On : 2 Jul 2016 15:13
 Operator : UM/SJ
 Sample : H3871-03
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 R5-B5(0-11)C

Quant Time: Jul 03 03:30:31 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 30 18:01:55 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.79	152	103272	20.00	ng	-0.02
21) Naphthalene-d8	8.08	136	451675	20.00	ng	-0.02
38) Acenaphthene-d10	9.83	164	198650	20.00	ng	-0.02
63) Phenanthrene-d10	11.30	188	309426	20.00	ng	-0.02
75) Chrysene-d12	13.93	240	216174	20.00	ng	-0.02
86) Perylene-d12	15.33	264	226010	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.38	112	617133	89.56	ng	-0.02
7) Phenol-d6	6.42	99	818701	91.95	ng	-0.02
23) Nitrobenzene-d5	7.36	82	587875	68.21	ng	-0.02
41) 2,4,6-Tribromophenol	10.62	330	171816	93.14	ng	-0.02
44) 2-Fluorobiphenyl	9.15	172	775895	61.70	ng	-0.02
78) Terphenyl-d14	12.89	244	590732	60.87	ng	-0.02
Target Compounds						
49) Dimethylphthalate	9.55	163	183983	13.00	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070216\
Data File : BF088617.D
Acq On : 2 Jul 2016 15:13
Operator : UM/SJ
Sample : H3871-03
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
R5-B5(0-11)C

Quant Time: Jul 03 03:30:31 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 30 18:01:55 2016
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.79 min Scan# 455
 Delta R.T. -0.02 min
 Lab File: BF088617.D
 Acq: 2 Jul 2016 15:13

Instrument :
 BNA_F
 ClientSampleId :
 R5-B5(0-11)C

Tgt Ion:152 Resp: 103272
 Ion Ratio Lower Upper
 152 100
 150 158.1 123.8 185.6
 115 72.7 39.6 59.4#




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 89.56 ng
 RT: 5.38 min Scan# 332
 Delta R.T. -0.02 min
 Lab File: BF088617.D
 Acq: 2 Jul 2016 15:13

Tgt Ion:112 Resp: 617133
 Ion Ratio Lower Upper
 112 100
 64 63.5 42.2 63.2#
 63 32.9 21.8 32.8#



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 91.95 ng

RT: 6.42 min Scan# 423

Delta R.T. -0.02 min

Lab File: BF088617.D

Acq: 2 Jul 2016 15:13

Instrument :

BNA_F

ClientSampleId :

R5-B5(0-11)C





Tgt Ion: 99 Resp: 818701

Ion Ratio Lower Upper

99 100

42 18.1 12.2 18.2

71 36.0 23.4 35.0#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.08 min Scan# 568

Delta R.T. -0.02 min

Lab File: BF088617.D

Acq: 2 Jul 2016 15:13

Tgt Ion: 136 Resp: 451675




Ion Ratio Lower Upper


136 100

137 10.9 9.1 13.7

54 7.0 6.6 10.0

68 6.2 5.1 7.7









#23
 Nitrobenzene-d5
 Concen: 68.21 ng
 RT: 7.36 min Scan# 505
 Delta R.T. -0.02 min
 Lab File: BF088617.D
 Acq: 2 Jul 2016 15:13

Instrument :
 BNA_F
 ClientSampleId :
 R5-B5(0-11)C

Tgt Ion: 82 Resp: 587875
 Ion Ratio Lower Upper
 82 100
 128 47.4 35.9 53.9
 54 43.2 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.83 min Scan# 721
 Delta R.T. -0.02 min
 Lab File: BF088617.D
 Acq: 2 Jul 2016 15:13

Tgt Ion: 164 Resp: 198650
 Ion Ratio Lower Upper
 164 100
 162 102.7 85.4 128.2
 160 46.5 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 93.14 ng
 RT: 10.62 min Scan# 790
 Delta R.T. -0.02 min
 Lab File: BF088617.D
 Acq: 2 Jul 2016 15:13

Instrument :
 BNA_F
 ClientSampleId :
 R5-B5(0-11)C

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.9	0.0	0.0#
141	36.2	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 61.70 ng
 RT: 9.15 min Scan# 662
 Delta R.T. -0.02 min
 Lab File: BF088617.D
 Acq: 2 Jul 2016 15:13

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.1	28.6	43.0
170	24.1	19.2	28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 13.00 ng

RT: 9.55 min Scan# 697

Delta R.T. -0.02 min

Lab File: BF088617.D

Acq: 2 Jul 2016 15:13

Instrument :

BNA_F

ClientSampleId :

R5-B5(0-11)C


Tgt Ion:163 Resp: 183983

Ion Ratio Lower Upper

163 100

194 3.7 2.8 4.2




164 10.0 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.30 min Scan# 850

Delta R.T. -0.02 min

Lab File: BF088617.D

Acq: 2 Jul 2016 15:13


Tgt Ion:188 Resp: 309426

Ion Ratio Lower Upper

188 100

94 13.6 9.0 13.6



80 15.0 10.0 15.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.93 min Scan# 1080

Delta R.T. -0.02 min

Lab File: BF088617.D

Acq: 2 Jul 2016 15:13

Instrument :

BNA_F

ClientSampleId :

R5-B5(0-11)C


Tgt Ion:240 Resp: 216174

Ion Ratio Lower Upper

240 100

120 11.5 6.8 10.2#




236 26.1 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 60.87 ng

RT: 12.89 min Scan# 989

Delta R.T. -0.02 min

Lab File: BF088617.D

Acq: 2 Jul 2016 15:13


Tgt Ion:244 Resp: 590732

Ion Ratio Lower Upper

244 100

212 7.3 6.0 9.0



122 11.7 11.2 16.8






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.33 min Scan# 1202
Delta R.T. -0.02 min
Lab File: BF088617.D
Acq: 2 Jul 2016 15:13

Instrument :
BNA_F
ClientSampleId :
R5-B5(0-11)C

Tgt Ion:	264	Resp:	226010
Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.2	28.8
265	21.7	16.9	25.3

