

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070325\
 Data File : BF142994.D
 Acq On : 03 Jul 2025 13:55
 Operator : RC/JU
 Sample : Q2472-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PN#1

Quant Time: Jul 03 15:46:12 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 24 05:28:21 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	74344	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	284194	20.000	ng	-0.01
39) Acenaphthene-d10	9.916	164	149190	20.000	ng	0.00
64) Phenanthrene-d10	11.404	188	251028	20.000	ng	0.00
76) Chrysene-d12	14.051	240	138786	20.000	ng	0.00
86) Perylene-d12	15.545	264	174145	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.499	112	281476	63.036	ng	0.00
7) Phenol-d6	6.504	99	373929	70.979	ng	0.00
23) Nitrobenzene-d5	7.434	82	239209	46.168	ng	-0.01
42) 2,4,6-Tribromophenol	10.704	330	73216	47.689	ng	-0.01
45) 2-Fluorobiphenyl	9.234	172	545881	48.067	ng	-0.01
79) Terphenyl-d14	12.992	244	484883	48.273	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070325\
Data File : BF142994.D
Acq On : 03 Jul 2025 13:55
Operator : RC/JU
Sample : Q2472-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PN#1

Quant Time: Jul 03 15:46:12 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 24 05:28:21 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 797
Delta R.T. -0.006 min
Lab File: BF142994.D
Acq: 03 Jul 2025 13:55




Instrument :
BNA_F
ClientSampleId :
PN#1


Tgt Ion:152 Resp: 74344
Ion Ratio Lower Upper
152 100
150 155.7 127.2 190.8
115 58.8 46.6 69.8



#5
2-Fluorophenol
Concen: 63.036 ng
RT: 5.499 min Scan# 562
Delta R.T. 0.007 min
Lab File: BF142994.D
Acq: 03 Jul 2025 13:55

Tgt Ion:112 Resp: 281476
Ion Ratio Lower Upper
112 100
64 57.0 48.2 72.2
63 30.5 25.7 38.5








#7
Phenol-d6
Concen: 70.979 ng
RT: 6.504 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF142994.D
Acq: 03 Jul 2025 13:55




Instrument :
BNA_F
ClientSampleId :
PN#1

Tgt Ion: 99 Resp: 373929
Ion Ratio Lower Upper
99 100
42 19.2 15.9 23.9
71 35.1 27.8 41.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1014
Delta R.T. -0.012 min
Lab File: BF142994.D
Acq: 03 Jul 2025 13:55

Tgt Ion: 136 Resp: 284194
Ion Ratio Lower Upper
136 100
137 10.7 8.4 12.6
54 7.0 6.3 9.5
68 4.2 3.7 5.5





#23

Nitrobenzene-d5

Concen: 46.168 ng

RT: 7.434 min Scan# 89

Delta R.T. -0.011 min

Lab File: BF142994.D

Acq: 03 Jul 2025 13:55

Instrument :

BNA_F

ClientSampleId :

PN#1





Tgt Ion: 82 Resp: 239209

Ion Ratio Lower Upper

82 100

128 47.3 37.7 56.5

54 56.3 45.7 68.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.916 min Scan# 1313

Delta R.T. -0.006 min

Lab File: BF142994.D

Acq: 03 Jul 2025 13:55




Tgt Ion:164 Resp: 149190

Ion Ratio Lower Upper

164 100

162 101.2 81.8 122.8


160 44.7 36.0 54.0








#42
2,4,6-Tribromophenol
Concen: 47.689 ng
RT: 10.704 min Scan# 1447
Delta R.T. -0.012 min
Lab File: BF142994.D
Acq: 03 Jul 2025 13:55

Instrument :
BNA_F
ClientSampleId :
PN#1






Tgt Ion:330 Resp: 73216
Ion Ratio Lower Upper
330 100
332 96.7 75.0 112.6
141 32.3 25.3 37.9



#45
2-Fluorobiphenyl
Concen: 48.067 ng
RT: 9.234 min Scan# 1197
Delta R.T. -0.011 min
Lab File: BF142994.D
Acq: 03 Jul 2025 13:55

Tgt Ion:172 Resp: 545881
Ion Ratio Lower Upper
172 100
171 35.2 28.2 42.4
170 23.0 18.5 27.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.404 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF142994.D
Acq: 03 Jul 2025 13:55




Instrument :
BNA_F
ClientSampleId :
PN#1

Tgt Ion:188 Resp: 251028
Ion Ratio Lower Upper
188 100
94 7.9 6.7 10.1
80 8.2 6.9 10.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2016
Delta R.T. -0.006 min
Lab File: BF142994.D
Acq: 03 Jul 2025 13:55

Tgt Ion:240 Resp: 138786
Ion Ratio Lower Upper
240 100
120 10.4 8.2 12.2
236 24.4 19.8 29.8









#79
 Terphenyl-d14
 Concen: 48.273 ng
 RT: 12.992 min Scan# 1836
 Delta R.T. -0.006 min
 Lab File: BF142994.D
 Acq: 03 Jul 2025 13:55

Instrument :
 BNA_F
 ClientSampleId :
 PN#1

Tgt Ion:244 Resp: 484883
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.4 8.0
 122 9.8 8.2 12.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.545 min Scan# 2270
 Delta R.T. 0.000 min
 Lab File: BF142994.D
 Acq: 03 Jul 2025 13:55

Tgt Ion:264 Resp: 174145
 Ion Ratio Lower Upper
 264 100
 260 22.7 18.1 27.1
 265 20.4 16.6 25.0

