

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF070518\
 Data File : BF107155.D
 Acq On : 6 Jul 2018 6:25
 Operator : JU/SJ
 Sample : J3851-02
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Jul 06 08:14:17 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 29 14:38:29 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.94	152	62206	20.00	ng	-0.02
21) Naphthalene-d8	8.23	136	231630	20.00	ng	-0.02
38) Acenaphthene-d10	9.99	164	102564	20.00	ng	-0.02
63) Phenanthrene-d10	11.48	188	163163	20.00	ng	-0.02
75) Chrysene-d12	14.13	240	159483	20.00	ng	-0.04
86) Perylene-d12	15.67	264	107563	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.58	112	162831	44.32	ng	-0.02
7) Phenol-d6	6.59	99	132981	28.99	ng	-0.02
23) Nitrobenzene-d5	7.51	82	369889	88.75	ng	-0.02
41) 2,4,6-Tribromophenol	10.78	330	103837	87.35	ng	-0.02
44) 2-Fluorobiphenyl	9.30	172	646171	111.18	ng	-0.02
78) Terphenyl-d14	13.07	244	617929	93.85	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.51	70	47175	15.600	ng	# 73
25) Isophorone	7.51	82	369886	50.362	ng	# 64
49) Dimethylphthalate	9.70	163	32417	4.214	ng	# 98
50) 2,6-Dinitrotoluene	9.99	165	13050	8.012	ng	# 24
56) 2,4-Dinitrotoluene	9.99	165	13050	6.138	ng	# 21
66) 4-Bromophenyl-phenylether	10.78	248	6313	3.242	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF070518\
Data File : BF107155.D
Acq On : 6 Jul 2018 6:25
Operator : JU/SJ
Sample : J3851-02
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Jul 06 08:14:17 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 29 14:38:29 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.94 min Scan# 783
Delta R.T. -0.02 min
Lab File: BF107155.D
Acq: 6 Jul 2018 6:25

Instrument :
BNA_F
ClientSampled :

Tot Ion:152 Resp: 62206
Ion Ratio Lower Upper
152 100
150 159.2 124.6 186.8
115 62.3 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 44.324 ng
RT: 5.58 min Scan# 552
Delta R.T. -0.02 min
Lab File: BF107155.D
Acq: 6 Jul 2018 6:25

Tgt Ion:112 Resp: 162831
Ion Ratio Lower Upper
112 100
64 61.6 47.9 71.9
63 29.4 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 28.987 ng

RT: 6.59 min Scan# 723

Delta R.T. -0.02 min

Lab File: BF107155.D

Acq: 6 Jul 2018 6:25

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 132981

Ion Ratio Lower Upper

99 100

42 16.2 14.5 21.7




71 32.7 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 15.600 ng

RT: 7.51 min Scan# 880

Delta R.T. 0.13 min

Lab File: BF107155.D

Acq: 6 Jul 2018 6:25

Tgt Ion: 70 Resp: 47175


Ion Ratio Lower Upper

70 100

42 41.9 47.5 71.3#

101 0.0 7.4 11.2#

130 2.3 16.6 25.0#






Abundance Ion 70.00 (69.70 to 70.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 101.00 (100.70 to 101.70): BF1

Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.23 min Scan# 1002
Delta R.T. -0.02 min
Lab File: BF107155.D
Acq: 6 Jul 2018 6:25

Instrument :
BNA_F
ClientSampleId :

Tot Ion:	136	Resp:	231630
Ion	Ratio	Lower	Upper
136	100		
137	10.3	8.9	13.3
54	7.8	6.6	9.8
68	5.9	5.0	7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 88.745 ng
RT: 7.51 min Scan# 880
Delta R.T. -0.02 min
Lab File: BF107155.D
Acq: 6 Jul 2018 6:25

Tgt Ion:	82	Resp:	369889
Ion	Ratio	Lower	Upper
82	100		
128	44.5	36.1	54.1
54	48.9	41.4	62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 50.362 ng

RT: 7.51 min Scan# 880

Delta R.T. -0.28 min

Lab File: BF107155.D

Acq: 6 Jul 2018 6:25

Instrument :
BNA_F
ClientSampled :


Tot Ion: 82 Resp: 369886

Ion Ratio Lower Upper




82 100

95 0.0 5.2 7.8#

138 0.0 14.9 22.3#



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 95.00 (94.70 to 95.70): BF1
Ion 138.00 (137.70 to 138.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.99 min Scan# 1301

Delta R.T. -0.02 min

Lab File: BF107155.D

Acq: 6 Jul 2018 6:25


Tgt Ion: 164 Resp: 102564

Ion Ratio Lower Upper



164 100


162 97.5 86.1 129.1

160 46.0 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
Ion 162.00 (161.70 to 162.70): BF1
Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 87.350 ng
 RT: 10.78 min Scan# 1436
 Delta R.T. -0.02 min
 Lab File: BF107155.D
 Acq: 6 Jul 2018 6:25

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.9	77.0	115.6
141	23.1	29.9	44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 111.182 ng
 RT: 9.30 min Scan# 1184
 Delta R.T. -0.02 min
 Lab File: BF107155.D
 Acq: 6 Jul 2018 6:25

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	29.7	44.5
170	24.7	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
 Dimethylphthalate
 Concen: 4.214 ng
 RT: 9.70 min Scan# 1251
 Delta R.T. -0.03 min
 Lab File: BF107155.D
 Acq: 6 Jul 2018 6:25




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:163 Resp: 32417
 Ion Ratio Lower Upper
 163 100
 194 4.4 2.7 4.1#
 164 10.8 8.2 12.2



#50
 2,6-Dinitrotoluene
 Concen: 8.012 ng
 RT: 9.99 min Scan# 1301
 Delta R.T. 0.19 min
 Lab File: BF107155.D
 Acq: 6 Jul 2018 6:25

Tgt Ion:165 Resp: 13050
 Ion Ratio Lower Upper
 165 100
 63 0.0 44.7 67.1#
 89 0.0 44.0 66.0#









#56
 2,4-Dinitrotoluene
 Concen: 6.138 ng
 RT: 9.99 min Scan# 1301
 Delta R.T. -0.21 min
 Lab File: BF107155.D
 Acq: 6 Jul 2018 6:25

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:165 Resp: 13050
 Ion Ratio Lower Upper
 165 100
 63 0.0 36.4 54.6#
 89 0.0 57.8 86.6#
 182 0.0 1.6 2.4#




Abundance Ion 165.00 (164.70 to 165.70): E






#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.48 min Scan# 1555
 Delta R.T. -0.02 min
 Lab File: BF107155.D
 Acq: 6 Jul 2018 6:25

Tgt Ion:188 Resp: 163163
 Ion Ratio Lower Upper
 188 100
 94 8.4 8.5 12.7#
 80 9.1 9.2 13.8#



Abundance Ion 188.00 (187.70 to 188.70): E









#66
 4-Bromophenyl-phenylether
 Concen: 3.242 ng
 RT: 10.78 min Scan# 1436
 Delta R.T. -0.25 min
 Lab File: BF107155.D
 Acq: 6 Jul 2018 6:25

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:248 Resp: 6313
 Ion Ratio Lower Upper
 248 100
 250 183.8 76.9 115.3#
 141 312.6 74.4 111.6#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 14.13 min Scan# 2005
 Delta R.T. -0.04 min
 Lab File: BF107155.D
 Acq: 6 Jul 2018 6:25

Tgt Ion:240 Resp: 159483
 Ion Ratio Lower Upper
 240 100
 120 10.1 9.5 14.3
 236 24.9 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 93.854 ng
 RT: 13.07 min Scan# 1824
 Delta R.T. -0.02 min
 Lab File: BF107155.D
 Acq: 6 Jul 2018 6:25

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 617929
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.4 8.0
 122 8.7 11.0 16.4#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.67 min Scan# 2266
 Delta R.T. -0.05 min
 Lab File: BF107155.D
 Acq: 6 Jul 2018 6:25

Tgt Ion:264 Resp: 107563
 Ion Ratio Lower Upper
 264 100
 260 23.5 19.2 28.8
 265 20.5 17.5 26.3

