

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF070518\
 Data File : BF107150.D
 Acq On : 6 Jul 2018 4:10
 Operator : JU/SJ
 Sample : J3805-03
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Jul 06 05:34:42 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 29 14:38:29 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.94	152	60553	20.00	ng	-0.02
21) Naphthalene-d8	8.23	136	217001	20.00	ng	-0.02
38) Acenaphthene-d10	9.99	164	93894	20.00	ng	-0.02
63) Phenanthrene-d10	11.48	188	149835	20.00	ng	-0.02
75) Chrysene-d12	14.14	240	152117	20.00	ng	-0.03
86) Perylene-d12	15.67	264	102576	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	147653	41.29	ng	-0.01
7) Phenol-d6	6.59	99	123026	27.55	ng	-0.02
23) Nitrobenzene-d5	7.51	82	327750	83.94	ng	-0.02
41) 2,4,6-Tribromophenol	10.78	330	80277	73.77	ng	-0.02
44) 2-Fluorobiphenyl	9.30	172	578600	108.36	ng	-0.02
78) Terphenyl-d14	13.07	244	530696	84.51	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.51	70	42100	14.302	ng	# 73
25) Isophorone	7.51	82	327748	47.633	ng	# 64
49) Dimethylphthalate	9.70	163	29048	4.125	ng	# 99
50) 2,6-Dinitrotoluene	9.99	165	11871	7.961	ng	# 24
56) 2,4-Dinitrotoluene	9.99	165	11871	6.099	ng	# 21
66) 4-Bromophenyl-phenylether	10.78	248	5000	2.796	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF070518\
Data File : BF107150.D
Acq On : 6 Jul 2018 4:10
Operator : JU/SJ
Sample : J3805-03
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Jul 06 05:34:42 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 29 14:38:29 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.94 min Scan# 783
Delta R.T. -0.02 min
Lab File: BF107150.D
Acq: 6 Jul 2018 4:10

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 60553
Ion Ratio Lower Upper
152 100
150 157.4 124.6 186.8
115 61.9 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 41.290 ng
RT: 5.59 min Scan# 553
Delta R.T. -0.01 min
Lab File: BF107150.D
Acq: 6 Jul 2018 4:10

Tgt Ion:112 Resp: 147653
Ion Ratio Lower Upper
112 100
64 57.1 47.9 71.9
63 27.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 27.549 ng

RT: 6.59 min Scan# 723

Delta R.T. -0.02 min

Lab File: BF107150.D

Acq: 6 Jul 2018 4:10

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 123026

Ion Ratio Lower Upper

99 100

42 16.7 14.5 21.7




71 32.5 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 14.302 ng

RT: 7.51 min Scan# 880

Delta R.T. 0.13 min

Lab File: BF107150.D

Acq: 6 Jul 2018 4:10

Tgt Ion: 70 Resp: 42100


Ion Ratio Lower Upper

70 100

42 42.9 47.5 71.3#

101 0.0 7.4 11.2#

130 1.9 16.6 25.0#





Abundance Ion 70.00 (69.70 to 70.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 101.00 (100.70 to 101.70): BF1

Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.23 min Scan# 1002
Delta R.T. -0.02 min
Lab File: BF107150.D
Acq: 6 Jul 2018 4:10

Instrument :
BNA_F
ClientSampleId :

Tot Ion:	136	Resp:	217001
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.9	13.3
54	7.3	6.6	9.8
68	6.0	5.0	7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 83.936 ng
RT: 7.51 min Scan# 880
Delta R.T. -0.02 min
Lab File: BF107150.D
Acq: 6 Jul 2018 4:10

Tgt Ion:	82	Resp:	327750
Ion	Ratio	Lower	Upper
82	100		
128	44.1	36.1	54.1
54	48.7	41.4	62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 47.633 ng

RT: 7.51 min Scan# 880

Delta R.T. -0.28 min

Lab File: BF107150.D

Acq: 6 Jul 2018 4:10

Instrument :

BNA_F

ClientSampled :


Tot Ion: 82 Resp: 327748

Ion Ratio Lower Upper

82 100

95 0.0 5.2 7.8#




138 0.0 14.9 22.3#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.99 min Scan# 1301

Delta R.T. -0.02 min

Lab File: BF107150.D

Acq: 6 Jul 2018 4:10


Tgt Ion: 164 Resp: 93894

Ion Ratio Lower Upper

164 100

162 97.3 86.1 129.1



160 44.1 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 73.767 ng
 RT: 10.78 min Scan# 1436
 Delta R.T. -0.02 min
 Lab File: BF107150.D
 Acq: 6 Jul 2018 4:10




Instrument :
 BNA_F
 ClientSampled :


Tot Ion:330 Resp: 80277
 Ion Ratio Lower Upper
 330 100
 332 97.2 77.0 115.6
 141 23.5 29.9 44.9#



#44
 2-Fluorobiphenyl
 Concen: 108.358 ng
 RT: 9.30 min Scan# 1184
 Delta R.T. -0.02 min
 Lab File: BF107150.D
 Acq: 6 Jul 2018 4:10

Tgt Ion:172 Resp: 578600
 Ion Ratio Lower Upper
 172 100
 171 36.4 29.7 44.5
 170 24.7 19.6 29.4









#49
Dimethylphthalate
Concen: 4.125 ng
RT: 9.70 min Scan# 1251
Delta R.T. -0.03 min
Lab File: BF107150.D
Acq: 6 Jul 2018 4:10

Instrument :
BNA_F
ClientSampleId :

Tot Ion:163 Resp: 29048
Ion Ratio Lower Upper
163 100
194 3.6 2.7 4.1
164 10.6 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#50
2,6-Dinitrotoluene
Concen: 7.961 ng
RT: 9.99 min Scan# 1301
Delta R.T. 0.19 min
Lab File: BF107150.D
Acq: 6 Jul 2018 4:10

Tgt Ion:165 Resp: 11871
Ion Ratio Lower Upper
165 100
63 0.0 44.7 67.1#
89 0.0 44.0 66.0#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF1
Ion 89.00 (88.70 to 89.70): BF1









#56
 2,4-Dinitrotoluene
 Concen: 6.099 ng
 RT: 9.99 min Scan# 1301
 Delta R.T. -0.21 min
 Lab File: BF107150.D
 Acq: 6 Jul 2018 4:10

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:165 Resp: 11871
 Ion Ratio Lower Upper
 165 100
 63 0.0 36.4 54.6#
 89 0.0 57.8 86.6#
 182 0.0 1.6 2.4#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1
 Ion 182.00 (181.70 to 182.70): E





#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.48 min Scan# 1555
 Delta R.T. -0.02 min
 Lab File: BF107150.D
 Acq: 6 Jul 2018 4:10

Tgt Ion:188 Resp: 149835
 Ion Ratio Lower Upper
 188 100
 94 8.6 8.5 12.7
 80 9.2 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF1
 Ion 80.00 (79.70 to 80.70): BF1









#66
4-Bromophenyl-phenylether
Concen: 2.796 ng
RT: 10.78 min Scan# 1436
Delta R.T. -0.25 min
Lab File: BF107150.D
Acq: 6 Jul 2018 4:10

Instrument :
BNA_F
ClientSampleId :

Tot Ion:248 Resp: 5000
Ion Ratio Lower Upper
248 100
250 190.6 76.9 115.3#
141 353.8 74.4 111.6#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.14 min Scan# 2006
Delta R.T. -0.03 min
Lab File: BF107150.D
Acq: 6 Jul 2018 4:10

Tgt Ion:240 Resp: 152117
Ion Ratio Lower Upper
240 100
120 8.7 9.5 14.3#
236 25.5 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 84.508 ng
 RT: 13.07 min Scan# 1824
 Delta R.T. -0.02 min
 Lab File: BF107150.D
 Acq: 6 Jul 2018 4:10

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 530696
 Ion Ratio Lower Upper
 244 100
 212 6.3 5.4 8.0
 122 9.4 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.67 min Scan# 2266
 Delta R.T. -0.05 min
 Lab File: BF107150.D
 Acq: 6 Jul 2018 4:10

Tgt Ion:264 Resp: 102576
 Ion Ratio Lower Upper
 264 100
 260 25.0 19.2 28.8
 265 21.1 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

