

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF070518\
 Data File : BF107147.D
 Acq On : 6 Jul 2018 2:48
 Operator : JU/SJ
 Sample : J3858-03
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FK-GF-03-005-B

Quant Time: Jul 06 05:23:05 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 29 14:38:29 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	55490	20.00	ng	-0.01
21) Naphthalene-d8	8.23	136	207570	20.00	ng	-0.02
38) Acenaphthene-d10	9.99	164	93271	20.00	ng	-0.02
63) Phenanthrene-d10	11.48	188	159229	20.00	ng	-0.02
75) Chrysene-d12	14.14	240	152665	20.00	ng	-0.03
86) Perylene-d12	15.67	264	121261	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	317528	96.90	ng	-0.01
7) Phenol-d6	6.60	99	385225	94.13	ng	-0.02
23) Nitrobenzene-d5	7.51	82	240167	64.30	ng	-0.02
41) 2,4,6-Tribromophenol	10.78	330	100342	92.82	ng	-0.02
44) 2-Fluorobiphenyl	9.30	172	407640	71.66	ng	-0.02
78) Terphenyl-d14	13.07	244	392976	62.35	ng	-0.02
Target Compounds						
10) Phenol	6.61	94	9988	2.139	ng	90
49) Dimethylphthalate	9.70	163	110219	15.756	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF070518\
Data File : BF107147.D
Acq On : 6 Jul 2018 2:48
Operator : JU/SJ
Sample : J3858-03
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FK-GF-03-005-B

Quant Time: Jul 06 05:23:05 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 29 14:38:29 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.95 min Scan# 784
Delta R.T. -0.01 min
Lab File: BF107147.D
Acq: 6 Jul 2018 2:48

Instrument :
BNA_F
ClientSampleId :
FK-GF-03-005-B

Tot Ion:152 Resp: 55490
Ion Ratio Lower Upper
152 100
150 160.1 124.6 186.8
115 58.6 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 96.896 ng
RT: 5.59 min Scan# 553
Delta R.T. -0.01 min
Lab File: BF107147.D
Acq: 6 Jul 2018 2:48

Tgt Ion:112 Resp: 317528
Ion Ratio Lower Upper
112 100
64 59.8 47.9 71.9
63 28.9 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 94.133 ng

RT: 6.60 min Scan# 724

Delta R.T. -0.02 min

Lab File: BF107147.D

Acq: 6 Jul 2018 2:48

Instrument :

BNA_F

ClientSampleId :

FK-GF-03-005-B


Tot Ion: 99 Resp: 385225

Ion Ratio Lower Upper




99 100

42 15.7 14.5 21.7

71 33.3 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 2.139 ng

RT: 6.61 min Scan# 726

Delta R.T. -0.02 min

Lab File: BF107147.D

Acq: 6 Jul 2018 2:48


Tgt Ion: 94 Resp: 9988

Ion Ratio Lower Upper



94 100


65 30.7 7.9 47.9

66 43.8 16.2 56.2



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.23 min Scan# 1002

Delta R.T. -0.02 min

Lab File: BF107147.D

Acq: 6 Jul 2018 2:48

Instrument :

BNA_F

ClientSampleId :

FK-GF-03-005-B

Tot Ion:136 Resp: 207570


Ion Ratio Lower Upper

136 100

137 11.1 8.9 13.3

54 8.0 6.6 9.8

68 6.1 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 64.301 ng

RT: 7.51 min Scan# 880

Delta R.T. -0.02 min

Lab File: BF107147.D

Acq: 6 Jul 2018 2:48


Tgt Ion: 82 Resp: 240167

Ion Ratio Lower Upper

82 100

128 44.3 36.1 54.1



54 48.3 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1









#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.99 min Scan# 1301
 Delta R.T. -0.02 min
 Lab File: BF107147.D
 Acq: 6 Jul 2018 2:48

Instrument :
 BNA_F
 ClientSampleId :
 FK-GF-03-005-B

Tot Ion:164 Resp: 93271
 Ion Ratio Lower Upper
 164 100
 162 97.7 86.1 129.1
 160 44.0 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 92.820 ng
 RT: 10.78 min Scan# 1436
 Delta R.T. -0.02 min
 Lab File: BF107147.D
 Acq: 6 Jul 2018 2:48

Tgt Ion:330 Resp: 100342
 Ion Ratio Lower Upper
 330 100
 332 97.0 77.0 115.6
 141 23.5 29.9 44.9#



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 71.661 ng
RT: 9.30 min Scan# 1184
Delta R.T. -0.02 min
Lab File: BF107147.D
Acq: 6 Jul 2018 2:48




Instrument :
BNA_F
ClientSampleId :
FK-GF-03-005-B


Tot Ion:172 Resp: 407640
Ion Ratio Lower Upper
172 100
171 35.8 29.7 44.5
170 24.6 19.6 29.4



#49
Dimethylphthalate
Concen: 15.756 ng
RT: 9.70 min Scan# 1251
Delta R.T. -0.03 min
Lab File: BF107147.D
Acq: 6 Jul 2018 2:48

Tgt Ion:163 Resp: 110219
Ion Ratio Lower Upper
163 100
194 3.9 2.7 4.1
164 11.3 8.2 12.2









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.48 min Scan# 1555
Delta R.T. -0.02 min
Lab File: BF107147.D
Acq: 6 Jul 2018 2:48




Instrument :
BNA_F
ClientSampleId :
FK-GF-03-005-B


Tot Ion:188 Resp: 159229
Ion Ratio Lower Upper
188 100
94 7.9 8.5 12.7#
80 9.2 9.2 13.8#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.14 min Scan# 2006
Delta R.T. -0.03 min
Lab File: BF107147.D
Acq: 6 Jul 2018 2:48

Tgt Ion:240 Resp: 152665
Ion Ratio Lower Upper
240 100
120 9.0 9.5 14.3#
236 25.3 20.7 31.1





#78

Terphenyl-d14

Concen: 62.353 ng

RT: 13.07 min Scan# 1824

Delta R.T. -0.02 min

Lab File: BF107147.D

Acq: 6 Jul 2018 2:48

Instrument :

BNA_F

ClientSampleId :

FK-GF-03-005-B


Tot Ion:244 Resp: 392976

Ion Ratio Lower Upper

244 100

212 6.4 5.4 8.0




122 8.3 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.67 min Scan# 2266

Delta R.T. -0.05 min

Lab File: BF107147.D

Acq: 6 Jul 2018 2:48


Tgt Ion:264 Resp: 121261

Ion Ratio Lower Upper

264 100

260 23.8 19.2 28.8

265 22.0 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

