

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF070518\
 Data File : BF107161.D
 Acq On : 6 Jul 2018 9:07
 Operator : JU/SJ
 Sample : J3851-08
 Misc :
 ALS Vial : 45 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 070218-TIPC-F-U-S

Quant Time: Jul 06 11:11:03 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 29 14:38:29 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.94	152	59911	20.00	ng	-0.02
21) Naphthalene-d8	8.23	136	218898	20.00	ng	-0.02
38) Acenaphthene-d10	9.99	164	95798	20.00	ng	-0.02
63) Phenanthrene-d10	11.48	188	158586	20.00	ng	-0.02
75) Chrysene-d12	14.13	240	163441	20.00	ng	-0.04
86) Perylene-d12	15.67	264	114435	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.58	112	140489	39.71	ng	-0.02
7) Phenol-d6	6.59	99	110351	24.98	ng	-0.02
23) Nitrobenzene-d5	7.51	82	324087	82.28	ng	-0.02
41) 2,4,6-Tribromophenol	10.78	330	95079	85.63	ng	-0.02
44) 2-Fluorobiphenyl	9.30	172	584764	107.17	ng	-0.02
78) Terphenyl-d14	13.07	244	618397	91.65	ng	-0.02
Target Compounds						
49) Dimethylphthalate	9.70	163	30591	4.258	ng	Qvalue # 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF070518\
Data File : BF107161.D
Acq On : 6 Jul 2018 9:07
Operator : JU/SJ
Sample : J3851-08
Misc :
ALS Vial : 45 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
070218-TIPC-F-U-S

Quant Time: Jul 06 11:11:03 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 29 14:38:29 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.94 min Scan# 783
Delta R.T. -0.02 min
Lab File: BF107161.D
Acq: 6 Jul 2018 9:07

Instrument :
BNA_F
ClientSampleId :
070218-TIPC-F-U-S

Tot Ion:152 Resp: 59911
Ion Ratio Lower Upper
152 100
150 160.3 124.6 186.8
115 64.0 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 39.708 ng
RT: 5.58 min Scan# 552
Delta R.T. -0.02 min
Lab File: BF107161.D
Acq: 6 Jul 2018 9:07

Tgt Ion:112 Resp: 140489
Ion Ratio Lower Upper
112 100
64 60.3 47.9 71.9
63 29.1 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 24.975 ng

RT: 6.59 min Scan# 723

Delta R.T. -0.02 min

Lab File: BF107161.D

Acq: 6 Jul 2018 9:07

Instrument :

BNA_F

ClientSampleId :

070218-TIPC-F-U-S


Tot Ion: 99 Resp: 110351

Ion Ratio Lower Upper

99 100

42 16.2 14.5 21.7



71 32.7 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.23 min Scan# 1002

Delta R.T. -0.02 min

Lab File: BF107161.D

Acq: 6 Jul 2018 9:07

Tgt Ion: 136 Resp: 218898


Ion Ratio Lower Upper

136 100

137 10.7 8.9 13.3

54 7.8 6.6 9.8

68 6.1 5.0 7.4





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1








#23
 Nitrobenzene-d5
 Concen: 82.279 ng
 RT: 7.51 min Scan# 880
 Delta R.T. -0.02 min
 Lab File: BF107161.D
 Acq: 6 Jul 2018 9:07




Instrument :
 BNA_F
 ClientSampleId :
 070218-TIPC-F-U-S

Tot Ion	82	Resp	324087
Ion Ratio	Lower	Upper	
82	100		
128	44.5	36.1	54.1
54	49.3	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.99 min Scan# 1301
 Delta R.T. -0.02 min
 Lab File: BF107161.D
 Acq: 6 Jul 2018 9:07

Tgt Ion	164	Resp	95798
Ion Ratio	Lower	Upper	
164	100		
162	98.1	86.1	129.1
160	45.8	38.3	57.5









#41
 2,4,6-Tribromophenol
 Concen: 85.632 ng
 RT: 10.78 min Scan# 1436
 Delta R.T. -0.02 min
 Lab File: BF107161.D
 Acq: 6 Jul 2018 9:07

Instrument :
 BNA_F
 ClientSampleId :
 070218-TIPC-F-U-S

Tot Ion:330 Resp: 95079
 Ion Ratio Lower Upper
 330 100
 332 95.1 77.0 115.6
 141 24.1 29.9 44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 107.167 ng
 RT: 9.30 min Scan# 1184
 Delta R.T. -0.02 min
 Lab File: BF107161.D
 Acq: 6 Jul 2018 9:07

Tgt Ion:172 Resp: 584764
 Ion Ratio Lower Upper
 172 100
 171 35.6 29.7 44.5
 170 24.1 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 4.258 ng

RT: 9.70 min Scan# 1251

Delta R.T. -0.03 min

Lab File: BF107161.D

Acq: 6 Jul 2018 9:07

Instrument :

BNA_F

ClientSampleId :

070218-TIPC-F-U-S


Tot Ion:163 Resp: 30591

Ion Ratio Lower Upper

163 100

194 4.6 2.7 4.1#



164 11.2 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.48 min Scan# 1555

Delta R.T. -0.02 min

Lab File: BF107161.D

Acq: 6 Jul 2018 9:07


Tgt Ion:188 Resp: 158586

Ion Ratio Lower Upper

188 100

94 8.1 8.5 12.7#



80 8.5 9.2 13.8#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.13 min Scan# 2005

Delta R.T. -0.04 min

Lab File: BF107161.D

Acq: 6 Jul 2018 9:07

Instrument :

BNA_F

ClientSampleId :

070218-TIPC-F-U-S


Tot Ion:240 Resp: 163441

Ion Ratio Lower Upper

240 100

120 10.2 9.5 14.3



236 25.9 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 91.650 ng

RT: 13.07 min Scan# 1824

Delta R.T. -0.02 min

Lab File: BF107161.D

Acq: 6 Jul 2018 9:07


Tgt Ion:244 Resp: 618397

Ion Ratio Lower Upper

244 100

212 6.6 5.4 8.0



122 8.6 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.67 min Scan# 2266
 Delta R.T. -0.05 min
 Lab File: BF107161.D
 Acq: 6 Jul 2018 9:07

Instrument :
 BNA_F
 ClientSampleId :
 070218-TIPC-F-U-S

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.6	19.2	28.8
265	22.2	17.5	26.3

