

Data Path : Z:\HPCHEM1\BNA F\DATA\BF070616\
 Data File : BF088737.D
 Acq On : 6 Jul 2016 14:41
 Operator : UM/SJ
 Sample : PB91761BL
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB91761BL

Quant Time: Jul 06 16:21:09 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF063016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 05 17:15:08 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.75	152	84135	20.00	ng	-0.02
21) Naphthalene-d8	8.04	136	349364	20.00	ng	-0.02
38) Acenaphthene-d10	9.79	164	175442	20.00	ng	-0.02
63) Phenanthrene-d10	11.27	188	354789	20.00	ng	-0.02
75) Chrysene-d12	13.89	240	269342	20.00	ng	-0.03
86) Perylene-d12	15.28	264	211214	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.36	112	663880	118.26	ng	-0.01
7) Phenol-d6	6.40	99	913126	125.88	ng	-0.01
23) Nitrobenzene-d5	7.32	82	618786	92.82	ng	-0.02
41) 2,4,6-Tribromophenol	10.58	330	112989	69.35	ng	-0.02
44) 2-Fluorobiphenyl	9.12	172	947608	85.32	ng	-0.02
78) Terphenyl-d14	12.86	244	986569	81.58	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.32	70	83200	17.08	ng	# 67
50) 2,6-Dinitrotoluene	9.79	165	22925	8.28	ng	# 40
56) 2,4-Dinitrotoluene	9.79	165	22921	6.33	ng	# 38


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF070616\
Data File : BF088737.D
Acq On : 6 Jul 2016 14:41
Operator : UM/SJ
Sample : PB91761BL
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB91761BL

Quant Time: Jul 06 16:21:09 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF063016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 05 17:15:08 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.75 min Scan# 452
Delta R.T. -0.02 min
Lab File: BF088737.D
Acq: 6 Jul 2016 14:41

Instrument :
BNA_F
ClientSampleId :
PB91761BL

Tot Ion:152 Resp: 84135
Ion Ratio Lower Upper
152 100
150 155.6 123.8 185.6
115 71.3 39.6 59.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 118.26 ng
RT: 5.36 min Scan# 330
Delta R.T. -0.01 min
Lab File: BF088737.D
Acq: 6 Jul 2016 14:41

Tgt Ion:112 Resp: 663880
Ion Ratio Lower Upper
112 100
64 58.8 42.2 63.2
63 31.6 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 125.88 ng

RT: 6.40 min Scan# 421

Delta R.T. -0.01 min

Lab File: BF088737.D

Acq: 6 Jul 2016 14:41

Instrument :

BNA_F

ClientSampleId :

PB91761BL





Tot Ion: 99 Resp: 913126

Ion Ratio Lower Upper

99 100

42 17.0 12.2 18.2

71 37.5 23.4 35.0#



#19

n-Nitroso-di-n-propylamine

Concen: 17.08 ng

RT: 7.32 min Scan# 502

Delta R.T. 0.13 min

Lab File: BF088737.D

Acq: 6 Jul 2016 14:41

Tgt Ion: 70 Resp: 83200




Ion Ratio Lower Upper


70 100

42 37.1 49.6 74.4#

101 0.0 7.1 10.7#

130 2.4 15.4 23.2#





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.04 min Scan# 565

Delta R.T. -0.02 min

Lab File: BF088737.D

Acq: 6 Jul 2016 14:41

Instrument :

BNA_F

ClientSampleId :

PB91761BL

Tot Ion:136 Resp: 349364


Ion Ratio Lower Upper

136 100

137 10.5 9.1 13.7

54 5.2 6.6 10.0#

68 4.4 5.1 7.7#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 92.82 ng

RT: 7.32 min Scan# 502

Delta R.T. -0.02 min

Lab File: BF088737.D

Acq: 6 Jul 2016 14:41


Tgt Ion: 82 Resp: 618786

Ion Ratio Lower Upper

82 100

128 47.8 35.9 53.9



54 42.5 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.79 min Scan# 718

Delta R.T. -0.02 min

Lab File: BF088737.D

Acq: 6 Jul 2016 14:41

Instrument :

BNA_F

ClientSampleId :

PB91761BL


Tot Ion:164 Resp: 175442

Ion Ratio Lower Upper

164 100

162 105.4 85.4 128.2




160 48.0 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 69.35 ng

RT: 10.58 min Scan# 787

Delta R.T. -0.02 min

Lab File: BF088737.D

Acq: 6 Jul 2016 14:41


Tgt Ion:330 Resp: 112989

Ion Ratio Lower Upper

330 100

332 96.5 0.0 0.0#



141 37.8 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 85.32 ng
 RT: 9.12 min Scan# 659
 Delta R.T. -0.02 min
 Lab File: BF088737.D
 Acq: 6 Jul 2016 14:41

Instrument :
 BNA_F
 ClientSampleId :
 PB91761BL

Tot Ion:172 Resp: 947608
 Ion Ratio Lower Upper
 172 100
 171 36.3 28.6 43.0
 170 24.3 19.2 28.8




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#50
 2,6-Dinitrotoluene
 Concen: 8.28 ng
 RT: 9.79 min Scan# 718
 Delta R.T. 0.19 min
 Lab File: BF088737.D
 Acq: 6 Jul 2016 14:41

Tgt Ion:165 Resp: 22925
 Ion Ratio Lower Upper
 165 100
 63 1.4 28.1 42.1#
 89 1.6 32.2 48.2#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0









#56
 2,4-Dinitrotoluene
 Concen: 6.33 ng
 RT: 9.79 min Scan# 718
 Delta R.T. -0.21 min
 Lab File: BF088737.D
 Acq: 6 Jul 2016 14:41

Instrument :
 BNA_F
 ClientSampleId :
 PB91761BL

Tot Ion:165 Resp: 22921
 Ion Ratio Lower Upper
 165 100
 63 1.4 22.0 33.0#
 89 1.6 41.1 61.7#
 182 0.0 2.0 3.0#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0
 Ion 182.00 (181.70 to 182.70): E






#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.27 min Scan# 847
 Delta R.T. -0.02 min
 Lab File: BF088737.D
 Acq: 6 Jul 2016 14:41

Tgt Ion:188 Resp: 354789
 Ion Ratio Lower Upper
 188 100
 94 9.9 9.0 13.6
 80 10.9 10.0 15.0



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.89 min Scan# 1076

Delta R.T. -0.03 min

Lab File: BF088737.D

Acq: 6 Jul 2016 14:41

Instrument :

BNA_F

ClientSampleId :

PB91761BL


Tot Ion:240 Resp: 269342

Ion Ratio Lower Upper

240 100

120 16.5 6.8 10.2#




236 26.0 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 81.58 ng

RT: 12.86 min Scan# 986

Delta R.T. -0.01 min

Lab File: BF088737.D

Acq: 6 Jul 2016 14:41


Tgt Ion:244 Resp: 986569

Ion Ratio Lower Upper

244 100

212 8.0 6.0 9.0



122 12.6 11.2 16.8






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Pervlene-d12

Concen: 20.00 ng

RT: 15.28 min Scan# 1198

Delta R.T. -0.02 min

Lab File: BF088737.D

Acq: 6 Jul 2016 14:41

Instrument :

BNA_F

ClientSampleId :

PB91761BL

Tot Ion:264 Resp: 211214

Ion Ratio Lower Upper

264 100

260 23.0 19.2 28.8

265 21.1 16.9 25.3

