

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070616\
 Data File : BF088737.D
 Acq On : 6 Jul 2016 14:41
 Operator : UM/SJ
 Sample : PB91761BL
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB91761BL

Quant Time: Jul 06 16:51:19 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 06 16:39:34 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.75	152	84135	20.00	ng	-0.01
21) Naphthalene-d8	8.04	136	349364	20.00	ng	0.00
38) Acenaphthene-d10	9.79	164	175442	20.00	ng	0.00
63) Phenanthrene-d10	11.27	188	354789	20.00	ng	0.00
75) Chrysene-d12	13.89	240	269342	20.00	ng	-0.01
86) Perylene-d12	15.28	264	211214	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.36	112	663880	118.26	ng	0.01
7) Phenol-d6	6.40	99	913126	125.88	ng	0.00
23) Nitrobenzene-d5	7.32	82	618786	92.82	ng	0.00
41) 2,4,6-Tribromophenol	10.58	330	112989	69.35	ng	0.00
44) 2-Fluorobiphenyl	9.12	172	947608	85.32	ng	0.00
78) Terphenyl-d14	12.86	244	986569	81.58	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070616\
Data File : BF088737.D
Acq On : 6 Jul 2016 14:41
Operator : UM/SJ
Sample : PB91761BL
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB91761BL

Quant Time: Jul 06 16:51:19 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 06 16:39:34 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.75 min Scan# 452

Delta R.T. -0.01 min

Lab File: BF088737.D

Acq: 6 Jul 2016 14:41

Instrument :

BNA_F

ClientSampleId :

PB91761BL


Tgt Ion:152 Resp: 84135

Ion Ratio Lower Upper

152 100

150 155.6 123.8 185.6




115 71.3 39.6 59.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 118.26 ng

RT: 5.36 min Scan# 330

Delta R.T. 0.01 min

Lab File: BF088737.D

Acq: 6 Jul 2016 14:41


Tgt Ion:112 Resp: 663880

Ion Ratio Lower Upper

112 100

64 58.8 42.2 63.2



63 31.6 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 125.88 ng

RT: 6.40 min Scan# 421

Delta R.T. 0.00 min

Lab File: BF088737.D

Acq: 6 Jul 2016 14:41

Instrument :

BNA_F

ClientSampleId :

PB91761BL


Tgt Ion: 99 Resp: 913126

Ion Ratio Lower Upper

99 100

42 17.0 12.2 18.2



71 37.5 23.4 35.0#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.04 min Scan# 565

Delta R.T. 0.00 min

Lab File: BF088737.D

Acq: 6 Jul 2016 14:41

Tgt Ion: 136 Resp: 349364


Ion Ratio Lower Upper

136 100

137 10.5 9.1 13.7

54 5.2 6.6 10.0#

68 4.4 5.1 7.7#





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0








#23
 Nitrobenzene-d5
 Concen: 92.82 ng
 RT: 7.32 min Scan# 502
 Delta R.T. 0.00 min
 Lab File: BF088737.D
 Acq: 6 Jul 2016 14:41

Instrument :
 BNA_F
 ClientSampleId :
 PB91761BL

Tgt Ion: 82 Resp: 618786
 Ion Ratio Lower Upper
 82 100
 128 47.8 35.9 53.9
 54 42.5 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.79 min Scan# 718
 Delta R.T. 0.00 min
 Lab File: BF088737.D
 Acq: 6 Jul 2016 14:41

Tgt Ion: 164 Resp: 175442
 Ion Ratio Lower Upper
 164 100
 162 105.4 85.4 128.2
 160 48.0 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 69.35 ng
 RT: 10.58 min Scan# 787
 Delta R.T. 0.00 min
 Lab File: BF088737.D
 Acq: 6 Jul 2016 14:41

Instrument :
 BNA_F
 ClientSampled :
 PB91761BL

Tgt Ion:330 Resp: 112989
 Ion Ratio Lower Upper
 330 100
 332 96.5 0.0 0.0#
 141 37.8 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 85.32 ng
 RT: 9.12 min Scan# 659
 Delta R.T. 0.00 min
 Lab File: BF088737.D
 Acq: 6 Jul 2016 14:41

Tgt Ion:172 Resp: 947608
 Ion Ratio Lower Upper
 172 100
 171 36.3 28.6 43.0
 170 24.3 19.2 28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.27 min Scan# 847
Delta R.T. 0.00 min
Lab File: BF088737.D
Acq: 6 Jul 2016 14:41

Instrument :
BNA_F
ClientSampleId :
PB91761BL

Tgt Ion:188 Resp: 354789
Ion Ratio Lower Upper
188 100
94 9.9 9.0 13.6
80 10.9 10.0 15.0




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.89 min Scan# 1076
Delta R.T. -0.01 min
Lab File: BF088737.D
Acq: 6 Jul 2016 14:41

Tgt Ion:240 Resp: 269342
Ion Ratio Lower Upper
240 100
120 16.5 6.8 10.2#
236 26.0 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 81.58 ng
 RT: 12.86 min Scan# 986
 Delta R.T. 0.00 min
 Lab File: BF088737.D
 Acq: 6 Jul 2016 14:41

Instrument :
 BNA_F
 ClientSampled :
 PB91761BL

Tgt Ion:244 Resp: 986569
 Ion Ratio Lower Upper
 244 100
 212 8.0 6.0 9.0
 122 12.6 11.2 16.8




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.28 min Scan# 1198
 Delta R.T. 0.00 min
 Lab File: BF088737.D
 Acq: 6 Jul 2016 14:41

Tgt Ion:264 Resp: 211214
 Ion Ratio Lower Upper
 264 100
 260 23.0 19.2 28.8
 265 21.1 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

