

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070716\
 Data File : BF088789.D
 Acq On : 7 Jul 2016 20:11
 Operator : UM/SJ
 Sample : H3829-04RE
 Misc :
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TILCON-GF-013RE

Quant Time: Jul 08 02:33:03 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 08 01:56:42 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.74	152	118400	20.00	ng	0.00
21) Naphthalene-d8	8.02	136	425180	20.00	ng	-0.01
38) Acenaphthene-d10	9.77	164	190059	20.00	ng	-0.01
63) Phenanthrene-d10	11.26	188	324952	20.00	ng	0.00
75) Chrysene-d12	13.87	240	222741	20.00	ng	-0.01
86) Perylene-d12	15.27	264	214549	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.34	112	638978	80.88	ng	0.01
7) Phenol-d6	6.39	99	958367	93.88	ng	0.00
23) Nitrobenzene-d5	7.30	82	558336	68.82	ng	-0.01
41) 2,4,6-Tribromophenol	10.57	330	168002	95.19	ng	0.00
44) 2-Fluorobiphenyl	9.11	172	907750	75.44	ng	0.00
78) Terphenyl-d14	12.85	244	627628	62.76	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.50	163	65322	4.82	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF070716\
Data File : BF088789.D
Acq On : 7 Jul 2016 20:11
Operator : UM/SJ
Sample : H3829-04RE
Misc :
ALS Vial : 47 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TILCON-GF-013RE

Quant Time: Jul 08 02:33:03 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 08 01:56:42 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.74 min Scan# 451

Delta R.T. 0.00 min

Lab File: BF088789.D

Acq: 7 Jul 2016 20:11

Instrument :

BNA_F

ClientSampleId :

TILCON-GF-013RE


Tgt Ion:152 Resp: 118400

Ion Ratio Lower Upper

152 100

150 154.1 123.8 185.6



115 63.8 39.6 59.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 80.88 ng

RT: 5.34 min Scan# 328

Delta R.T. 0.01 min

Lab File: BF088789.D

Acq: 7 Jul 2016 20:11


Tgt Ion:112 Resp: 638978

Ion Ratio Lower Upper

112 100

64 58.5 42.2 63.2



63 31.4 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 93.88 ng

RT: 6.39 min Scan# 420

Delta R.T. 0.00 min

Lab File: BF088789.D

Acq: 7 Jul 2016 20:11

Instrument :

BNA_F

ClientSampleId :

TILCON-GF-013RE


Tgt Ion: 99 Resp: 958367

Ion Ratio Lower Upper

99 100

42 14.5 12.2 18.2

71 34.6 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0

6.39

800000



600000

400000

200000

0

Time-->



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.02 min Scan# 563

Delta R.T. -0.01 min

Lab File: BF088789.D

Acq: 7 Jul 2016 20:11

Tgt Ion: 136 Resp: 425180


Ion Ratio Lower Upper

136 100

137 11.5 9.1 13.7

54 8.7 6.6 10.0

68 6.9 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0

8.02


600000

400000

200000

0

Time-->









#23
 Nitrobenzene-d5
 Concen: 68.82 ng
 RT: 7.30 min Scan# 500
 Delta R.T. -0.01 min
 Lab File: BF088789.D
 Acq: 7 Jul 2016 20:11

Instrument :
 BNA_F
 ClientSampleId :
 TILCON-GF-013RE

Tgt Ion	Ratio	Lower	Upper
82	100		
128	39.9	35.9	53.9
54	47.5	40.9	61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.77 min Scan# 716
 Delta R.T. -0.01 min
 Lab File: BF088789.D
 Acq: 7 Jul 2016 20:11

Tgt Ion	Ratio	Lower	Upper
164	100		
162	104.4	85.4	128.2
160	46.5	39.5	59.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 95.19 ng
 RT: 10.57 min Scan# 786
 Delta R.T. 0.00 min
 Lab File: BF088789.D
 Acq: 7 Jul 2016 20:11

Instrument :
 BNA_F
 ClientSampleId :
 TILCON-GF-013RE

Tgt Ion:330 Resp: 168002
 Ion Ratio Lower Upper
 330 100
 332 97.7 0.0 0.0#
 141 35.9 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 75.44 ng
 RT: 9.11 min Scan# 658
 Delta R.T. 0.00 min
 Lab File: BF088789.D
 Acq: 7 Jul 2016 20:11

Tgt Ion:172 Resp: 907750
 Ion Ratio Lower Upper
 172 100
 171 36.9 28.6 43.0
 170 24.3 19.2 28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 4.82 ng

RT: 9.50 min Scan# 692

Delta R.T. -0.02 min

Lab File: BF088789.D

Acq: 7 Jul 2016 20:11

Instrument :

BNA_F

ClientSampleId :

TILCON-GF-013RE


Tgt Ion:163 Resp: 65322

Ion Ratio Lower Upper

163 100

194 3.1 2.8 4.2




164 10.0 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.26 min Scan# 846

Delta R.T. 0.00 min

Lab File: BF088789.D

Acq: 7 Jul 2016 20:11


Tgt Ion:188 Resp: 324952

Ion Ratio Lower Upper

188 100

94 7.4 9.0 13.6#



80 7.7 10.0 15.0#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.87 min Scan# 1075

Delta R.T. -0.01 min

Lab File: BF088789.D

Acq: 7 Jul 2016 20:11

Instrument :

BNA_F

ClientSampleId :

TILCON-GF-013RE


Tgt Ion:240 Resp: 222741

Ion Ratio Lower Upper

240 100

120 17.6 6.8 10.2#



236 26.3 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 62.76 ng

RT: 12.85 min Scan# 985

Delta R.T. 0.00 min

Lab File: BF088789.D

Acq: 7 Jul 2016 20:11


Tgt Ion:244 Resp: 627628

Ion Ratio Lower Upper

244 100

212 6.5 6.0 9.0



122 5.8 11.2 16.8#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.27 min Scan# 1197
Delta R.T. 0.00 min
Lab File: BF088789.D
Acq: 7 Jul 2016 20:11

Instrument :
BNA_F
ClientSampleId :
TILCON-GF-013RE

Tgt Ion: 264 Resp: 214549
Ion Ratio Lower Upper
264 100
260 23.8 19.2 28.8
265 21.5 16.9 25.3

