

Data Path : Z:\HPCHEM1\BNA F\DATA\BF070816\
 Data File : BF088842.D
 Acq On : 8 Jul 2016 23:49
 Operator : UM/SJ
 Sample : H3813-12 50X
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Jul 09 02:06:42 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF063016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 08 18:51:20 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	81504	20.00	ng	0.00
21) Naphthalene-d8	8.01	136	322594	20.00	ng	-0.01
38) Acenaphthene-d10	9.76	164	158122	20.00	ng	-0.01
63) Phenanthrene-d10	11.23	188	290530	20.00	ng	-0.01
75) Chrysene-d12	13.86	240	202389	20.00	ng	-0.01
86) Perylene-d12	15.23	264	172753	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.31	112	9741	1.79	ng	-0.01
7) Phenol-d6	6.35	99	14237	2.03	ng	-0.02
23) Nitrobenzene-d5	7.29	82	8437	1.37	ng	-0.01
41) 2,4,6-Tribromophenol	10.55	330	2665	1.81	ng	-0.01
44) 2-Fluorobiphenyl	9.08	172	18284	1.83	ng	-0.01
78) Terphenyl-d14	12.81	244	14583	1.60	ng	-0.01
Target Compounds						
50) 2,6-Dinitrotoluene	9.76	165	20159	8.07	ng	# 40
56) 2,4-Dinitrotoluene	9.76	165	20159	6.18	ng	# 38


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF070816\
Data File : BF088842.D
Acq On : 8 Jul 2016 23:49
Operator : UM/SJ
Sample : H3813-12 50X
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Jul 09 02:06:42 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF063016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 08 18:51:20 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.73 min Scan# 450
Delta R.T. 0.00 min
Lab File: BF088842.D
Acq: 8 Jul 2016 23:49

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 81504
Ion Ratio Lower Upper
152 100
150 152.8 123.8 185.6
115 58.0 39.6 59.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 1.79 ng
RT: 5.31 min Scan# 326
Delta R.T. -0.01 min
Lab File: BF088842.D
Acq: 8 Jul 2016 23:49

Tgt Ion:112 Resp: 9741
Ion Ratio Lower Upper
112 100
64 50.6 42.2 63.2
63 26.1 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 2.03 ng

RT: 6.35 min Scan# 417

Delta R.T. -0.02 min

Lab File: BF088842.D

Acq: 8 Jul 2016 23:49

Instrument :

BNA_F

ClientSampleId :





Tot Ion: 99 Resp: 14237

Ion Ratio Lower Upper

99 100

42 17.6 12.2 18.2

71 38.1 23.4 35.0#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.01 min Scan# 562

Delta R.T. -0.01 min

Lab File: BF088842.D

Acq: 8 Jul 2016 23:49

Tgt Ion: 136 Resp: 322594




Ion Ratio Lower Upper


136 100

137 11.1 9.1 13.7

54 8.2 6.6 10.0

68 6.6 5.1 7.7









#23
 Nitrobenzene-d5
 Concen: 1.37 ng
 RT: 7.29 min Scan# 499
 Delta R.T. -0.01 min
 Lab File: BF088842.D
 Acq: 8 Jul 2016 23:49




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
82	100		
128	45.9	35.9	53.9
54	44.4	40.9	61.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.76 min Scan# 715
 Delta R.T. -0.01 min
 Lab File: BF088842.D
 Acq: 8 Jul 2016 23:49

Tgt Ion	Ratio	Lower	Upper
164	100		
162	104.7	85.4	128.2
160	47.1	39.5	59.3









#41
 2,4,6-Tribromophenol
 Concen: 1.81 ng
 RT: 10.55 min Scan# 784
 Delta R.T. -0.01 min
 Lab File: BF088842.D
 Acq: 8 Jul 2016 23:49




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:330 Resp: 2665
 Ion Ratio Lower Upper
 330 100
 332 95.4 0.0 0.0#
 141 43.9 0.0 0.0#



#44
 2-Fluorobiphenyl
 Concen: 1.83 ng
 RT: 9.08 min Scan# 656
 Delta R.T. -0.01 min
 Lab File: BF088842.D
 Acq: 8 Jul 2016 23:49

Tgt Ion:172 Resp: 18284
 Ion Ratio Lower Upper
 172 100
 171 35.8 28.6 43.0
 170 23.5 19.2 28.8









#50
 2,6-Dinitrotoluene
 Concen: 8.07 ng
 RT: 9.76 min Scan# 715
 Delta R.T. 0.19 min
 Lab File: BF088842.D
 Acq: 8 Jul 2016 23:49




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
165	100		
63	1.7	28.1	42.1#
89	1.6	32.2	48.2#



#56
 2,4-Dinitrotoluene
 Concen: 6.18 ng
 RT: 9.76 min Scan# 715
 Delta R.T. -0.19 min
 Lab File: BF088842.D
 Acq: 8 Jul 2016 23:49

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.7	22.0	33.0#
89	1.6	41.1	61.7#
182	0.0	2.0	3.0#









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.23 min Scan# 844
Delta R.T. -0.01 min
Lab File: BF088842.D
Acq: 8 Jul 2016 23:49

Instrument :
BNA_F
ClientSampleId :

Tot Ion:188 Resp: 290530
Ion Ratio Lower Upper
188 100
94 12.2 9.0 13.6
80 14.0 10.0 15.0




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.86 min Scan# 1074
Delta R.T. -0.01 min
Lab File: BF088842.D
Acq: 8 Jul 2016 23:49

Tgt Ion:240 Resp: 202389
Ion Ratio Lower Upper
240 100
120 7.6 6.8 10.2
236 25.0 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 1.60 ng

RT: 12.81 min Scan# 982

Delta R.T. -0.01 min

Lab File: BF088842.D

Acq: 8 Jul 2016 23:49

Instrument :

BNA_F

ClientSampleId :


Tot Ion:244 Resp: 14583

Ion Ratio Lower Upper

244 100

212 8.0 6.0 9.0




122 17.9 11.2 16.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.23 min Scan# 1194

Delta R.T. -0.01 min

Lab File: BF088842.D

Acq: 8 Jul 2016 23:49


Tgt Ion:264 Resp: 172753

Ion Ratio Lower Upper

264 100

260 23.4 19.2 28.8

265 21.5 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

