

Data Path : V:\HPCHEM1\BNA F\DATA\BF070816\
 Data File : BF088844.D
 Acq On : 9 Jul 2016 00:47
 Operator : UM/SJ
 Sample : H3813-14MS 50X
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P001-SS004-0006-01MS

Quant Time: Jul 11 12:45:34 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF063016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 08 18:51:20 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	89436	20.00	ng	0.00
21) Naphthalene-d8	8.01	136	334121	20.00	ng	-0.01
38) Acenaphthene-d10	9.76	164	155566	20.00	ng	-0.01
63) Phenanthrene-d10	11.23	188	285274	20.00	ng	-0.01
75) Chrysene-d12	13.86	240	177214	20.00	ng	-0.01
86) Perylene-d12	15.25	264	176570	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.31	112	8822	1.48	ng	-0.01
7) Phenol-d6	6.35	99	13064	1.69	ng	-0.02
23) Nitrobenzene-d5	7.29	82	7345	1.15	ng	-0.01
41) 2,4,6-Tribromophenol	10.55	330	2465	1.71	ng	-0.01
44) 2-Fluorobiphenyl	9.08	172	15748	1.60	ng	-0.01
78) Terphenyl-d14	12.81	244	11296	1.42	ng	-0.01


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : V:\HPCHEM1\BNA F\DATA\BF070816\
Data File : BF088844.D
Acq On : 9 Jul 2016 00:47
Operator : UM/SJ
Sample : H3813-14MS 50X
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P001-SS004-0006-01MS

Quant Time: Jul 11 12:45:34 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF063016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 08 18:51:20 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.73 min Scan# 450

Delta R.T. -0.00 min

Lab File: BF088844.D

Acq: 9 Jul 2016 00:47

Instrument :

BNA_F

ClientSampleId :

P001-SS004-0006-01MS


Tot Ion:152 Resp: 89436

Ion Ratio Lower Upper

152 100

150 153.4 123.8 185.6




115 60.6 39.6 59.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 1.48 ng

RT: 5.31 min Scan# 326

Delta R.T. -0.01 min

Lab File: BF088844.D

Acq: 9 Jul 2016 00:47


Tgt Ion:112 Resp: 8822

Ion Ratio Lower Upper

112 100

64 45.1 42.2 63.2



63 23.0 21.8 32.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 1.69 ng

RT: 6.35 min Scan# 417

Delta R.T. -0.02 min

Lab File: BF088844.D

Acq: 9 Jul 2016 00:47

Instrument :

BNA_F

ClientSampleId :

P001-SS004-0006-01MS





Tot Ion: 99 Resp: 13064

Ion Ratio Lower Upper

99 100

42 17.3 12.2 18.2

71 36.6 23.4 35.0#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.01 min Scan# 562

Delta R.T. -0.01 min

Lab File: BF088844.D

Acq: 9 Jul 2016 00:47

Tgt Ion: 136 Resp: 334121




Ion Ratio Lower Upper


136 100

137 11.2 9.1 13.7

54 9.0 6.6 10.0

68 7.1 5.1 7.7









#23
 Nitrobenzene-d5
 Concen: 1.15 na
 RT: 7.29 min Scan# 499
 Delta R.T. -0.01 min
 Lab File: BF088844.D
 Acq: 9 Jul 2016 00:47

Instrument :
 BNA_F
 ClientSampleId :
 P001-SS004-0006-01MS

Tot Ion: 82 Resp: 7345
 Ion Ratio Lower Upper
 82 100
 128 43.7 35.9 53.9
 54 43.8 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.76 min Scan# 715
 Delta R.T. -0.01 min
 Lab File: BF088844.D
 Acq: 9 Jul 2016 00:47

Tgt Ion:164 Resp: 155566
 Ion Ratio Lower Upper
 164 100
 162 105.6 85.4 128.2
 160 47.7 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 1.71 ng
 RT: 10.55 min Scan# 784
 Delta R.T. -0.01 min
 Lab File: BF088844.D
 Acq: 9 Jul 2016 00:47

Instrument :
 BNA_F
 ClientSampleId :
 P001-SS004-0006-01MS

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.8	0.0	0.0#
141	44.8	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 1.60 ng
 RT: 9.08 min Scan# 656
 Delta R.T. -0.01 min
 Lab File: BF088844.D
 Acq: 9 Jul 2016 00:47

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.8	28.6	43.0
170	22.8	19.2	28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.23 min Scan# 844
Delta R.T. -0.01 min
Lab File: BF088844.D
Acq: 9 Jul 2016 00:47

Instrument :
BNA_F
ClientSampleId :
P001-SS004-0006-01MS

Tot Ion:188 Resp: 285274
Ion Ratio Lower Upper
188 100
94 12.3 9.0 13.6
80 14.0 10.0 15.0




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.86 min Scan# 1074
Delta R.T. -0.01 min
Lab File: BF088844.D
Acq: 9 Jul 2016 00:47

Tgt Ion:240 Resp: 177214
Ion Ratio Lower Upper
240 100
120 9.6 6.8 10.2
236 26.0 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 1.42 ng

RT: 12.81 min Scan# 982

Delta R.T. -0.01 min

Lab File: BF088844.D

Acq: 9 Jul 2016 00:47

Instrument :

BNA_F

ClientSampleId :

P001-SS004-0006-01MS


Tot Ion:244 Resp: 11296

Ion Ratio Lower Upper

244 100

212 9.3 6.0 9.0#




122 20.7 11.2 16.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.25 min Scan# 1195

Delta R.T. -0.00 min

Lab File: BF088844.D

Acq: 9 Jul 2016 00:47


Tgt Ion:264 Resp: 176570

Ion Ratio Lower Upper

264 100

260 23.4 19.2 28.8

265 21.7 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

