

Data Path : V:\HPCHEM1\BNA F\DATA\BF070816\
 Data File : BF088857.D
 Acq On : 9 Jul 2016 7:05
 Operator : UM/SJ
 Sample : PB91940BL
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB91940BL

Quant Time: Jul 11 00:57:46 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF063016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 08 18:51:20 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	96229	20.00	ng	0.00
21) Naphthalene-d8	8.01	136	366620	20.00	ng	-0.01
38) Acenaphthene-d10	9.76	164	177262	20.00	ng	-0.01
63) Phenanthrene-d10	11.23	188	312442	20.00	ng	-0.01
75) Chrysene-d12	13.86	240	220481	20.00	ng	-0.01
86) Perylene-d12	15.23	264	182399	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	600506	93.52	ng	0.00
7) Phenol-d6	6.38	99	858188	103.44	ng	0.00
23) Nitrobenzene-d5	7.29	82	456596	65.27	ng	-0.01
41) 2,4,6-Tribromophenol	10.55	330	165296	100.42	ng	-0.01
44) 2-Fluorobiphenyl	9.10	172	947868	84.46	ng	0.00
78) Terphenyl-d14	12.82	244	675630	68.25	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : V:\HPCHEM1\BNA F\DATA\BF070816\
Data File : BF088857.D
Acq On : 9 Jul 2016 7:05
Operator : UM/SJ
Sample : PB91940BL
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB91940BL

Quant Time: Jul 11 00:57:46 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF063016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 08 18:51:20 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.73 min Scan# 450

Delta R.T. 0.00 min

Lab File: BF088857.D

Acq: 9 Jul 2016 7:05

Instrument :

BNA_F

ClientSampleId :

PB91940BL


Tot Ion:152 Resp: 96229

Ion Ratio Lower Upper

152 100

150 156.1 123.8 185.6



115 61.0 39.6 59.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 93.52 ng

RT: 5.32 min Scan# 327

Delta R.T. 0.00 min

Lab File: BF088857.D

Acq: 9 Jul 2016 7:05


Tgt Ion:112 Resp: 600506

Ion Ratio Lower Upper

112 100

64 60.4 42.2 63.2



63 32.2 21.8 32.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 103.44 ng

RT: 6.38 min Scan# 419

Delta R.T. 0.00 min

Lab File: BF088857.D

Acq: 9 Jul 2016 7:05

Instrument :

BNA_F

ClientSampleId :

PB91940BL


Tot Ion: 99 Resp: 858188

Ion Ratio Lower Upper




99 100

42 13.2 12.2 18.2

71 33.4 23.4 35.0



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.01 min Scan# 562

Delta R.T. -0.01 min

Lab File: BF088857.D

Acq: 9 Jul 2016 7:05

Tgt Ion: 136 Resp: 366620


Ion Ratio Lower Upper

136 100



137 10.9 9.1 13.7


54 8.3 6.6 10.0

68 6.6 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 65.27 ng

RT: 7.29 min Scan# 499

Delta R.T. -0.01 min

Lab File: BF088857.D

Acq: 9 Jul 2016 7:05

Instrument :

BNA_F

ClientSampleId :

PB91940BL


Tot Ion: 82 Resp: 456596

Ion Ratio Lower Upper




82 100

128 40.2 35.9 53.9

54 47.1 40.9 61.3



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.76 min Scan# 715

Delta R.T. -0.01 min

Lab File: BF088857.D

Acq: 9 Jul 2016 7:05


Tgt Ion:164 Resp: 177262

Ion Ratio Lower Upper



164 100


162 103.1 85.4 128.2

160 46.7 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 100.42 ng
 RT: 10.55 min Scan# 784
 Delta R.T. -0.01 min
 Lab File: BF088857.D
 Acq: 9 Jul 2016 7:05

Instrument :
 BNA_F
 ClientSampleId :
 PB91940BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.5	0.0	0.0#
141	43.8	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 84.46 ng
 RT: 9.10 min Scan# 657
 Delta R.T. 0.00 min
 Lab File: BF088857.D
 Acq: 9 Jul 2016 7:05

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.2	28.6	43.0
170	24.1	19.2	28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.23 min Scan# 844
Delta R.T. -0.01 min
Lab File: BF088857.D
Acq: 9 Jul 2016 7:05

Instrument :
BNA_F
ClientSampleId :
PB91940BL

Tot Ion:188 Resp: 312442
Ion Ratio Lower Upper
188 100
94 12.6 9.0 13.6
80 14.2 10.0 15.0




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.86 min Scan# 1074
Delta R.T. -0.01 min
Lab File: BF088857.D
Acq: 9 Jul 2016 7:05

Tgt Ion:240 Resp: 220481
Ion Ratio Lower Upper
240 100
120 8.9 6.8 10.2
236 25.9 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 68.25 ng

RT: 12.82 min Scan# 983

Delta R.T. 0.00 min

Lab File: BF088857.D

Acq: 9 Jul 2016 7:05

Instrument :

BNA_F

ClientSampleId :

PB91940BL


Tot Ion:244 Resp: 675630

Ion Ratio Lower Upper

244 100

212 7.9 6.0 9.0




122 14.7 11.2 16.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.23 min Scan# 1194

Delta R.T. -0.01 min

Lab File: BF088857.D

Acq: 9 Jul 2016 7:05


Tgt Ion:264 Resp: 182399

Ion Ratio Lower Upper

264 100

260 23.6 19.2 28.8

265 21.7 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

