

Data Path : Z:\HPCHEM1\BNA F\DATA\BF071017\
 Data File : BF096614.D
 Acq On : 10 Jul 2017 21:21
 Operator : SJ/JU
 Sample : I4071-07
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Jul 11 01:12:50 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF070117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 07 13:02:33 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.68	152	110876	20.00	ng	-0.02
21) Naphthalene-d8	7.96	136	471858	20.00	ng	-0.02
38) Acenaphthene-d10	9.71	164	217690	20.00	ng	-0.02
63) Phenanthrene-d10	11.19	188	374058	20.00	ng	-0.02
75) Chrysene-d12	13.82	240	229168	20.00	ng	-0.03
86) Perylene-d12	15.22	264	173742	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	722288	96.15	ng	-0.01
7) Phenol-d6	6.32	99	875835	94.84	ng	-0.02
23) Nitrobenzene-d5	7.24	82	513915	65.45	ng	-0.03
41) 2,4,6-Tribromophenol	10.50	330	184351	108.41	ng	-0.02
44) 2-Fluorobiphenyl	9.04	172	936936	73.59	ng	-0.02
78) Terphenyl-d14	12.78	244	711487	66.34	ng	-0.02
Target Compounds						
10) Phenol	6.33	94	24245	2.30	ng	Qvalue 89
19) n-Nitroso-di-n-propylamine	7.24	70	67485	12.27	ng	# 88
25) Isophorone	7.24	82	513495	33.73	ng	# 67
49) Dimethylphthalate	9.43	163	170886	10.52	ng	99
56) 2,4-Dinitrotoluene	9.71	165	27116	5.96	ng	# 33
66) 4-Bromophenyl-phenylether	10.50	248	11694	3.21	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF071017\
Data File : BF096614.D
Acq On : 10 Jul 2017 21:21
Operator : SJ/JU
Sample : I4071-07
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Jul 11 01:12:50 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF070117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 07 13:02:33 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.68 min Scan# 781
Delta R.T. -0.02 min
Lab File: BF096614.D
Acq: 10 Jul 2017 21:21

Instrument :
BNA_F
ClientSampled :

Tot Ion:152 Resp: 110876
Ion Ratio Lower Upper
152 100
150 162.6 126.2 189.2
115 66.8 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 96.15 ng
RT: 5.30 min Scan# 546
Delta R.T. -0.01 min
Lab File: BF096614.D
Acq: 10 Jul 2017 21:21

Tgt Ion:112 Resp: 722288
Ion Ratio Lower Upper
112 100
64 64.4 46.0 69.0
63 32.0 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 94.84 ng

RT: 6.32 min Scan# 720

Delta R.T. -0.02 min

Lab File: BF096614.D

Acq: 10 Jul 2017 21:21

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 875835

Ion Ratio Lower Upper




99 100

42 22.9 13.5 20.3#

71 32.0 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 2.30 ng

RT: 6.33 min Scan# 722

Delta R.T. -0.02 min

Lab File: BF096614.D

Acq: 10 Jul 2017 21:21


Tgt Ion: 94 Resp: 24245

Ion Ratio Lower Upper



94 100


65 26.7 9.9 49.9

66 33.3 23.1 63.1



Abundance Ion 94.00 (93.70 to 94.70): BF0
Ion 65.00 (64.70 to 65.70): BF0
Ion 66.00 (65.70 to 66.70): BF0









#19
n-Nitroso-di-n-propylamine
Concen: 12.27 ng
RT: 7.24 min Scan# 876
Delta R.T. 0.11 min
Lab File: BF096614.D
Acq: 10 Jul 2017 21:21




Instrument :
BNA_F
ClientSampleId :


Tot Ion: 70 Resp: 67485
Ion Ratio Lower Upper
70 100
42 57.7 47.2 70.8
101 0.0 7.2 10.8#
130 2.6 15.9 23.9#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.96 min Scan# 999
Delta R.T. -0.02 min
Lab File: BF096614.D
Acq: 10 Jul 2017 21:21

Tgt Ion: 136 Resp: 471858
Ion Ratio Lower Upper
136 100
137 11.1 8.5 12.7
54 9.9 4.9 7.3#
68 4.9 4.1 6.1









#23
Nitrobenzene-d5
Concen: 65.45 ng
RT: 7.24 min Scan# 876
Delta R.T. -0.03 min
Lab File: BF096614.D
Acq: 10 Jul 2017 21:21




Instrument :
BNA_F
ClientSampleId :


Tot Ion: 82 Resp: 513915
Ion Ratio Lower Upper
82 100
128 46.5 34.0 51.0
54 66.1 42.2 63.2#



#25
Isophorone
Concen: 33.73 ng
RT: 7.24 min Scan# 876
Delta R.T. -0.29 min
Lab File: BF096614.D
Acq: 10 Jul 2017 21:21

Tgt Ion: 82 Resp: 513495
Ion Ratio Lower Upper
82 100
95 0.0 5.3 7.9#
138 0.0 13.1 19.7#





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.71 min Scan# 1296

Delta R.T. -0.02 min

Lab File: BF096614.D

Acq: 10 Jul 2017 21:21

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 217690

Ion Ratio Lower Upper

164 100

162 102.8 82.6 123.8




160 44.7 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 108.41 ng

RT: 10.50 min Scan# 1430

Delta R.T. -0.02 min

Lab File: BF096614.D

Acq: 10 Jul 2017 21:21


Tgt Ion:330 Resp: 184351

Ion Ratio Lower Upper

330 100

332 97.1 76.6 115.0



141 39.1 31.4 47.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 73.59 ng
RT: 9.04 min Scan# 1182
Delta R.T. -0.02 min
Lab File: BF096614.D
Acq: 10 Jul 2017 21:21

Instrument :
BNA_F
ClientSampleId :

Tot Ion:172 Resp: 936936
Ion Ratio Lower Upper
172 100
171 35.8 29.6 44.4
170 23.7 19.8 29.8




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#49
Dimethylphthalate
Concen: 10.52 ng
RT: 9.43 min Scan# 1249
Delta R.T. -0.04 min
Lab File: BF096614.D
Acq: 10 Jul 2017 21:21

Tgt Ion:163 Resp: 170886
Ion Ratio Lower Upper
163 100
194 3.1 2.6 4.0
164 10.0 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#56
 2,4-Dinitrotoluene
 Concen: 5.96 ng
 RT: 9.71 min Scan# 1296
 Delta R.T. -0.22 min
 Lab File: BF096614.D
 Acq: 10 Jul 2017 21:21




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
165	100		
63	1.5	25.4	38.0#
89	1.4	46.4	69.6#
182	0.0	1.8	2.6#



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.19 min Scan# 1548
 Delta R.T. -0.02 min
 Lab File: BF096614.D
 Acq: 10 Jul 2017 21:21

Tgt Ion	Ratio	Lower	Upper
188	100		
94	11.4	9.4	14.2
80	11.1	10.2	15.2









#66
4-Bromophenyl-phenylether
Concen: 3.21 ng
RT: 10.50 min Scan# 1430
Delta R.T. -0.26 min
Lab File: BF096614.D
Acq: 10 Jul 2017 21:21

Instrument :
BNA_F
ClientSampled :

Tot Ion:248 Resp: 11694
Ion Ratio Lower Upper
248 100
250 190.8 76.8 115.2#
141 597.1 68.6 103.0#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.82 min Scan# 1994
Delta R.T. -0.03 min
Lab File: BF096614.D
Acq: 10 Jul 2017 21:21

Tgt Ion:240 Resp: 229168
Ion Ratio Lower Upper
240 100
120 15.8 5.8 8.8#
236 25.5 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 66.34 ng
 RT: 12.78 min Scan# 1818
 Delta R.T. -0.02 min
 Lab File: BF096614.D
 Acq: 10 Jul 2017 21:21

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 711487
 Ion Ratio Lower Upper
 244 100
 212 6.7 6.0 9.0
 122 13.0 10.3 15.5



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.22 min Scan# 2232
 Delta R.T. -0.03 min
 Lab File: BF096614.D
 Acq: 10 Jul 2017 21:21

Tgt Ion:264 Resp: 173742
 Ion Ratio Lower Upper
 264 100
 260 22.8 19.5 29.3
 265 21.2 17.2 25.8

