

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF071117\
 Data File : BF096642.D
 Acq On : 11 Jul 2017 14:12
 Operator : SJ/JU
 Sample : I4114-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 NAA-SAND

Quant Time: Jul 11 17:26:52 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF070117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 07 13:02:33 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.68	152	104217	20.00	ng	-0.02
21) Naphthalene-d8	7.96	136	433031	20.00	ng	-0.02
38) Acenaphthene-d10	9.72	164	192396	20.00	ng	-0.02
63) Phenanthrene-d10	11.19	188	334373	20.00	ng	-0.02
75) Chrysene-d12	13.82	240	243163	20.00	ng	-0.02
86) Perylene-d12	15.22	264	190591	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	656164	92.93	ng	-0.01
7) Phenol-d6	6.33	99	798070	91.94	ng	-0.02
23) Nitrobenzene-d5	7.25	82	465330	64.57	ng	-0.02
41) 2,4,6-Tribromophenol	10.50	330	156790	104.33	ng	-0.02
44) 2-Fluorobiphenyl	9.05	172	859212	76.36	ng	-0.02
78) Terphenyl-d14	12.78	244	685890	60.27	ng	-0.02
Target Compounds						
49) Dimethylphthalate	9.43	163	119441	8.316	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF071117\
Data File : BF096642.D
Acq On : 11 Jul 2017 14:12
Operator : SJ/JU
Sample : I4114-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
NAA-SAND

Quant Time: Jul 11 17:26:52 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF070117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 07 13:02:33 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.68 min Scan# 781
Delta R.T. -0.02 min
Lab File: BF096642.D
Acq: 11 Jul 2017 14:12

Instrument :
BNA_F
ClientSampleId :
NAA-SAND




Tgt Ion:152 Resp: 104217
Ion Ratio Lower Upper
152 100
150 156.2 126.2 189.2
115 64.1 52.2 78.2




#5

2-Fluorophenol
Concen: 92.929 ng
RT: 5.30 min Scan# 546
Delta R.T. -0.01 min
Lab File: BF096642.D
Acq: 11 Jul 2017 14:12

Tgt Ion:112 Resp: 656164
Ion Ratio Lower Upper
112 100
64 63.3 46.0 69.0
63 31.9 23.4 35.0





#7

Phenol-d6

Concen: 91.939 ng

RT: 6.33 min Scan# 721

Delta R.T. -0.02 min

Lab File: BF096642.D

Acq: 11 Jul 2017 14:12

Instrument :

BNA_F

ClientSampleId :

NAA-SAND


Tgt Ion: 99 Resp: 798070

Ion Ratio Lower Upper

99 100

42 21.1 13.5 20.3#




71 30.7 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.96 min Scan# 999

Delta R.T. -0.02 min

Lab File: BF096642.D

Acq: 11 Jul 2017 14:12

Tgt Ion: 136 Resp: 433031


Ion Ratio Lower Upper

136 100

137 11.3 8.5 12.7

54 10.5 4.9 7.3#

68 4.9 4.1 6.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 64.573 ng
 RT: 7.25 min Scan# 877
 Delta R.T. -0.02 min
 Lab File: BF096642.D
 Acq: 11 Jul 2017 14:12




Instrument :
 BNA_F
 ClientSampleId :
 NAA-SAND


Tgt Ion: 82 Resp: 465330
 Ion Ratio Lower Upper
 82 100
 128 48.8 34.0 51.0
 54 66.3 42.2 63.2#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.72 min Scan# 1297
 Delta R.T. -0.02 min
 Lab File: BF096642.D
 Acq: 11 Jul 2017 14:12

Tgt Ion: 164 Resp: 192396
 Ion Ratio Lower Upper
 164 100
 162 103.9 82.6 123.8
 160 44.6 36.2 54.2









#41
 2,4,6-Tribromophenol
 Concen: 104.329 ng
 RT: 10.50 min Scan# 1431
 Delta R.T. -0.02 min
 Lab File: BF096642.D
 Acq: 11 Jul 2017 14:12




Instrument :
 BNA_F
 ClientSampleId :
 NAA-SAND


Tgt Ion:330 Resp: 156790
 Ion Ratio Lower Upper
 330 100
 332 100.0 76.6 115.0
 141 38.3 31.4 47.2



#44
 2-Fluorobiphenyl
 Concen: 76.356 ng
 RT: 9.05 min Scan# 1183
 Delta R.T. -0.02 min
 Lab File: BF096642.D
 Acq: 11 Jul 2017 14:12

Tgt Ion:172 Resp: 859212
 Ion Ratio Lower Upper
 172 100
 171 35.9 29.6 44.4
 170 24.2 19.8 29.8





#49

Dimethylphthalate

Concen: 8.316 ng

RT: 9.43 min Scan# 1249

Delta R.T. -0.04 min

Lab File: BF096642.D

Acq: 11 Jul 2017 14:12

Instrument :

BNA_F

ClientSampleId :

NAA-SAND


Tgt Ion:163 Resp: 119441

Ion Ratio Lower Upper

163 100

194 3.2 2.6 4.0




164 10.0 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.19 min Scan# 1548

Delta R.T. -0.02 min

Lab File: BF096642.D

Acq: 11 Jul 2017 14:12


Tgt Ion:188 Resp: 334373

Ion Ratio Lower Upper

188 100

94 11.6 9.4 14.2



80 11.9 10.2 15.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.82 min Scan# 1995

Delta R.T. -0.02 min

Lab File: BF096642.D

Acq: 11 Jul 2017 14:12

Instrument :

BNA_F

ClientSampleId :

NAA-SAND


Tgt Ion:240 Resp: 243163

Ion Ratio Lower Upper

240 100

120 14.5 5.8 8.8#




236 26.1 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 60.274 ng

RT: 12.78 min Scan# 1818

Delta R.T. -0.02 min

Lab File: BF096642.D

Acq: 11 Jul 2017 14:12


Tgt Ion:244 Resp: 685890

Ion Ratio Lower Upper

244 100

212 6.8 6.0 9.0



122 15.3 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.000 ng
RT: 15.22 min Scan# 2233
Delta R.T. -0.02 min
Lab File: BF096642.D
Acq: 11 Jul 2017 14:12

Instrument :
BNA_F
ClientSampleId :
NAA-SAND

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.5	29.3
265	20.2	17.2	25.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

