

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF071118\
 Data File : BF107306.D
 Acq On : 11 Jul 2018 17:59
 Operator : JU/SJ
 Sample : J3827-01 2X
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OR-03-070918

Quant Time: Jul 12 02:03:33 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 11 16:39:37 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.93	152	72026	20.00	ng	0.00
21) Naphthalene-d8	8.21	136	270439	20.00	ng	0.00
38) Acenaphthene-d10	9.98	164	120230	20.00	ng	0.00
63) Phenanthrene-d10	11.48	188	210072	20.00	ng	0.00
75) Chrysene-d12	14.14	240	212175	20.00	ng	0.00
86) Perylene-d12	15.68	264	139000	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	182349	42.87	ng	0.00
7) Phenol-d6	6.58	99	225657	42.48	ng	0.00
23) Nitrobenzene-d5	7.50	82	135873	27.92	ng	0.00
41) 2,4,6-Tribromophenol	10.78	330	50463	36.21	ng	0.00
44) 2-Fluorobiphenyl	9.29	172	254243	25.46	ng	0.00
78) Terphenyl-d14	13.06	244	265386	30.30	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.68	163	52836	5.859	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF071118\
Data File : BF107306.D
Acq On : 11 Jul 2018 17:59
Operator : JU/SJ
Sample : J3827-01 2X
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OR-03-070918

Quant Time: Jul 12 02:03:33 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF061918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 11 16:39:37 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.93 min Scan# 781
Delta R.T. 0.00 min
Lab File: BF107306.D
Acq: 11 Jul 2018 17:59

Instrument :
BNA_F
ClientSampleId :
OR-03-070918

Tot Ion:152 Resp: 72026
Ion Ratio Lower Upper
152 100
150 157.2 124.6 186.8
115 60.0 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 42.870 ng
RT: 5.57 min Scan# 550
Delta R.T. 0.01 min
Lab File: BF107306.D
Acq: 11 Jul 2018 17:59

Tgt Ion:112 Resp: 182349
Ion Ratio Lower Upper
112 100
64 57.9 47.9 71.9
63 27.9 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 42.482 ng

RT: 6.58 min Scan# 721

Delta R.T. 0.00 min

Lab File: BF107306.D

Acq: 11 Jul 2018 17:59

Instrument :

BNA_F

ClientSampleId :

OR-03-070918


Tot Ion: 99 Resp: 225657

Ion Ratio Lower Upper




99 100

42 15.5 14.5 21.7

71 31.9 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.21 min Scan# 999

Delta R.T. -0.01 min

Lab File: BF107306.D

Acq: 11 Jul 2018 17:59

Tgt Ion: 136 Resp: 270439


Ion Ratio Lower Upper

136 100



137 11.1 8.9 13.3


54 8.3 6.6 9.8

68 6.3 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1





#23

Nitrobenzene-d5

Concen: 27.921 ng

RT: 7.50 min Scan# 877

Delta R.T. -0.01 min

Lab File: BF107306.D

Acq: 11 Jul 2018 17:59

Instrument :

BNA_F

ClientSampleId :

OR-03-070918


Tot Ion: 82 Resp: 135873

Ion Ratio Lower Upper

82 100

128 44.8 36.1 54.1




54 49.0 41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): BF1

Ion 54.00 (53.70 to 54.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.98 min Scan# 1299

Delta R.T. -0.01 min

Lab File: BF107306.D

Acq: 11 Jul 2018 17:59


Tgt Ion:164 Resp: 120230

Ion Ratio Lower Upper

164 100

162 96.4 86.1 129.1



160 43.7 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): BF1

Ion 162.00 (161.70 to 162.70): BF1

Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 36.213 ng
 RT: 10.78 min Scan# 1435
 Delta R.T. -0.01 min
 Lab File: BF107306.D
 Acq: 11 Jul 2018 17:59

Instrument :
 BNA_F
 ClientSampleId :
 OR-03-070918

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.8	77.0	115.6
141	24.9	29.9	44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 25.460 ng
 RT: 9.29 min Scan# 1182
 Delta R.T. -0.01 min
 Lab File: BF107306.D
 Acq: 11 Jul 2018 17:59

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.1	29.7	44.5
170	23.7	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 5.859 ng
RT: 9.68 min Scan# 1249
Delta R.T. -0.01 min
Lab File: BF107306.D
Acq: 11 Jul 2018 17:59

Instrument :
BNA_F
ClientSampleId :
OR-03-070918

Tot Ion:163 Resp: 52836
Ion Ratio Lower Upper
163 100
194 3.7 2.7 4.1
164 11.4 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.48 min Scan# 1554
Delta R.T. 0.00 min
Lab File: BF107306.D
Acq: 11 Jul 2018 17:59

Tgt Ion:188 Resp: 210072
Ion Ratio Lower Upper
188 100
94 8.9 8.5 12.7
80 9.6 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.14 min Scan# 2006

Delta R.T. -0.01 min

Lab File: BF107306.D

Acq: 11 Jul 2018 17:59

Instrument :

BNA_F

ClientSampleId :

OR-03-070918


Tot Ion:240 Resp: 212175

Ion Ratio Lower Upper

240 100

120 10.2 9.5 14.3




236 26.4 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 30.298 ng

RT: 13.06 min Scan# 1823

Delta R.T. -0.01 min

Lab File: BF107306.D

Acq: 11 Jul 2018 17:59


Tgt Ion:244 Resp: 265386

Ion Ratio Lower Upper

244 100

212 6.2 5.4 8.0



122 9.5 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.68 min Scan# 2269
 Delta R.T. 0.01 min
 Lab File: BF107306.D
 Acq: 11 Jul 2018 17:59

Instrument :
 BNA_F
 ClientSampleId :
 OR-03-070918

Tot Ion	Ion	Ratio	Lower	Upper
264	100			
260	23.7	19.2	28.8	
265	20.9	17.5	26.3	

