

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF071620\
 Data File : BF120906.D
 Acq On : 17 Jul 2020 1:20
 Operator : JU/CG
 Sample : L3308-14
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 14

Quant Time: Jul 17 03:03:48 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF071620.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 16 14:20:32 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	176375	20.00	ng	0.00
21) Naphthalene-d8	8.10	136	669430	20.00	ng	0.00
39) Acenaphthene-d10	9.85	164	351887	20.00	ng	0.00
64) Phenanthrene-d10	11.33	188	667711	20.00	ng	0.00
76) Chrysene-d12	13.97	240	467151	20.00	ng	0.00
86) Perylene-d12	15.42	264	407459	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	881846	81.97	ng	0.00
7) Phenol-d6	6.44	99	1094349	78.74	ng	0.00
23) Nitrobenzene-d5	7.37	82	644473	55.71	ng	0.00
42) 2,4,6-Tribromophenol	10.64	330	315525	81.92	ng	0.00
45) 2-Fluorobiphenyl	9.17	172	1171696	49.71	ng	0.00
79) Terphenyl-d14	12.92	244	1258476	58.56	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.56	163	271448	10.693	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF071620\
Data File : BF120906.D
Acq On : 17 Jul 2020 1:20
Operator : JU/CG
Sample : L3308-14
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
14

Quant Time: Jul 17 03:03:48 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF071620.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 16 14:20:32 2020
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.82 min Scan# 804
Delta R.T. 0.00 min
Lab File: BF120906.D
Acq: 17 Jul 2020 1:20

Instrument :
BNA_F
ClientSampleId :
14




Tot Ion:152 Resp: 176375
Ion Ratio Lower Upper
152 100
150 154.3 125.0 187.6
115 56.5 47.0 70.4




#5

2-Fluorophenol
Concen: 81.965 ng
RT: 5.42 min Scan# 567
Delta R.T. 0.00 min
Lab File: BF120906.D
Acq: 17 Jul 2020 1:20

Tgt Ion:112 Resp: 881846
Ion Ratio Lower Upper
112 100
64 55.0 41.3 61.9
63 28.1 21.1 31.7





#7

Phenol-d6

Concen: 78.744 ng

RT: 6.44 min Scan# 740

Delta R.T. -0.01 min

Lab File: BF120906.D

Acq: 17 Jul 2020 1:20

Instrument :

BNA_F

ClientSampleId :

14


Tot Ion: 99 Resp: 1094349

Ion Ratio Lower Upper

99 100

42 17.1 13.1 19.7




71 30.8 24.2 36.4



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.10 min Scan# 1022

Delta R.T. 0.00 min

Lab File: BF120906.D

Acq: 17 Jul 2020 1:20

Tgt Ion: 136 Resp: 669430


Ion Ratio Lower Upper

136 100

137 11.1 9.3 13.9

54 7.2 6.3 9.5

68 5.9 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1





#23

Nitrobenzene-d5

Concen: 55.706 ng

RT: 7.37 min Scan# 899

Delta R.T. -0.01 min

Lab File: BF120906.D

Acq: 17 Jul 2020 1:20

Instrument :

BNA_F

ClientSampleId :

14


Tot Ion: 82 Resp: 644473

Ion Ratio Lower Upper

82 100

128 47.3 38.2 57.4




54 48.2 38.7 58.1



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): BF1

Ion 54.00 (53.70 to 54.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.85 min Scan# 1320

Delta R.T. 0.00 min

Lab File: BF120906.D

Acq: 17 Jul 2020 1:20


Tgt Ion: 164 Resp: 351887

Ion Ratio Lower Upper

164 100

162 101.8 81.2 121.8



160 46.9 36.9 55.3




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 81.917 ng
 RT: 10.64 min Scan# 1454
 Delta R.T. 0.00 min
 Lab File: BF120906.D
 Acq: 17 Jul 2020 1:20




Instrument :
 BNA_F
 ClientSampled :
 14


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.4	75.5	113.3
141	30.7	25.7	38.5



#45
 2-Fluorobiphenyl
 Concen: 49.715 ng
 RT: 9.17 min Scan# 1205
 Delta R.T. 0.00 min
 Lab File: BF120906.D
 Acq: 17 Jul 2020 1:20

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.1	29.0	43.4
170	24.6	19.6	29.4





#50

Dimethylphthalate

Concen: 10.693 ng

RT: 9.56 min Scan# 1271

Delta R.T. -0.02 min

Lab File: BF120906.D

Acq: 17 Jul 2020 1:20

Instrument :

BNA_F

ClientSampleId :

14


Tot Ion:163 Resp: 271448

Ion Ratio Lower Upper




163 100

194 3.6 3.2 4.8

164 10.1 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.33 min Scan# 1572

Delta R.T. 0.00 min

Lab File: BF120906.D

Acq: 17 Jul 2020 1:20


Tgt Ion:188 Resp: 667711

Ion Ratio Lower Upper



188 100


94 10.0 8.0 12.0

80 10.0 8.3 12.5



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1









#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.97 min Scan# 2020
Delta R.T. -0.01 min
Lab File: BF120906.D
Acq: 17 Jul 2020 1:20

Instrument :
BNA_F
ClientSampleId :
14

Tot Ion:240 Resp: 467151
Ion Ratio Lower Upper
240 100
120 11.0 9.0 13.4
236 26.6 21.7 32.5




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E








#79
Terphenyl-d14
Concen: 58.560 ng
RT: 12.92 min Scan# 1842
Delta R.T. 0.00 min
Lab File: BF120906.D
Acq: 17 Jul 2020 1:20

Tgt Ion:244 Resp: 1258476
Ion Ratio Lower Upper
244 100
212 6.9 5.6 8.4
122 11.0 8.9 13.3



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.42 min Scan# 2266
 Delta R.T. -0.01 min
 Lab File: BF120906.D
 Acq: 17 Jul 2020 1:20

Instrument :
 BNA_F
 ClientSampleId :
 14

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.8	20.0	30.0
265	21.9	17.4	26.2

