

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143155.D
 Acq On : 17 Jul 2025 18:37
 Operator : RC/JU
 Sample : PB167904BL
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB167904BL

Quant Time: Jul 18 01:03:36 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	146068	20.000	ng	0.00
21) Naphthalene-d8	8.239	136	558898	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	300008	20.000	ng	0.00
64) Phenanthrene-d10	11.480	188	518578	20.000	ng	0.00
76) Chrysene-d12	14.115	240	286221	20.000	ng	0.00
86) Perylene-d12	15.621	264	276781	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.598	112	1067066	115.603	ng	0.01
7) Phenol-d6	6.581	99	1344480	115.722	ng	0.00
23) Nitrobenzene-d5	7.516	82	873955	77.946	ng	0.00
42) 2,4,6-Tribromophenol	10.786	330	382625	123.457	ng	0.00
45) 2-Fluorobiphenyl	9.316	172	1629422	74.279	ng	0.00
79) Terphenyl-d14	13.068	244	1569049	81.577	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
Data File : BF143155.D
Acq On : 17 Jul 2025 18:37
Operator : RC/JU
Sample : PB167904BL
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB167904BL


Quant Time: Jul 18 01:03:36 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 15:14:05 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 811
Delta R.T. -0.000 min
Lab File: BF143155.D
Acq: 17 Jul 2025 18:37


Instrument :
BNA_F
ClientSampleId :
PB167904BL





Tgt Ion:152 Resp: 146068
Ion Ratio Lower Upper
152 100
150 156.7 128.2 192.4
115 58.5 47.9 71.9




#5
2-Fluorophenol
Concen: 115.603 ng
RT: 5.598 min Scan# 579
Delta R.T. 0.012 min
Lab File: BF143155.D
Acq: 17 Jul 2025 18:37



Tgt Ion:112 Resp: 1067066
Ion Ratio Lower Upper
112 100
64 65.1 53.1 79.7
63 32.2 26.6 40.0









#7
Phenol-d6
Concen: 115.722 ng
RT: 6.581 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF143155.D
Acq: 17 Jul 2025 18:37




Instrument :
BNA_F
ClientSampleId :
PB167904BL


Tgt Ion: 99 Resp: 1344480
Ion Ratio Lower Upper
99 100
42 21.0 17.0 25.6
71 34.6 27.7 41.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.239 min Scan# 1028
Delta R.T. -0.006 min
Lab File: BF143155.D
Acq: 17 Jul 2025 18:37

Tgt Ion:136 Resp: 558898
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 10.7 8.2 12.2
68 6.7 5.4 8.2





#23

Nitrobenzene-d5

Concen: 77.946 ng

RT: 7.516 min Scan# 906

Delta R.T. -0.006 min

Lab File: BF143155.D

Acq: 17 Jul 2025 18:37

Instrument :

BNA_F

ClientSampleId :

PB167904BL





Tgt Ion: 82 Resp: 873955

Ion Ratio Lower Upper

82 100

128 43.0 33.6 50.4

54 58.8 47.1 70.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.998 min Scan# 1327

Delta R.T. 0.000 min

Lab File: BF143155.D

Acq: 17 Jul 2025 18:37




Tgt Ion:164 Resp: 300008


Ion Ratio Lower Upper

164 100

162 98.0 79.0 118.6


160 43.7 35.1 52.7








#42
2,4,6-Tribromophenol
Concen: 123.457 ng
RT: 10.786 min Scan# 1461
Delta R.T. -0.000 min
Lab File: BF143155.D
Acq: 17 Jul 2025 18:37

Instrument :
BNA_F
ClientSampleId :
PB167904BL







Tgt Ion:330 Resp: 382625
Ion Ratio Lower Upper
330 100
332 97.9 76.7 115.1
141 28.1 23.3 34.9



#45
2-Fluorobiphenyl
Concen: 74.279 ng
RT: 9.316 min Scan# 1211
Delta R.T. -0.006 min
Lab File: BF143155.D
Acq: 17 Jul 2025 18:37

Tgt Ion:172 Resp: 1629422
Ion Ratio Lower Upper
172 100
171 35.3 28.6 42.8
170 23.1 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.480 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143155.D
Acq: 17 Jul 2025 18:37




Instrument :
BNA_F
ClientSampleId :
PB167904BL


Tgt Ion:188 Resp: 518578
Ion Ratio Lower Upper
188 100
94 10.6 8.3 12.5
80 11.4 9.0 13.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.115 min Scan# 2027
Delta R.T. -0.006 min
Lab File: BF143155.D
Acq: 17 Jul 2025 18:37

Tgt Ion:240 Resp: 286221
Ion Ratio Lower Upper
240 100
120 12.2 9.4 14.2
236 25.0 20.2 30.4





#79

Terphenyl-d14

Concen: 81.577 ng

RT: 13.068 min Scan# 11

Delta R.T. -0.000 min

Lab File: BF143155.D

Acq: 17 Jul 2025 18:37

Instrument :

BNA_F

ClientSampleId :

PB167904BL





Tgt Ion:244 Resp: 1569049

Ion Ratio Lower Upper

244 100

212 6.5 5.2 7.8

122 10.4 8.2 12.2



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.621 min Scan# 2283

Delta R.T. -0.000 min

Lab File: BF143155.D

Acq: 17 Jul 2025 18:37

Tgt Ion:264 Resp: 276781

Ion Ratio Lower Upper

264 100

260 23.4 18.5 27.7

265 21.6 17.4 26.2

