

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071822\
 Data File : BF129276.D
 Acq On : 18 Jul 2022 19:44
 Operator : CG\JU
 Sample : N3747-01MS 5X
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OK-01-071522MS

Manual Integrations
 APPROVED

Reviewed By : Christian
 Giraldo

Quant Time: Jul 19 02:09:45 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 15 12:55:49 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
Internal Standards							07/19/2022
1) 1,4-Dichlorobenzene-d4	6.898	152	192100	20.000	ng	0.00	Supervised By : Jagrut padhyay
21) Naphthalene-d8	8.181	136	652583	20.000	ng	0.00	
39) Acenaphthene-d10	9.939	164	296555	20.000	ng	0.00	
64) Phenanthrene-d10	11.427	188	523203	20.000	ng	# 0.00	
76) Chrysene-d12	14.074	240	513089	20.000	ng	# 0.00	
86) Perylene-d12	15.574	264	411886	20.000	ng	0.01	07/19/2022
System Monitoring Compounds							
5) 2-Fluorophenol	5.516	112	240709	20.012	ng	0.00	
7) Phenol-d6	6.522	99	272296	17.503	ng	0.00	
23) Nitrobenzene-d5	7.457	82	155792	12.761	ng	-0.01	
42) 2,4,6-Tribromophenol	10.727	330	52574	19.100	ng	0.00	
45) 2-Fluorobiphenyl	9.257	172	272421	15.563	ng	0.00	
79) Terphenyl-d14	13.010	244	342460	12.486	ng	0.00	
Target Compounds							Qvalue
2) 1,4-Dioxane	2.675	88	39926	7.286	ng		89
3) Pyridine	3.516	79	102921	7.303	ng		91
4) n-Nitrosodimethylamine	3.410	42	55365	8.317	ng		98
6) Aniline	6.563	93	105829	5.790	ng		99
8) 2-Chlorophenol	6.681	128	110102	8.693	ng		98
9) Benzaldehyde	6.451	77	59167	6.197	ng		97
10) Phenol	6.534	94	127691m	8.171	ng		
11) bis(2-Chloroethyl)ether	6.628	93	110202	8.695	ng		95
12) 1,3-Dichlorobenzene	6.839	146	119529	8.874	ng		99
13) 1,4-Dichlorobenzene	6.916	146	122470	8.990	ng		97
14) 1,2-Dichlorobenzene	7.069	146	113784	8.961	ng		98
15) Benzyl Alcohol	7.034	79	81255	7.843	ng		93
16) 2,2'-oxybis(1-Chloropr...	7.169	45	167538	8.296	ng		92
17) 2-Methylphenol	7.145	107	84863	7.971	ng		96
18) Hexachloroethane	7.410	117	41973	8.246	ng	#	85
19) n-Nitroso-di-n-propyla...	7.298	70	75610	8.263	ng		97
20) 3+4-Methylphenols	7.298	107	102074	7.801	ng	#	81
22) Acetophenone	7.304	105	149170	9.905	ng		99
24) Nitrobenzene	7.481	77	104343	8.985	ng		93
25) Isophorone	7.716	82	191148	9.316	ng		98
26) 2-Nitrophenol	7.798	139	46849	8.031	ng		91
27) 2,4-Dimethylphenol	7.828	122	85582m	9.435	ng		
28) bis(2-Chloroethoxy)met...	7.922	93	119515	8.745	ng		98
29) 2,4-Dichlorophenol	8.039	162	71692	7.950	ng		95
30) 1,2,4-Trichlorobenzene	8.122	180	83015	8.872	ng		94
31) Naphthalene	8.204	128	289492	9.363	ng		99
32) Benzoic acid	7.886	122	41956m	5.955	ng		
33) 4-Chloroaniline	8.251	127	78354	6.111	ng		95
34) Hexachlorobutadiene	8.316	225	49156	9.338	ng		99
35) Caprolactam	8.586	113	22048	7.360	ng	#	84
36) 4-Chloro-3-methylphenol	8.728	107	71977	7.317	ng		90
37) 2-Methylnaphthalene	8.892	142	175613	8.714	ng		100
38) 1-Methylnaphthalene	8.992	142	163248	8.377	ng		99
40) 1,2,4,5-Tetrachloroben...	9.063	216	70224	9.524	ng		99
41) Hexachlorocyclopentadiene	9.045	237	16599	4.474	ng		98
43) 2,4,6-Trichlorophenol	9.169	196	45352	8.353	ng		99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071822\
 Data File : BF129276.D
 Acq On : 18 Jul 2022 19:44
 Operator : CG\JU
 Sample : N3747-01MS 5X
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OK-01-071522MS


Manual Integrations
 APPROVED

Reviewed By : Christian
 Giraldo

Quant Time: Jul 19 02:09:45 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 15 12:55:49 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
44) 2,4,5-Trichlorophenol	9.210	196	46093	8.026	ng	#	93
46) 1,1'-Biphenyl	9.357	154	203783	9.715	ng		98
47) 2-Chloronaphthalene	9.386	162	155845	9.433	ng		96
48) 2-Nitroaniline	9.480	65	44997	8.107	ng	#	84
49) Acenaphthylene	9.798	152	249398	10.029	ng		99
50) Dimethylphthalate	9.651	163	181423	9.427	ng		100
51) 2,6-Dinitrotoluene	9.716	165	35029	8.412	ng		95
52) Acenaphthene	9.975	154	142192	8.748	ng		99
53) 3-Nitroaniline	9.886	138	36442	7.328	ng	#	97
54) 2,4-Dinitrophenol	9.998	184	5096	2.283	ng		89
55) Dibenzofuran	10.145	168	212455	9.208	ng		98
56) 4-Nitrophenol	10.045	139	64503	16.389	ng		89
57) 2,4-Dinitrotoluene	10.122	165	44879	8.219	ng		92
58) Fluorene	10.486	166	176410	10.052	ng		99
59) 2,3,4,6-Tetrachlorophenol	10.263	232	36613m	8.253	ng		
60) Diethylphthalate	10.351	149	170467	9.160	ng		99
61) 4-Chlorophenyl-phenyle...	10.475	204	77135	9.488	ng		92
62) 4-Nitroaniline	10.492	138	41317	8.393	ng		92
63) Azobenzene	10.639	77	169470	8.531	ng		94
66) n-Nitrosodiphenylamine	10.592	169	143126	8.574	ng		98
67) 4-Bromophenyl-phenylether	10.969	248	45775	8.311	ng		96
68) Hexachlorobenzene	11.033	284	52117	9.015	ng		96
69) Atrazine	11.116	200	46825	10.118	ng		96
70) Pentachlorophenol	11.233	266	50812	14.780	ng		98
71) Phenanthrene	11.451	178	315360	11.872	ng		99
72) Anthracene	11.504	178	277879	10.531	ng		99
73) Carbazole	11.657	167	254433	9.667	ng		97
74) Di-n-butylphthalate	11.980	149	300283	9.928	ng		99
75) Fluoranthene	12.645	202	457908	17.309	ng		98
77) Benzidine	12.763	184	76956	5.358	ng		100
78) Pyrene	12.874	202	468117	11.264	ng		99
80) Butylbenzylphthalate	13.486	149	147715	7.980	ng		94
81) Benzo(a)anthracene	14.063	228	368752	11.394	ng		99
82) 3,3'-Dichlorobenzidine	14.021	252	83326	10.292	ng	#	97
83) Chrysene	14.098	228	366172	11.853	ng		98
84) Bis(2-ethylhexyl)phtha...	14.039	149	219864	8.927	ng		98
85) Di-n-octyl phthalate	14.657	149	372963	10.557	ng		99
87) Indeno(1,2,3-cd)pyrene	17.080	276	219468	8.545	ng		97
88) Benzo(b)fluoranthene	15.127	252	325244	12.854	ng	#	98
89) Benzo(k)fluoranthene	15.157	252	289177	11.697	ng		96
90) Benzo(a)pyrene	15.504	252	258262	12.537	ng	#	96
91) Dibenzo(a,h)anthracene	17.098	278	173936	8.372	ng		96
92) Benzo(g,h,i)perylene	17.545	276	187544	8.831	ng		98

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.898 min Scan# 71
 Delta R.T. 0.000 min
 Lab File: BF129276.D
 Acq: 18 Jul 2022 19:44



Instrument :
 BNA_F
 ClientSampleId :
 OK-01-071522MS



Tgt Ion:152 Resp: 192100
 Ion Ratio Lower Upper
 152 100
 150 157.7 123.7 185.5
 115 65.3 49.9 74.9


Manual Integrations
 APPROVED

Reviewed By :Christian
 Giraldo




07/19/2022
 Supervised By :Jagrut
 Upadhyay



07/19/2022




#2
 1,4-Dioxane
 Concen: 7.286 ng
 RT: 2.675 min Scan# 66
 Delta R.T. -0.041 min
 Lab File: BF129276.D
 Acq: 18 Jul 2022 19:44



Tgt Ion: 88 Resp: 39926
 Ion Ratio Lower Upper
 88 100
 58 78.0 71.8 107.8
 43 29.6 26.6 39.8






#3
Pyridine
Concen: 7.303 ng
RT: 3.516 min Scan# 205
Delta R.T. 0.023 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :



OK-01-071522MS



Tgt Ion: 79 Resp: 10292
Ion Ratio Lower Upper
79 100
52 76.1 68.6 102.8
51 36.9 32.9 49.3


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#4
n-Nitrosodimethylamine
Concen: 8.317 ng
RT: 3.410 min Scan# 191
Delta R.T. -0.041 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion: 42 Resp: 55365
Ion Ratio Lower Upper
42 100
74 120.6 94.8 142.2
44 8.7 6.6 10.0





#5
2-Fluorophenol
Concen: 20.012 ng
RT: 5.516 min Scan# 549
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F



ClientSampleId :

OK-01-071522MS

Tgt Ion:112 Resp: 240709
Ion Ratio Lower Upper
112 100
64 58.0 53.3 79.9
63 29.2 28.0 42.0



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay

07/19/2022



#6
Aniline
Concen: 5.790 ng
RT: 6.563 min Scan# 727
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44


Tgt Ion: 93 Resp: 105829
Ion Ratio Lower Upper
93 100
66 41.6 32.5 48.7
65 20.4 16.4 24.6





#7
Phenol-d6
Concen: 17.503 ng
RT: 6.522 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS



Tgt Ion: 99 Resp: 272290
Ion Ratio Lower Upper
99 100
42 18.4 17.3 25.9
71 30.9 28.9 43.3


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#8
2-Chlorophenol
Concen: 8.693 ng
RT: 6.681 min Scan# 747
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44




Tgt Ion:128 Resp: 110102
Ion Ratio Lower Upper
128 100
130 31.3 13.1 53.1
64 52.2 30.9 70.9





#9
Benzaldehyde
Concen: 6.197 ng
RT: 6.451 min Scan# 708
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS



Tgt Ion: 77 Resp: 5916
Ion Ratio Lower Upper
77 100
105 99.2 81.6 121.6
106 99.1 76.1 116.1


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#10
Phenol
Concen: 8.171 ng m
RT: 6.534 min Scan# 722
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion: 94 Resp: 127691
Ion Ratio Lower Upper
94 100
65 27.4 11.4 51.4
66 35.7 21.4 61.4





#11
bis(2-Chloroethyl)ether
Concen: 8.695 ng
RT: 6.628 min Scan# 711
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F



ClientSampleId :

OK-01-071522MS

Tgt Ion: 93 Resp: 11020
Ion Ratio Lower Upper
93 100
63 81.6 67.4 107.4
95 32.7 12.7 52.7



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#12
1,3-Dichlorobenzene
Concen: 8.874 ng
RT: 6.839 min Scan# 774
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Tgt Ion:146 Resp: 119529
Ion Ratio Lower Upper
146 100
148 64.2 50.6 75.8
75 32.7 26.3 39.5





#13

1,4-Dichlorobenzene

Concen: 8.990 ng

RT: 6.916 min Scan# 787

Delta R.T. -0.000 min

Lab File: BF129276.D


Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :

OK-01-071522MS



Tgt Ion:146 Resp: 122470

Ion Ratio Lower Upper

146 100



148 61.2 51.1 76.7

111 41.6 34.2 51.4

Manual Integrations


APPROVED

Reviewed By :Christian
Giraldo



07/19/2022
Supervised By :Jagrut
Upadhyay

07/19/2022



#14

1,2-Dichlorobenzene

Concen: 8.961 ng

RT: 7.069 min Scan# 813

Delta R.T. -0.000 min

Lab File: BF129276.D

Acq: 18 Jul 2022 19:44




Tgt Ion:146 Resp: 113784


Ion Ratio Lower Upper

146 100

148 63.0 51.8 77.8


111 44.6 35.1 52.7





#15
Benzyl Alcohol
Concen: 7.843 ng
RT: 7.034 min Scan# 80
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS



Tgt Ion: 79 Resp: 8125
Ion Ratio Lower Upper
79 100
108 82.3 61.8 92.6
77 68.9 50.2 75.4


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#16
2,2'-oxybis(1-Chloropropane)
Concen: 8.296 ng
RT: 7.169 min Scan# 830
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion: 45 Resp: 167538
Ion Ratio Lower Upper
45 100
77 14.5 0.0 31.3
79 10.7 0.0 28.3





#17
2-Methylphenol
Concen: 7.971 ng
RT: 7.145 min Scan# 81
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F



ClientSampleId :

OK-01-071522MS

Tgt Ion:107 Resp: 8486
Ion Ratio Lower Upper
107 100
108 112.8 91.9 137.9
77 43.3 37.8 56.8
79 42.2 37.4 56.0



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#18
Hexachloroethane
Concen: 8.246 ng
RT: 7.410 min Scan# 871
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Tgt Ion:117 Resp: 41973
Ion Ratio Lower Upper
117 100
119 95.2 77.4 116.2
201 78.0 84.6 127.0#






#19
n-Nitroso-di-n-propylamine
Concen: 8.263 ng
RT: 7.298 min Scan# 852
Delta R.T. -0.018 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :



OK-01-071522MS



Tgt Ion: 70 Resp: 75610
Ion Ratio Lower Upper
70 100
42 63.0 52.3 78.5
101 10.0 7.5 11.3
130 21.6 16.1 24.1


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#20
3+4-Methylphenols
Concen: 7.801 ng
RT: 7.298 min Scan# 852
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Tgt Ion:107 Resp: 102074
Ion Ratio Lower Upper
107 100
108 89.1 71.8 111.8
77 116.5 59.3 99.3#
79 29.2 11.7 51.7






#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.181 min Scan# 1003
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :



OK-01-071522MS



Tgt Ion:136 Resp: 65258
Ion Ratio Lower Upper
136 100
137 11.3 8.8 13.2
54 9.4 7.5 11.3
68 6.9 4.7 7.1


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#22
Acetophenone
Concen: 9.905 ng
RT: 7.304 min Scan# 853
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion:105 Resp: 149170
Ion Ratio Lower Upper
105 100
71 5.0 5.0 7.4
51 31.0 25.0 37.4
120 21.6 17.8 26.8






#23
Nitrobenzene-d5
Concen: 12.761 ng
RT: 7.457 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :



OK-01-071522MS



Tgt Ion: 82 Resp: 155792
Ion Ratio Lower Upper
82 100
128 42.5 34.0 51.0
54 52.5 46.9 70.3


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#24
Nitrobenzene
Concen: 8.985 ng
RT: 7.481 min Scan# 883
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion: 77 Resp: 104343
Ion Ratio Lower Upper
77 100
123 49.2 35.4 53.2
65 13.1 11.8 17.8






#25
Isophorone
Concen: 9.316 ng
RT: 7.716 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :



OK-01-071522MS



Tgt Ion: 82 Resp: 191148
Ion Ratio Lower Upper
82 100
95 6.4 5.7 8.5
138 18.5 14.2 21.2


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#26
2-Nitrophenol
Concen: 8.031 ng
RT: 7.798 min Scan# 937
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion:139 Resp: 46849
Ion Ratio Lower Upper
139 100
109 26.5 25.0 37.4
65 49.4 45.1 67.7





#27

2,4-Dimethylphenol

Concen: 9.435 ng m

RT: 7.828 min Scan# 94

Delta R.T. -0.006 min

Lab File: BF129276.D

Acq: 18 Jul 2022 19:44

Instrument :

BNA_F



ClientSampleId :

OK-01-071522MS

Tgt Ion:	122	Resp:	8558
Ion	Ratio	Lower	Upper
122	100		
107	111.7	93.0	139.6
121	57.9	46.6	70.0



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo



07/19/2022
Supervised By :Jagrut
Upadhyay

07/19/2022



#28

bis(2-Chloroethoxy)methane

Concen: 8.745 ng




RT: 7.922 min Scan# 958


Delta R.T. -0.006 min

Lab File: BF129276.D

Acq: 18 Jul 2022 19:44

Tgt Ion:	93	Resp:	119515
Ion	Ratio	Lower	Upper
93	100		
95	32.0	26.8	40.2
123	11.5	9.2	13.8





#29

2,4-Dichlorophenol

Concen: 7.950 ng

RT: 8.039 min Scan# 91

Delta R.T. -0.000 min

Lab File: BF129276.D

Acq: 18 Jul 2022 19:44

Instrument :

BNA_F



ClientSampleId :

OK-01-071522MS

Tgt Ion:162	Resp:	71692
Ion Ratio	Lower	Upper
162	100	
164	65.5	44.2 84.2
98	33.8	19.6 59.6



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo



07/19/2022
Supervised By :Jagrut
Upadhyay

07/19/2022



#30

1,2,4-Trichlorobenzene

Concen: 8.872 ng




RT: 8.122 min Scan# 992


Delta R.T. -0.000 min

Lab File: BF129276.D

Acq: 18 Jul 2022 19:44

Tgt Ion:180	Resp:	83015
Ion Ratio	Lower	Upper
180	100	
182	92.3	79.2 118.8
145	30.5	26.2 39.2






#31
Naphthalene
Concen: 9.363 ng
RT: 8.204 min Scan# 1006
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :



OK-01-071522MS



Tgt Ion:128 Resp: 289492
Ion Ratio Lower Upper
128 100
129 11.0 9.2 13.8
127 13.0 10.5 15.7


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#32
Benzoic acid
Concen: 5.955 ng m
RT: 7.886 min Scan# 952
Delta R.T. -0.071 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion:122 Resp: 41956
Ion Ratio Lower Upper
122 100
105 113.3 107.1 147.1
77 86.3 74.2 114.2





#33
4-Chloroaniline
Concen: 6.111 ng
RT: 8.251 min Scan# 1014
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F



ClientSampleId :

OK-01-071522MS

Tgt Ion:	127	Resp:	7835
Ion Ratio	Lower	Upper	
127	100		
129	31.4	26.4	39.6
65	28.9	26.4	39.6
92	18.5	16.0	24.0



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#34
Hexachlorobutadiene
Concen: 9.338 ng
RT: 8.316 min Scan# 1025
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44


Tgt Ion:	225	Resp:	49156
Ion Ratio	Lower	Upper	
225	100		
223	64.6	51.0	76.6
227	63.7	51.1	76.7





#35
Caprolactam
Concen: 7.360 ng
RT: 8.586 min Scan# 1071
Delta R.T. -0.053 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS



Tgt Ion:113 Resp: 22048
Ion Ratio Lower Upper
113 100
55 183.2 188.5 228.5
56 130.9 130.6 170.6


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#36
4-Chloro-3-methylphenol
Concen: 7.317 ng
RT: 8.728 min Scan# 1095
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Tgt Ion:107 Resp: 71977
Ion Ratio Lower Upper
107 100
144 26.0 19.5 29.3
142 83.2 58.2 87.4







#37
2-Methylnaphthalene
Concen: 8.714 ng
RT: 8.892 min Scan# 1124
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS

Tgt Ion:142 Resp: 17561
Ion Ratio Lower Upper
142 100
141 89.0 71.0 106.4



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#38
1-Methylnaphthalene
Concen: 8.377 ng
RT: 8.992 min Scan# 1140
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Tgt Ion:142 Resp: 163248
Ion Ratio Lower Upper
142 100
141 92.1 74.2 111.4






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.939 min Scan# 1130
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :



OK-01-071522MS



Tgt Ion:164 Resp: 29655
Ion Ratio Lower Upper
164 100
162 102.4 79.5 119.3
160 44.3 34.2 51.4


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022



#40
1,2,4,5-Tetrachlorobenzene
Concen: 9.524 ng
RT: 9.063 min Scan# 1152
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion:216 Resp: 70224
Ion Ratio Lower Upper
216 100
214 79.5 63.6 95.4
179 22.7 17.0 25.6
108 21.5 16.0 24.0






#41
Hexachlorocyclopentadiene
Concen: 4.474 ng
RT: 9.045 min Scan# 1149
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :



OK-01-071522MS



Tgt Ion:237 Resp: 16598
Ion Ratio Lower Upper
237 100
235 64.8 43.2 83.2
272 12.5 0.0 31.9


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#42
2,4,6-Tribromophenol
Concen: 19.100 ng
RT: 10.727 min Scan# 1435
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion:330 Resp: 52574
Ion Ratio Lower Upper
330 100
332 103.7 76.8 115.2
141 37.3 28.0 42.0





#43

2,4,6-Trichlorophenol

Concen: 8.353 ng

RT: 9.169 min Scan# 1170

Delta R.T. -0.006 min

Lab File: BF129276.D


Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :

OK-01-071522MS



Tgt Ion:196 Resp: 45352

Ion Ratio Lower Upper

196 100


198 93.7 74.0 111.0

200 29.8 24.1 36.1

Manual Integrations



APPROVED

Reviewed By :Christian
Giraldo



07/19/2022
Supervised By :Jagrut
Upadhyay

07/19/2022



#44

2,4,5-Trichlorophenol

Concen: 8.026 ng

RT: 9.210 min Scan# 1177

Delta R.T. -0.000 min

Lab File: BF129276.D

Acq: 18 Jul 2022 19:44

Tgt Ion:196 Resp: 46093




Ion Ratio Lower Upper


196 100

198 95.5 75.7 113.5

97 54.8 36.4 54.6#


132 32.9 20.7 31.1#





#45
2-Fluorobiphenyl
Concen: 15.563 ng
RT: 9.257 min Scan# 1185
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS



Tgt Ion:172 Resp: 27242
Ion Ratio Lower Upper
172 100
171 33.7 28.8 43.2
170 22.9 19.8 29.8


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#46
1,1'-Biphenyl
Concen: 9.715 ng
RT: 9.357 min Scan# 1202
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion:154 Resp: 203783
Ion Ratio Lower Upper
154 100
153 39.0 20.6 60.6
76 13.5 0.0 33.3






#47
2-Chloronaphthalene
Concen: 9.433 ng
RT: 9.386 min Scan# 1207
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :


OK-01-071522MS



Tgt Ion:162 Resp: 15584
Ion Ratio Lower Upper
162 100
127 39.0 34.5 51.7
164 33.3 26.5 39.7


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#48
2-Nitroaniline
Concen: 8.107 ng
RT: 9.480 min Scan# 1223
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion: 65 Resp: 44997
Ion Ratio Lower Upper
65 100
92 70.7 51.9 77.9
138 116.5 76.4 114.6#





#49

Acenaphthylene

Concen: 10.029 ng

RT: 9.798 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF129276.D

Acq: 18 Jul 2022 19:44

Instrument :

BNA_F



ClientSampleId :

OK-01-071522MS

Tgt Ion:152 Resp: 249398
 Ion Ratio Lower Upper
 152 100
 151 20.0 16.2 24.4
 153 13.5 10.7 16.1



Manual Integrations
 APPROVED

Reviewed By :Christian
 Giraldo



07/19/2022
 Supervised By :Jagrut
 Upadhyay

07/19/2022



#50

Dimethylphthalate

Concen: 9.427 ng




RT: 9.651 min Scan# 1252


Delta R.T. -0.012 min

Lab File: BF129276.D

Acq: 18 Jul 2022 19:44


Tgt Ion:163 Resp: 181423
 Ion Ratio Lower Upper
 163 100
 194 3.7 3.2 4.8
 164 10.2 8.2 12.2





#51
2,6-Dinitrotoluene
Concen: 8.412 ng
RT: 9.716 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS



Tgt Ion:165 Resp: 35029
Ion Ratio Lower Upper
165 100
63 59.4 44.9 67.3
89 58.0 43.6 65.4


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#52
Acenaphthene
Concen: 8.748 ng
RT: 9.975 min Scan# 1307
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion:154 Resp: 142192
Ion Ratio Lower Upper
154 100
153 113.3 89.6 134.4
152 54.4 42.4 63.6





#53

3-Nitroaniline

Concen: 7.328 ng

RT: 9.886 min Scan# 1294

Delta R.T. -0.012 min

Lab File: BF129276.D

Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :



OK-01-071522MS

Tgt Ion:138 Resp: 3644

Ion	Ratio	Lower	Upper
138	100		
108	10.5	10.9	16.3
92	119.5	98.2	147.2



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo



07/19/2022
Supervised By :Jagrut
Upadhyay

07/19/2022



#54

2,4-Dinitrophenol

Concen: 2.283 ng

RT: 9.998 min Scan# 1311




Delta R.T. -0.000 min


Lab File: BF129276.D

Acq: 18 Jul 2022 19:44

Tgt Ion:184 Resp: 5096


Ion	Ratio	Lower	Upper
184	100		
63	69.8	64.5	96.7
154	70.9	50.6	75.8





#55
Dibenzenofuran
Concen: 9.208 ng
RT: 10.145 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44


Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS



Tgt Ion:168 Resp: 21245
Ion Ratio Lower Upper
168 100
139 36.9 30.6 46.0
169 13.2 11.0 16.6


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#56
4-Nitrophenol
Concen: 16.389 ng
RT: 10.045 min Scan# 1319
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44


Tgt Ion:139 Resp: 64503
Ion Ratio Lower Upper
139 100
109 62.4 50.7 90.7
65 83.4 74.5 114.5





#57
2,4-Dinitrotoluene
Concen: 8.219 ng
RT: 10.122 min Scan# 1333
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS



Tgt Ion:165 Resp: 44879
Ion Ratio Lower Upper
165 100
63 44.5 39.8 59.6
89 68.1 60.2 90.2
182 2.4 2.2 3.2


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#58
Fluorene
Concen: 10.052 ng
RT: 10.486 min Scan# 1394
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion:166 Resp: 176410
Ion Ratio Lower Upper
166 100
165 96.9 78.1 117.1
167 13.3 10.5 15.7






#59
2,3,4,6-Tetrachlorophenol
Concen: 8.253 ng m
RT: 10.263 min Scan# 1356
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :



OK-01-071522MS



Tgt Ion:232 Resp: 3661
Ion Ratio Lower Upper
232 100
131 43.2 36.1 54.1
130 2.5 1.8 2.8
166 25.8 24.2 36.2


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#60
Diethylphthalate
Concen: 9.160 ng
RT: 10.351 min Scan# 1371
Delta R.T. -0.012 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44




Tgt Ion:149 Resp: 170467
Ion Ratio Lower Upper
149 100
177 20.7 17.3 25.9
150 12.4 10.2 15.2





#61
4-Chlorophenyl-phenylether
Concen: 9.488 ng
RT: 10.475 min Scan# 1393
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS



Tgt Ion:204 Resp: 77135
Ion Ratio Lower Upper
204 100
206 31.3 25.8 38.6
141 66.8 47.0 70.4


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#62
4-Nitroaniline
Concen: 8.393 ng
RT: 10.492 min Scan# 1395
Delta R.T. -0.024 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44


Tgt Ion:138 Resp: 41317
Ion Ratio Lower Upper
138 100
92 51.5 33.5 73.5
108 70.1 61.0 101.0





#63
Azobenzene
Concen: 8.531 ng
RT: 10.639 min Scan# 1420
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS



Tgt Ion: 77 Resp: 169470
Ion Ratio Lower Upper
77 100
182 25.6 5.6 45.6
105 22.8 1.6 41.6
51 28.5 15.1 55.1


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.427 min Scan# 1554
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Tgt Ion:188 Resp: 523203
Ion Ratio Lower Upper
188 100
94 11.5 7.0 10.6#
80 12.4 7.6 11.4#





#66
n-Nitrosodiphenylamine
Concen: 8.574 ng
RT: 10.592 min Scan# 1414
Delta R.T. -0.012 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F



ClientSampleId :

OK-01-071522MS

Tgt Ion:169 Resp: 143120
Ion Ratio Lower Upper
169 100
168 65.1 50.1 75.1
167 35.4 27.9 41.9



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#67
4-Bromophenyl-phenylether
Concen: 8.311 ng
RT: 10.969 min Scan# 1476
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44


Tgt Ion:248 Resp: 45775
Ion Ratio Lower Upper
248 100
250 99.8 80.6 120.8
141 80.6 58.9 88.3





#68
Hexachlorobenzene
Concen: 9.015 ng
RT: 11.033 min Scan# 1488
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44


Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS



Tgt Ion:284 Resp: 52117
Ion Ratio Lower Upper
284 100
142 39.2 29.0 43.4
249 30.1 25.0 37.6


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#69
Atrazine
Concen: 10.118 ng
RT: 11.116 min Scan# 1501
Delta R.T. -0.012 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion:200 Resp: 46825
Ion Ratio Lower Upper
200 100
173 28.4 6.3 46.3
215 45.5 28.3 68.3







#70
Pentachlorophenol
Concen: 14.780 ng
RT: 11.233 min Scan# 11233
Delta R.T. 0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS

Tgt Ion:266 Resp: 50812
Ion Ratio Lower Upper
266 100
268 64.3 51.0 76.4
264 58.6 49.4 74.2



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#71
Phenanthrene
Concen: 11.872 ng
RT: 11.451 min Scan# 1558
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44


Tgt Ion:178 Resp: 315360
Ion Ratio Lower Upper
178 100
176 19.3 16.0 24.0
179 15.6 12.6 19.0





#72
 Anthracene
 Concen: 10.531 ng
 RT: 11.504 min Scan# 1567
 Delta R.T. -0.006 min
 Lab File: BF129276.D
 Acq: 18 Jul 2022 19:44



Instrument :
 BNA_F
 ClientSampleId :
 OK-01-071522MS



Tgt Ion:178 Resp: 277879
 Ion Ratio Lower Upper
 178 100
 176 18.4 15.4 23.2
 179 15.7 12.6 19.0


Manual Integrations
 APPROVED

Reviewed By :Christian
 Giraldo






07/19/2022
 Supervised By :Jagrut
 Upadhyay


07/19/2022



#73
 Carbazole
 Concen: 9.667 ng
 RT: 11.657 min Scan# 1593
 Delta R.T. -0.006 min
 Lab File: BF129276.D
 Acq: 18 Jul 2022 19:44


Tgt Ion:167 Resp: 254433
 Ion Ratio Lower Upper
 167 100
 166 20.6 17.7 26.5
 139 13.1 11.2 16.8





#74
Di-n-butylphthalate
Concen: 9.928 ng
RT: 11.980 min Scan# 1648
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS



Tgt Ion:149 Resp: 300283
Ion Ratio Lower Upper
149 100
150 9.1 7.5 11.3
104 5.0 4.4 6.6


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#75
Fluoranthene
Concen: 17.309 ng
RT: 12.645 min Scan# 1761
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Tgt Ion:202 Resp: 457908
Ion Ratio Lower Upper
202 100
101 12.8 0.0 31.4
203 17.7 0.0 38.0






#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.074 min Scan# 2004
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :



OK-01-071522MS



Tgt Ion:240 Resp: 513089
Ion Ratio Lower Upper
240 100
120 14.3 8.9 13.3
236 25.5 20.8 31.2


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#77
Benzidine
Concen: 5.358 ng
RT: 12.763 min Scan# 1781
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44


Tgt Ion:184 Resp: 76956
Ion Ratio Lower Upper
184 100
185 14.8 11.9 17.9
183 11.7 9.3 13.9





#78
Pyrene
Concen: 11.264 ng
RT: 12.874 min Scan# 1800
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS



Tgt Ion:202 Resp: 46811
Ion Ratio Lower Upper
202 100
200 21.2 17.7 26.5
203 18.0 14.6 21.8


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#79
Terphenyl-d14
Concen: 12.486 ng
RT: 13.010 min Scan# 1823
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion:244 Resp: 342460
Ion Ratio Lower Upper
244 100
212 7.2 6.1 9.1
122 14.0 8.8 13.2#





#80

Butylbenzylphthalate

Concen: 7.980 ng

RT: 13.486 min Scan# 1904

Delta R.T. -0.000 min

Lab File: BF129276.D

Acq: 18 Jul 2022 19:44

Instrument :

BNA_F



ClientSampleId :

OK-01-071522MS

Tgt Ion:	149	Resp:	147715
Ion Ratio	Lower	Upper	
149	100		
91	70.0	61.2	91.8
206	19.2	15.7	23.5



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo



07/19/2022
Supervised By :Jagrut
Upadhyay

07/19/2022



#81

Benzo(a)anthracene

Concen: 11.394 ng




RT: 14.063 min Scan# 2002


Delta R.T. -0.000 min

Lab File: BF129276.D

Acq: 18 Jul 2022 19:44

Tgt Ion:	228	Resp:	368752
Ion Ratio	Lower	Upper	
228	100		
226	28.3	22.1	33.1
229	19.4	15.8	23.8





#82
3,3'-Dichlorobenzidine
Concen: 10.292 ng
RT: 14.021 min Scan# 1996
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F



ClientSampleId :

OK-01-071522MS

Tgt Ion:252 Resp: 83320
Ion Ratio Lower Upper
252 100
254 63.5 50.2 75.4
126 14.9 8.2 12.4



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#83
Chrysene
Concen: 11.853 ng
RT: 14.098 min Scan# 2008
Delta R.T. -0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44


Tgt Ion:228 Resp: 366172
Ion Ratio Lower Upper
228 100
226 29.7 24.3 36.5
229 21.7 15.9 23.9





#84
Bis(2-ethylhexyl)phthalate
Concen: 8.927 ng
RT: 14.039 min Scan# 1998
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Instrument :
BNA_F
ClientSampleId :
OK-01-071522MS



Tgt Ion:149 Resp: 219864
Ion Ratio Lower Upper
149 100
167 27.1 21.0 31.4
279 3.8 3.1 4.7


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#85
Di-n-octyl phthalate
Concen: 10.557 ng
RT: 14.657 min Scan# 2103
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Tgt Ion:149 Resp: 372963
Ion Ratio Lower Upper
149 100
167 1.7 1.3 1.9
43 11.1 9.2 13.8






#86
Perylene-d12
Concen: 20.000 ng
RT: 15.574 min Scan# 21
Delta R.T. 0.012 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :



OK-01-071522MS



Tgt Ion:264 Resp: 411880
Ion Ratio Lower Upper
264 100
260 23.8 18.4 27.6
265 21.5 17.2 25.8


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




07/19/2022
Supervised By :Jagrut
Upadhyay



07/19/2022




#87
Indeno(1,2,3-cd)pyrene
Concen: 8.545 ng
RT: 17.080 min Scan# 2515
Delta R.T. 0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44



Tgt Ion:276 Resp: 219468
Ion Ratio Lower Upper
276 100
138 28.9 21.1 31.7
277 25.3 20.3 30.5






#88
Benzo(b)fluoranthene
Concen: 12.854 ng
RT: 15.127 min Scan# 2182
Delta R.T. 0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNF_F

ClientSampleId :



OK-01-071522MS



Tgt Ion:252 Resp: 325244
Ion Ratio Lower Upper
252 100
253 22.3 17.7 26.5
125 12.2 8.0 12.0


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#89
Benzo(k)fluoranthene
Concen: 11.697 ng
RT: 15.157 min Scan# 2188
Delta R.T. -0.000 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Tgt Ion:252 Resp: 289177
Ion Ratio Lower Upper
252 100
253 23.5 17.8 26.6
125 12.3 8.3 12.5





#90
Benzo(a)pyrene
Concen: 12.537 ng
RT: 15.504 min Scan# 21
Delta R.T. 0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Instrument :

BNF_F



ClientSampleId :

OK-01-071522MS

Tgt Ion:252 Resp: 25826
Ion Ratio Lower Upper
252 100
253 22.6 17.0 25.6
125 13.6 8.8 13.2



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






07/19/2022
Supervised By :Jagrut
Upadhyay


07/19/2022



#91
Dibenzo(a,h)anthracene
Concen: 8.372 ng
RT: 17.098 min Scan# 2518
Delta R.T. 0.006 min
Lab File: BF129276.D
Acq: 18 Jul 2022 19:44

Tgt Ion:278 Resp: 173936
Ion Ratio Lower Upper
278 100
139 19.1 12.8 19.2
279 24.4 18.6 28.0






#92
 Benzo(g,h,i)perylene
 Concen: 8.831 ng
 RT: 17.545 min Scan# 21
 Delta R.T. 0.006 min
 Lab File: BF129276.D
 Acq: 18 Jul 2022 19:44

Instrument :

BNA_F

ClientSampleId :



OK-01-071522MS



Tgt Ion: 276 Resp: 187544
 Ion Ratio Lower Upper
 276 100
 277 23.8 19.1 28.7
 138 24.4 18.0 27.0

Manual Integrations
 APPROVED

Reviewed By :Christian
 Giraldo



07/19/2022
 Supervised By :Jagrut
 Upadhyay

07/19/2022