

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF071916\
 Data File : BF089115.D
 Acq On : 19 Jul 2016 13:43
 Operator : UM/SJ
 Sample : PB92230BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB92230BL

Quant Time: Jul 20 03:09:30 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 19 15:28:17 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.62	152	52455	20.00	ng	-0.01
21) Naphthalene-d8	7.91	136	217484	20.00	ng	0.00
38) Acenaphthene-d10	9.66	164	98407	20.00	ng	0.00
63) Phenanthrene-d10	11.13	188	160633	20.00	ng	0.00
75) Chrysene-d12	13.75	240	107788	20.00	ng	-0.01
86) Perylene-d12	15.10	264	93361	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.22	112	266769	76.22	ng	0.01
7) Phenol-d6	6.27	99	336975	74.51	ng	-0.01
23) Nitrobenzene-d5	7.19	82	301375	72.62	ng	-0.01
41) 2,4,6-Tribromophenol	10.44	330	60176	65.85	ng	0.00
44) 2-Fluorobiphenyl	8.99	172	603826	96.92	ng	0.00
78) Terphenyl-d14	12.72	244	374105	77.31	ng	0.00


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF071916\
Data File : BF089115.D
Acq On : 19 Jul 2016 13:43
Operator : UM/SJ
Sample : PB92230BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB92230BL

Quant Time: Jul 20 03:09:30 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF063016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 19 15:28:17 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.62 min Scan# 440

Delta R.T. -0.01 min

Lab File: BF089115.D

Acq: 19 Jul 2016 13:43

Instrument :

BNA_F

ClientSampleId :

PB92230BL


Tgt Ion:152 Resp: 52455

Ion Ratio Lower Upper

152 100

150 157.5 123.8 185.6



115 76.4 39.6 59.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 76.22 ng

RT: 5.22 min Scan# 318

Delta R.T. 0.01 min

Lab File: BF089115.D

Acq: 19 Jul 2016 13:43


Tgt Ion:112 Resp: 266769

Ion Ratio Lower Upper

112 100

64 58.7 42.2 63.2



63 31.6 21.8 32.8



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 74.51 ng

RT: 6.27 min Scan# 410

Delta R.T. -0.01 min

Lab File: BF089115.D

Acq: 19 Jul 2016 13:43

Instrument :

BNA_F

ClientSampleId :

PB92230BL


Tgt Ion: 99 Resp: 336975

Ion Ratio Lower Upper

99 100

42 19.0 12.2 18.2#



71 39.7 23.4 35.0#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.91 min Scan# 553

Delta R.T. 0.00 min

Lab File: BF089115.D

Acq: 19 Jul 2016 13:43

Tgt Ion: 136 Resp: 217484


Ion Ratio Lower Upper

136 100

137 11.1 9.1 13.7

54 7.4 6.6 10.0

68 5.8 5.1 7.7





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 72.62 ng
 RT: 7.19 min Scan# 490
 Delta R.T. -0.01 min
 Lab File: BF089115.D
 Acq: 19 Jul 2016 13:43

Instrument :
 BNA_F
 ClientSampleId :
 PB92230BL

Tgt Ion: 82 Resp: 301375
 Ion Ratio Lower Upper
 82 100
 128 39.6 35.9 53.9
 54 49.9 40.9 61.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.66 min Scan# 706
 Delta R.T. 0.00 min
 Lab File: BF089115.D
 Acq: 19 Jul 2016 13:43

Tgt Ion: 164 Resp: 98407
 Ion Ratio Lower Upper
 164 100
 162 105.5 85.4 128.2
 160 46.6 39.5 59.3



Abundance Ion 164.00 (163.70 to 164.70): B
 Ion 162.00 (161.70 to 162.70): B
 Ion 160.00 (159.70 to 160.70): B








#41
 2,4,6-Tribromophenol
 Concen: 65.85 ng
 RT: 10.44 min Scan# 775
 Delta R.T. 0.00 min
 Lab File: BF089115.D
 Acq: 19 Jul 2016 13:43

Instrument :
 BNA_F
 ClientSampleId :
 PB92230BL

Tgt Ion:330 Resp: 60176
 Ion Ratio Lower Upper
 330 100
 332 98.4 0.0 0.0#
 141 40.4 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 96.92 ng
 RT: 8.99 min Scan# 648
 Delta R.T. 0.00 min
 Lab File: BF089115.D
 Acq: 19 Jul 2016 13:43

Tgt Ion:172 Resp: 603826
 Ion Ratio Lower Upper
 172 100
 171 36.4 28.6 43.0
 170 24.0 19.2 28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.13 min Scan# 835
Delta R.T. 0.00 min
Lab File: BF089115.D
Acq: 19 Jul 2016 13:43

Instrument :
BNA_F
ClientSampleId :
PB92230BL

Tgt Ion:188 Resp: 160633
Ion Ratio Lower Upper
188 100
94 7.7 9.0 13.6#
80 8.1 10.0 15.0#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.75 min Scan# 1064
Delta R.T. -0.01 min
Lab File: BF089115.D
Acq: 19 Jul 2016 13:43

Tgt Ion:240 Resp: 107788
Ion Ratio Lower Upper
240 100
120 12.4 6.8 10.2#
236 25.6 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 77.31 ng
 RT: 12.72 min Scan# 974
 Delta R.T. 0.00 min
 Lab File: BF089115.D
 Acq: 19 Jul 2016 13:43

Instrument :
 BNA_F
 ClientSampleId :
 PB92230BL

Tgt Ion:244 Resp: 374105
 Ion Ratio Lower Upper
 244 100
 212 6.8 6.0 9.0
 122 5.8 11.2 16.8#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.10 min Scan# 1182
 Delta R.T. -0.01 min
 Lab File: BF089115.D
 Acq: 19 Jul 2016 13:43

Tgt Ion:264 Resp: 93361
 Ion Ratio Lower Upper
 264 100
 260 22.9 19.2 28.8
 265 21.3 16.9 25.3

