

Data Path : Z:\HPCHEM1\BNA F\DATA\BF072116\
 Data File : BF089163.D
 Acq On : 21 Jul 2016 6:48
 Operator : UM/SJ
 Sample : H4107-03
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TILCON-MH-3-4-STONE-002

Quant Time: Jul 21 07:47:13 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 20 19:03:15 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.60	152	53481	20.00	ng	0.00
21) Naphthalene-d8	7.88	136	234471	20.00	ng	0.00
38) Acenaphthene-d10	9.63	164	109318	20.00	ng	0.00
63) Phenanthrene-d10	11.10	188	214304	20.00	ng	-0.01
75) Chrysene-d12	13.71	240	159352	20.00	ng	-0.01
86) Perylene-d12	15.06	264	120019	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.19	112	283512	80.62	ng	0.00
7) Phenol-d6	6.26	99	437020	96.37	ng	-0.01
23) Nitrobenzene-d5	7.16	82	256155	58.05	ng	-0.01
41) 2,4,6-Tribromophenol	10.42	330	112412	114.21	ng	0.00
44) 2-Fluorobiphenyl	8.96	172	535395	67.48	ng	-0.01
78) Terphenyl-d14	12.68	244	514356	70.01	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.36	163	66576	7.94	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF072116\
Data File : BF089163.D
Acq On : 21 Jul 2016 6:48
Operator : UM/SJ
Sample : H4107-03
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TILCON-MH-3-4-STONE-002

Quant Time: Jul 21 07:47:13 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 20 19:03:15 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.60 min Scan# 439

Delta R.T. 0.00 min

Lab File: BF089163.D

Acq: 21 Jul 2016 6:48

Instrument :

BNA_F

ClientSampleId :

TILCON-MH-3-4-STONE-002


Tot Ion:152 Resp: 53481

Ion Ratio Lower Upper

152 100

150 156.3 125.1 187.7




115 59.8 51.1 76.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 80.62 ng

RT: 5.19 min Scan# 315

Delta R.T. 0.00 min

Lab File: BF089163.D

Acq: 21 Jul 2016 6:48


Tgt Ion:112 Resp: 283512

Ion Ratio Lower Upper

112 100

64 52.0 51.0 76.4



63 28.1 27.3 40.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 96.37 ng

RT: 6.26 min Scan# 409

Delta R.T. -0.01 min

Lab File: BF089163.D

Acq: 21 Jul 2016 6:48

Instrument :

BNA_F

ClientSampleId :

TILCON-MH-3-4-STONE-002


Tot Ion: 99 Resp: 437020

Ion Ratio Lower Upper

99 100

42 14.8 13.5 20.3




71 34.4 28.9 43.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.88 min Scan# 551

Delta R.T. 0.00 min

Lab File: BF089163.D

Acq: 21 Jul 2016 6:48

Tgt Ion: 136 Resp: 234471


Ion Ratio Lower Upper

136 100

137 10.7 8.8 13.2

54 6.5 7.0 10.4#

68 5.0 5.0 7.6






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 58.05 ng
 RT: 7.16 min Scan# 488
 Delta R.T. -0.01 min
 Lab File: BF089163.D
 Acq: 21 Jul 2016 6:48




Instrument :
 BNA_F
 ClientSampleId :
 TILCON-MH-3-4-STONE-002


Tot Ion	82	Resp	256155
Ion Ratio	100	Lower	Upper
128	37.1	33.0	49.6
54	50.0	39.0	58.4



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.63 min Scan# 704
 Delta R.T. 0.00 min
 Lab File: BF089163.D
 Acq: 21 Jul 2016 6:48

Tgt Ion	164	Resp	109318
Ion Ratio	100	Lower	Upper
162	106.9	84.1	126.1
160	49.2	37.1	55.7









#41
 2,4,6-Tribromophenol
 Concen: 114.21 ng
 RT: 10.42 min Scan# 773
 Delta R.T. 0.00 min
 Lab File: BF089163.D
 Acq: 21 Jul 2016 6:48

Instrument :
 BNA_F
 ClientSampleId :
 TILCON-MH-3-4-STONE-002

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.9	77.2	115.8
141	44.6	42.2	63.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 67.48 ng
 RT: 8.96 min Scan# 645
 Delta R.T. -0.01 min
 Lab File: BF089163.D
 Acq: 21 Jul 2016 6:48

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.2	29.2	43.8
170	23.8	19.1	28.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 7.94 ng

RT: 9.36 min Scan# 680

Delta R.T. -0.02 min

Lab File: BF089163.D

Acq: 21 Jul 2016 6:48

Instrument :

BNA_F

ClientSampleId :

TILCON-MH-3-4-STONE-002


Tot Ion:163 Resp: 66576

Ion Ratio Lower Upper

163 100

194 2.9 2.9 4.3




164 9.7 7.6 11.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.10 min Scan# 832

Delta R.T. -0.01 min

Lab File: BF089163.D

Acq: 21 Jul 2016 6:48


Tgt Ion:188 Resp: 214304

Ion Ratio Lower Upper

188 100

94 12.3 7.0 10.4#



80 14.4 7.7 11.5#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.71 min Scan# 1061

Delta R.T. -0.01 min

Lab File: BF089163.D

Acq: 21 Jul 2016 6:48

Instrument :

BNA_F

ClientSampleId :

TILCON-MH-3-4-STONE-002


Tot Ion:240 Resp: 159352

Ion Ratio Lower Upper

240 100

120 17.3 13.6 20.4




236 25.0 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 70.01 ng

RT: 12.68 min Scan# 971

Delta R.T. 0.00 min

Lab File: BF089163.D

Acq: 21 Jul 2016 6:48


Tgt Ion:244 Resp: 514356

Ion Ratio Lower Upper

244 100

212 8.3 7.0 10.4



122 14.9 13.8 20.8






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.06 min Scan# 1179
 Delta R.T. -0.01 min
 Lab File: BF089163.D
 Acq: 21 Jul 2016 6:48

Instrument :
 BNA_F
 ClientSampleId :
 TILCON-MH-3-4-STONE-002

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.1	18.5	27.7
265	21.8	17.3	25.9

