

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF072222\
 Data File : BF129318.D
 Acq On : 22 Jul 2022 16:31
 Operator : CG\JU
 Sample : N3789-01MS
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 IDW-VB1-071922MS

Quant Time: Jul 22 18:13:05 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF072022.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 20 13:42:18 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	121618	20.000	ng	0.00
21) Naphthalene-d8	8.181	136	494413	20.000	ng	# 0.00
39) Acenaphthene-d10	9.939	164	255414	20.000	ng	0.00
64) Phenanthrene-d10	11.427	188	406482	20.000	ng	0.00
76) Chrysene-d12	14.074	240	245094	20.000	ng	0.00
86) Perylene-d12	15.562	264	250435	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.534	112	1005229	134.813	ng	0.02
7) Phenol-d6	6.528	99	1185700	124.742	ng	0.00
23) Nitrobenzene-d5	7.463	82	899847	97.917	ng	0.00
42) 2,4,6-Tribromophenol	10.733	330	387708	157.335	ng	0.00
45) 2-Fluorobiphenyl	9.257	172	1607190	96.801	ng	0.00
79) Terphenyl-d14	13.016	244	1464900	111.316	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.899	88	142686	43.156	ng	# 76
3) Pyridine	3.622	79	338717	37.105	ng	93
4) n-Nitrosodimethylamine	3.557	42	223125	54.439	ng	# 91
6) Aniline	6.563	93	368070	31.470	ng	98
8) 2-Chlorophenol	6.681	128	425966	52.111	ng	98
9) Benzaldehyde	6.451	77	125047	19.178	ng	99
10) Phenol	6.540	94	458942	45.943	ng	92
11) bis(2-Chloroethyl)ether	6.634	93	409533	51.790	ng	93
12) 1,3-Dichlorobenzene	6.840	146	450570	51.143	ng	98
13) 1,4-Dichlorobenzene	6.916	146	462169	51.845	ng	99
14) 1,2-Dichlorobenzene	7.063	146	437532	53.119	ng	96
15) Benzyl Alcohol	7.039	79	374793	54.348	ng	96
16) 2,2'-oxybis(1-Chloropr...	7.169	45	581207	48.213	ng	89
17) 2-Methylphenol	7.145	107	340233	51.073	ng	96
18) Hexachloroethane	7.404	117	180701	54.028	ng	89
19) n-Nitroso-di-n-propyla...	7.310	70	306295	54.082	ng	97
20) 3+4-Methylphenols	7.298	107	411580	47.371	ng	89
22) Acetophenone	7.310	105	608591	52.425	ng	# 98
24) Nitrobenzene	7.481	77	471718	49.836	ng	99
25) Isophorone	7.716	82	838263	51.955	ng	99
26) 2-Nitrophenol	7.792	139	226517	49.597	ng	94
27) 2,4-Dimethylphenol	7.828	122	378419	55.077	ng	94
28) bis(2-Chloroethoxy)met...	7.922	93	499568	53.448	ng	98
29) 2,4-Dichlorophenol	8.034	162	350129	48.993	ng	98
30) 1,2,4-Trichlorobenzene	8.116	180	367203	49.440	ng	96
31) Naphthalene	8.198	128	1232907	48.621	ng	100
32) Benzoic acid	7.916	122	66183	13.179	ng	97
33) 4-Chloroaniline	8.245	127	201373	19.470	ng	100
34) Hexachlorobutadiene	8.310	225	230489	54.294	ng	99
35) Caprolactam	8.622	113	44410	19.484	ng	# 85
36) 4-Chloro-3-methylphenol	8.728	107	386011	50.842	ng	98
37) 2-Methylnaphthalene	8.892	142	804883	48.984	ng	99
38) 1-Methylnaphthalene	8.992	142	760947	47.866	ng	99
40) 1,2,4,5-Tetrachloroben...	9.057	216	359395	53.598	ng	# 96
41) Hexachlorocyclopentadiene	9.045	237	438828	148.477	ng	98
43) 2,4,6-Trichlorophenol	9.169	196	245007	49.999	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF072222\
 Data File : BF129318.D
 Acq On : 22 Jul 2022 16:31
 Operator : CG\JU
 Sample : N3789-01MS
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 IDW-VB1-071922MS

Quant Time: Jul 22 18:13:05 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF072022.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 20 13:42:18 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.210	196	264277	49.716	ng	# 91
46) 1,1'-Biphenyl	9.357	154	972363	51.520	ng	99
47) 2-Chloronaphthalene	9.386	162	759261	50.223	ng	99
48) 2-Nitroaniline	9.480	65	250480	49.333	ng	96
49) Acenaphthylene	9.798	152	1164728	50.169	ng	100
50) Dimethylphthalate	9.657	163	866028	49.353	ng	100
51) 2,6-Dinitrotoluene	9.722	165	194274	49.445	ng	89
52) Acenaphthene	9.975	154	748148	49.656	ng	99
53) 3-Nitroaniline	9.892	138	145573	31.138	ng	# 96
54) 2,4-Dinitrophenol	9.998	184	81120	40.801	ng	86
55) Dibenzofuran	10.145	168	1044904	49.906	ng	93
56) 4-Nitrophenol	10.057	139	276681	81.042	ng	90
57) 2,4-Dinitrotoluene	10.128	165	255391	49.582	ng	99
58) Fluorene	10.486	166	830179	49.680	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.263	232	196771	48.015	ng	# 88
60) Diethylphthalate	10.357	149	850817	50.394	ng	99
61) 4-Chlorophenyl-phenylether	10.475	204	384080	52.536	ng	# 87
62) 4-Nitroaniline	10.510	138	196015	42.450	ng	93
63) Azobenzene	10.639	77	843589	48.297	ng	97
65) 4,6-Dinitro-2-methylph...	10.533	198	72074	28.828	ng	97
66) n-Nitrosodiphenylamine	10.598	169	710060	52.838	ng	96
67) 4-Bromophenyl-phenylether	10.969	248	241143	54.982	ng	93
68) Hexachlorobenzene	11.033	284	268273	55.849	ng	96
69) Atrazine	11.122	200	223733	54.474	ng	95
70) Pentachlorophenol	11.227	266	260744	98.733	ng	97
71) Phenanthrene	11.451	178	1108647	49.692	ng	99
72) Anthracene	11.504	178	1130791	51.151	ng	100
73) Carbazole	11.657	167	1012754	49.112	ng	99
74) Di-n-butylphthalate	11.980	149	1174469	49.293	ng	100
75) Fluoranthene	12.645	202	1055795	46.433	ng	97
77) Benzidine	12.763	184	454739	46.557	ng	98
78) Pyrene	12.874	202	1054066	50.283	ng	98
80) Butylbenzylphthalate	13.480	149	418491	48.925	ng	98
81) Benzo(a)anthracene	14.063	228	823074	48.768	ng	99
82) 3,3'-Dichlorobenzidine	14.021	252	172159	31.076	ng	97
83) Chrysene	14.098	228	760082	47.715	ng	100
84) Bis(2-ethylhexyl)phtha...	14.039	149	554946	52.830	ng	99
85) Di-n-octyl phthalate	14.651	149	887625	59.044	ng	97
87) Indeno(1,2,3-cd)pyrene	17.080	276	929295	54.129	ng	97
88) Benzo(b)fluoranthene	15.127	252	811357	48.676	ng	98
89) Benzo(k)fluoranthene	15.157	252	769771	47.561	ng	99
90) Benzo(a)pyrene	15.504	252	711239	52.736	ng	98
91) Dibenzo(a,h)anthracene	17.104	278	808290	58.412	ng	98
92) Benzo(g,h,i)perylene	17.551	276	808044	56.197	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF072222\
 Data File : BF129318.D
 Acq On : 22 Jul 2022 16:31
 Operator : CG\JU
 Sample : N3789-01MS
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 IDW-VB1-071922MS

Quant Time: Jul 22 18:13:05 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF072022.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 20 13:42:18 2022
 Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.892 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:152 Resp: 121618
Ion Ratio Lower Upper
152 100
150 157.1 123.7 185.5
115 68.5 49.9 74.9



#2
1,4-Dioxane
Concen: 43.156 ng
RT: 2.899 min Scan# 104
Delta R.T. 0.212 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion: 88 Resp: 142686
Ion Ratio Lower Upper
88 100
58 79.7 71.8 107.8
43 0.0 26.6 39.8









#3
Pyridine
Concen: 37.105 ng
RT: 3.622 min Scan# 216
Delta R.T. 0.147 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion: 79 Resp: 338717
Ion Ratio Lower Upper
79 100
52 76.2 68.6 102.8
51 40.7 32.9 49.3



#4
n-Nitrosodimethylamine
Concen: 54.439 ng
RT: 3.557 min Scan# 216
Delta R.T. 0.135 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion: 42 Resp: 223125
Ion Ratio Lower Upper
42 100
74 108.7 94.8 142.2
44 6.4 6.6 10.0









#5
2-Fluorophenol
Concen: 134.813 ng
RT: 5.534 min Scan# 511
Delta R.T. 0.018 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:112 Resp: 1005229
Ion Ratio Lower Upper
112 100
64 63.8 53.3 79.9
63 34.9 28.0 42.0



#6
Aniline
Concen: 31.470 ng
RT: 6.563 min Scan# 727
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion: 93 Resp: 368070
Ion Ratio Lower Upper
93 100
66 41.8 32.5 48.7
65 21.3 16.4 24.6









#7
Phenol-d6
Concen: 124.742 ng
RT: 6.528 min Scan# 721
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion: 99 Resp: 1185700
Ion Ratio Lower Upper
99 100
42 21.3 17.3 25.9
71 39.4 28.9 43.3



#8
2-Chlorophenol
Concen: 52.111 ng
RT: 6.681 min Scan# 747
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:128 Resp: 425966
Ion Ratio Lower Upper
128 100
130 32.6 13.1 53.1
64 49.2 30.9 70.9









#9
Benzaldehyde
Concen: 19.178 ng
RT: 6.451 min Scan# 708
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS

Tgt Ion: 77 Resp: 125047
Ion Ratio Lower Upper
77 100
105 102.5 81.6 121.6
106 95.5 76.1 116.1



#10
Phenol
Concen: 45.943 ng
RT: 6.540 min Scan# 723
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion: 94 Resp: 458942
Ion Ratio Lower Upper
94 100
65 33.4 11.4 51.4
66 49.0 21.4 61.4









#11
bis(2-Chloroethyl)ether
Concen: 51.790 ng
RT: 6.634 min Scan# 739
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion: 93	Resp: 409533
Ion Ratio	Lower Upper
93 100	
63 79.1	67.4 107.4
95 32.5	12.7 52.7



#12
1,3-Dichlorobenzene
Concen: 51.143 ng
RT: 6.840 min Scan# 774
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:146	Resp: 450570		
Ion Ratio	Lower	Upper	
146	100		
148	64.9	50.6	75.8
75	32.7	26.3	39.5





#13

1,4-Dichlorobenzene

Concen: 51.845 ng

RT: 6.916 min Scan# 787

Delta R.T. 0.000 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31

Instrument :

BNA_F

ClientSampleId :

IDW-VB1-071922MS





Tgt Ion:146 Resp: 462169

Ion Ratio Lower Upper

146 100

148 65.2 51.1 76.7

111 43.0 34.2 51.4



#14

1,2-Dichlorobenzene

Concen: 53.119 ng

RT: 7.063 min Scan# 812

Delta R.T. -0.006 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31




Tgt Ion:146 Resp: 437532


Ion Ratio Lower Upper

146 100

148 63.0 51.8 77.8

111 47.6 35.1 52.7









#15
Benzyl Alcohol
Concen: 54.348 ng
RT: 7.039 min Scan# 808
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion: 79 Resp: 374793
Ion Ratio Lower Upper
79 100
108 72.1 61.8 92.6
77 64.5 50.2 75.4



#16
2,2'-oxybis(1-Chloropropane)
Concen: 48.213 ng
RT: 7.169 min Scan# 830
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion: 45 Resp: 581207
Ion Ratio Lower Upper
45 100
77 15.5 0.0 31.3
79 12.6 0.0 28.3









#17
2-Methylphenol
Concen: 51.073 ng
RT: 7.145 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:	107	Resp:	340233
Ion	Ratio	Lower	Upper
107	100		
108	115.4	91.9	137.9
77	52.3	37.8	56.8
79	52.1	37.4	56.0



#18
Hexachloroethane
Concen: 54.028 ng
RT: 7.404 min Scan# 870
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:	117	Resp:	180701
Ion	Ratio	Lower	Upper
117	100		
119	96.0	77.4	116.2
201	84.8	84.6	127.0









#19
n-Nitroso-di-n-propylamine
Concen: 54.082 ng
RT: 7.310 min Scan# 854
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS

Tgt Ion: 70 Resp: 306295




Ion	Ratio	Lower	Upper
70	100		
42	62.0	52.3	78.5
101	10.2	7.5	11.3
130	20.7	16.1	24.1




#20
3+4-Methylphenols
Concen: 47.371 ng
RT: 7.298 min Scan# 852
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion: 107 Resp: 411580

Ion	Ratio	Lower	Upper
107	100		
108	87.7	71.8	111.8
77	98.4	59.3	99.3
79	31.2	11.7	51.7









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.181 min Scan# 1002
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS

Tgt Ion:136 Resp: 494413




Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.8	13.2
54	7.3	7.5	11.3#
68	4.7	4.7	7.1#




#22
Acetophenone
Concen: 52.425 ng
RT: 7.310 min Scan# 854
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:105 Resp: 608591

Ion	Ratio	Lower	Upper
105	100		
71	8.8	5.0	7.4#
51	30.3	25.0	37.4
120	21.5	17.8	26.8









#23
Nitrobenzene-d5
Concen: 97.917 ng
RT: 7.463 min Scan# 880
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS

Tgt Ion: 82 Resp: 899847
Ion Ratio Lower Upper
82 100
128 41.8 34.0 51.0
54 53.3 46.9 70.3



#24
Nitrobenzene
Concen: 49.836 ng
RT: 7.481 min Scan# 883
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion: 77 Resp: 471718
Ion Ratio Lower Upper
77 100
123 43.7 35.4 53.2
65 14.1 11.8 17.8









#25
Isophorone
Concen: 51.955 ng
RT: 7.716 min Scan# 91
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion: 82 Resp: 838263
Ion Ratio Lower Upper
82 100
95 7.9 5.7 8.5
138 17.3 14.2 21.2



#26
2-Nitrophenol
Concen: 49.597 ng
RT: 7.792 min Scan# 936
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:139 Resp: 226517
Ion Ratio Lower Upper
139 100
109 36.3 25.0 37.4
65 59.2 45.1 67.7





#27

2,4-Dimethylphenol

Concen: 55.077 ng

RT: 7.828 min Scan# 94

Delta R.T. 0.000 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31

Instrument :

BNA_F

ClientSampleId :

IDW-VB1-071922MS





Tgt Ion:122 Resp: 378419

Ion Ratio Lower Upper

122 100

107 124.3 93.0 139.6

121 60.5 46.6 70.0



#28

bis(2-Chloroethoxy)methane

Concen: 53.448 ng

RT: 7.922 min Scan# 958

Delta R.T. -0.006 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31




Tgt Ion: 93 Resp: 499568

Ion Ratio Lower Upper

93 100

95 31.9 26.8 40.2

123 11.3 9.2 13.8





#29

2,4-Dichlorophenol

Concen: 48.993 ng

RT: 8.034 min Scan# 91

Delta R.T. 0.000 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31

Instrument :

BNA_F

ClientSampleId :

IDW-VB1-071922MS





Tgt Ion:162 Resp: 350129

Ion Ratio Lower Upper

162 100

164 62.9 44.2 84.2

98 41.1 19.6 59.6



#30

1,2,4-Trichlorobenzene

Concen: 49.440 ng

RT: 8.116 min Scan# 991

Delta R.T. -0.006 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31




Tgt Ion:180 Resp: 367203


Ion Ratio Lower Upper

180 100

182 95.3 79.2 118.8

145 34.9 26.2 39.2





#31

Naphthalene

Concen: 48.621 ng

RT: 8.198 min Scan# 1005

Delta R.T. -0.006 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31

Instrument :

BNA_F

ClientSampleId :

IDW-VB1-071922MS





Tgt Ion:128 Resp: 1232907

Ion Ratio Lower Upper

128 100

129 11.4 9.2 13.8

127 13.0 10.5 15.7



#32

Benzoic acid

Concen: 13.179 ng

RT: 7.916 min Scan# 957

Delta R.T. -0.029 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31




Tgt Ion:122 Resp: 66183


Ion Ratio Lower Upper

122 100

105 130.3 107.1 147.1

77 96.7 74.2 114.2









#33
4-Chloroaniline
Concen: 19.470 ng
RT: 8.245 min Scan# 1013
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS

Tgt Ion:127 Resp: 201373




Ion	Ratio	Lower	Upper
127	100		
129	32.9	26.4	39.6
65	32.5	26.4	39.6
92	19.8	16.0	24.0




#34
Hexachlorobutadiene
Concen: 54.294 ng
RT: 8.310 min Scan# 1024
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:225 Resp: 230489

Ion	Ratio	Lower	Upper
225	100		
223	62.3	51.0	76.6
227	64.0	51.1	76.7









#35
 Caprolactam
 Concen: 19.484 ng
 RT: 8.622 min Scan# 1077
 Delta R.T. -0.006 min
 Lab File: BF129318.D
 Acq: 22 Jul 2022 16:31




Instrument :
 BNA_F
 ClientSampleId :
 IDW-VB1-071922MS


Tgt Ion:113 Resp: 44410
 Ion Ratio Lower Upper
 113 100
 55 178.4 188.5 228.5#
 56 139.9 130.6 170.6



#36
 4-Chloro-3-methylphenol
 Concen: 50.842 ng
 RT: 8.728 min Scan# 1095
 Delta R.T. 0.000 min
 Lab File: BF129318.D
 Acq: 22 Jul 2022 16:31

Tgt Ion:107 Resp: 386011
 Ion Ratio Lower Upper
 107 100
 144 23.5 19.5 29.3
 142 74.1 58.2 87.4









#37
2-Methylnaphthalene
Concen: 48.984 ng
RT: 8.892 min Scan# 1123
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:142 Resp: 804883
Ion Ratio Lower Upper
142 100
141 89.8 71.0 106.4



#38
1-Methylnaphthalene
Concen: 47.866 ng
RT: 8.992 min Scan# 1140
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31


Tgt Ion:142 Resp: 760947
Ion Ratio Lower Upper
142 100
141 91.6 74.2 111.4








#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.939 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31


Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS





Tgt Ion:164 Resp: 255414
Ion Ratio Lower Upper
164 100
162 101.2 79.5 119.3
160 43.6 34.2 51.4




#40
1,2,4,5-Tetrachlorobenzene
Concen: 53.598 ng
RT: 9.057 min Scan# 1151
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31



Tgt Ion:216 Resp: 359395
Ion Ratio Lower Upper
216 100
214 78.5 63.6 95.4
179 24.0 17.0 25.6
108 25.1 16.0 24.0#









#41
Hexachlorocyclopentadiene
Concen: 148.477 ng
RT: 9.045 min Scan# 1149
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:237 Resp: 438828
Ion Ratio Lower Upper
237 100
235 61.3 43.2 83.2
272 12.7 0.0 31.9



#42
2,4,6-Tribromophenol
Concen: 157.335 ng
RT: 10.733 min Scan# 1436
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:330 Resp: 387708
Ion Ratio Lower Upper
330 100
332 103.7 76.8 115.2
141 37.1 28.0 42.0





#43

2,4,6-Trichlorophenol

Concen: 49.999 ng

RT: 9.169 min Scan# 1170

Delta R.T. 0.000 min

Lab File: BF129318.D


Acq: 22 Jul 2022 16:31

Instrument :

BNA_F

ClientSampleId :

IDW-VB1-071922MS






Tgt Ion:196 Resp: 245007

Ion Ratio Lower Upper

196 100

198 94.1 74.0 111.0

200 29.8 24.1 36.1



#44

2,4,5-Trichlorophenol

Concen: 49.716 ng

RT: 9.210 min Scan# 1177

Delta R.T. 0.000 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31

Tgt Ion:196 Resp: 264277




Ion Ratio Lower Upper


196 100

198 94.1 75.7 113.5

97 61.5 36.4 54.6#

132 33.0 20.7 31.1#





#45

2-Fluorobiphenyl

Concen: 96.801 ng

RT: 9.257 min Scan# 1185

Delta R.T. 0.000 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31

Instrument :

BNA_F

ClientSampleId :

IDW-VB1-071922MS





Tgt Ion:172 Resp: 1607190

Ion Ratio Lower Upper

172 100

171 35.3 28.8 43.2

170 23.6 19.8 29.8



#46

1,1'-Biphenyl

Concen: 51.520 ng

RT: 9.357 min Scan# 1202

Delta R.T. 0.000 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31




Tgt Ion:154 Resp: 972363


Ion Ratio Lower Upper

154 100

153 40.8 20.6 60.6

76 12.2 0.0 33.3









#47
2-Chloronaphthalene
Concen: 50.223 ng
RT: 9.386 min Scan# 1207
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:162 Resp: 759261
Ion Ratio Lower Upper
162 100
127 41.9 34.5 51.7
164 33.2 26.5 39.7



#48
2-Nitroaniline
Concen: 49.333 ng
RT: 9.480 min Scan# 1223
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion: 65 Resp: 250480
Ion Ratio Lower Upper
65 100
92 66.5 51.9 77.9
138 100.3 76.4 114.6





#49

Acenaphthylene

Concen: 50.169 ng

RT: 9.798 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31

Instrument :

BNA_F

ClientSampleId :

IDW-VB1-071922MS





Tgt Ion:152 Resp: 1164728

Ion Ratio Lower Upper

152 100

151 20.1 16.2 24.4

153 13.3 10.7 16.1



#50

Dimethylphthalate

Concen: 49.353 ng

RT: 9.657 min Scan# 1253

Delta R.T. 0.000 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31




Tgt Ion:163 Resp: 866028


Ion Ratio Lower Upper

163 100

194 3.8 3.2 4.8

164 10.3 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 49.445 ng
RT: 9.722 min Scan# 1264
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:165 Resp: 194274
Ion Ratio Lower Upper
165 100
63 64.1 44.9 67.3
89 62.0 43.6 65.4



#52
Acenaphthene
Concen: 49.656 ng
RT: 9.975 min Scan# 1307
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:154 Resp: 748148
Ion Ratio Lower Upper
154 100
153 113.1 89.6 134.4
152 53.9 42.4 63.6









#53
3-Nitroaniline
Concen: 31.138 ng
RT: 9.892 min Scan# 1293
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:138 Resp: 145573
Ion Ratio Lower Upper
138 100
108 10.5 10.9 16.3#
92 118.2 98.2 147.2



#54
2,4-Dinitrophenol
Concen: 40.801 ng
RT: 9.998 min Scan# 1311
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:184 Resp: 81120
Ion Ratio Lower Upper
184 100
63 68.9 64.5 96.7
154 75.0 50.6 75.8









#55
Dibenzenofuran
Concen: 49.906 ng
RT: 10.145 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:168 Resp: 1044904
Ion Ratio Lower Upper
168 100
139 43.4 30.6 46.0
169 13.2 11.0 16.6



#56
4-Nitrophenol
Concen: 81.042 ng
RT: 10.057 min Scan# 1321
Delta R.T. 0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31


Tgt Ion:139 Resp: 276681
Ion Ratio Lower Upper
139 100
109 82.1 50.7 90.7
65 101.4 74.5 114.5








#57
2,4-Dinitrotoluene
Concen: 49.582 ng
RT: 10.128 min Scan# 1333
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31


Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS





Tgt Ion:165 Resp: 255391
Ion Ratio Lower Upper
165 100
63 48.9 39.8 59.6
89 75.6 60.2 90.2
182 2.5 2.2 3.2




#58
Fluorene
Concen: 49.680 ng
RT: 10.486 min Scan# 1394
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31



Tgt Ion:166 Resp: 830179
Ion Ratio Lower Upper
166 100
165 97.6 78.1 117.1
167 13.4 10.5 15.7





#59

2,3,4,6-Tetrachlorophenol

Concen: 48.015 ng

RT: 10.263 min Scan# 1356

Delta R.T. 0.000 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31

Instrument :

BNA_F

ClientSampleId :

IDW-VB1-071922MS

Tgt Ion:232 Resp: 196771





Ion Ratio Lower Upper

232 100

131 54.9 36.1 54.1#

130 3.1 1.8 2.8#

166 34.8 24.2 36.2



#60

Diethylphthalate

Concen: 50.394 ng

RT: 10.357 min Scan# 1372

Delta R.T. 0.000 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31




Tgt Ion:149 Resp: 850817


Ion Ratio Lower Upper

149 100

177 20.7 17.3 25.9

150 12.7 10.2 15.2









#61
4-Chlorophenyl-phenylether
Concen: 52.536 ng
RT: 10.475 min Scan# 1393
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:204 Resp: 384080
Ion Ratio Lower Upper
204 100
206 31.7 25.8 38.6
141 73.9 47.0 70.4#



#62
4-Nitroaniline
Concen: 42.450 ng
RT: 10.510 min Scan# 1398
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:138 Resp: 196015
Ion Ratio Lower Upper
138 100
92 54.2 33.5 73.5
108 90.1 61.0 101.0









#63
Azobenzene
Concen: 48.297 ng
RT: 10.639 min Scan# 1420
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion: 77	Resp: 843589
Ion Ratio	Lower Upper
77 100	
182 24.9	5.6 45.6
105 20.8	1.6 41.6
51 32.2	15.1 55.1



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.427 min Scan# 1554
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:188	Resp: 406482
Ion Ratio	Lower Upper
188 100	
94 8.5	7.0 10.6
80 9.5	7.6 11.4









#65
4,6-Dinitro-2-methylphenol
Concen: 28.828 ng
RT: 10.533 min Scan# 1403
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:198 Resp: 72074
Ion Ratio Lower Upper
198 100
51 58.1 37.6 77.6
105 51.6 27.0 67.0



#66
n-Nitrosodiphenylamine
Concen: 52.838 ng
RT: 10.598 min Scan# 1413
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:169 Resp: 710060
Ion Ratio Lower Upper
169 100
168 66.3 50.1 75.1
167 36.4 27.9 41.9









#67
4-Bromophenyl-phenylether
Concen: 54.982 ng
RT: 10.969 min Scan# 1476
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:248 Resp: 241143
Ion Ratio Lower Upper
248 100
250 96.1 80.6 120.8
141 81.7 58.9 88.3



#68
Hexachlorobenzene
Concen: 55.849 ng
RT: 11.033 min Scan# 1487
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:284 Resp: 268273
Ion Ratio Lower Upper
284 100
142 40.3 29.0 43.4
249 31.6 25.0 37.6









#69
 Atrazine
 Concen: 54.474 ng
 RT: 11.122 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF129318.D
 Acq: 22 Jul 2022 16:31




Instrument :
 BNA_F
 ClientSampleId :
 IDW-VB1-071922MS


Tgt Ion:200 Resp: 223733
 Ion Ratio Lower Upper
 200 100
 173 27.1 6.3 46.3
 215 44.2 28.3 68.3



#70
 Pentachlorophenol
 Concen: 98.733 ng
 RT: 11.227 min Scan# 1520
 Delta R.T. -0.006 min
 Lab File: BF129318.D
 Acq: 22 Jul 2022 16:31

Tgt Ion:266 Resp: 260744
 Ion Ratio Lower Upper
 266 100
 268 61.9 51.0 76.4
 264 65.1 49.4 74.2









#71
Phenanthrene
Concen: 49.692 ng
RT: 11.451 min Scan# 1558
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:178 Resp: 1108647
Ion Ratio Lower Upper
178 100
176 19.6 16.0 24.0
179 15.5 12.6 19.0



#72
Anthracene
Concen: 51.151 ng
RT: 11.504 min Scan# 1567
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:178 Resp: 1130791
Ion Ratio Lower Upper
178 100
176 19.1 15.4 23.2
179 15.7 12.6 19.0









#73
 Carbazole
 Concen: 49.112 ng
 RT: 11.657 min Scan# 1593
 Delta R.T. -0.006 min
 Lab File: BF129318.D
 Acq: 22 Jul 2022 16:31




Instrument :
 BNA_F
 ClientSampleId :
 IDW-VB1-071922MS


Tgt Ion:167 Resp: 1012754
 Ion Ratio Lower Upper
 167 100
 166 21.6 17.7 26.5
 139 14.8 11.2 16.8



#74
 Di-n-butylphthalate
 Concen: 49.293 ng
 RT: 11.980 min Scan# 1648
 Delta R.T. 0.000 min
 Lab File: BF129318.D
 Acq: 22 Jul 2022 16:31

Tgt Ion:149 Resp: 1174469
 Ion Ratio Lower Upper
 149 100
 150 9.5 7.5 11.3
 104 5.7 4.4 6.6









#75
Fluoranthene
Concen: 46.433 ng
RT: 12.645 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:202 Resp: 1055795
Ion Ratio Lower Upper
202 100
101 9.4 0.0 31.4
203 17.2 0.0 38.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.074 min Scan# 2004
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:240 Resp: 245094
Ion Ratio Lower Upper
240 100
120 9.4 8.9 13.3
236 25.1 20.8 31.2









#77
Benzidine
Concen: 46.557 ng
RT: 12.763 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:184 Resp: 454739
Ion Ratio Lower Upper
184 100
185 13.9 11.9 17.9
183 11.9 9.3 13.9



#78
Pyrene
Concen: 50.283 ng
RT: 12.874 min Scan# 1800
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31


Tgt Ion:202 Resp: 1054066
Ion Ratio Lower Upper
202 100
200 21.1 17.7 26.5
203 17.5 14.6 21.8








#79
 Terphenyl-d14
 Concen: 111.316 ng
 RT: 13.016 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF129318.D
 Acq: 22 Jul 2022 16:31

Instrument :
 BNA_F
 ClientSampleId :
 IDW-VB1-071922MS







Tgt Ion:244 Resp: 1464900
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.1 9.1
 122 9.1 8.8 13.2



#80
 Butylbenzylphthalate
 Concen: 48.925 ng
 RT: 13.480 min Scan# 1903
 Delta R.T. -0.006 min
 Lab File: BF129318.D
 Acq: 22 Jul 2022 16:31

Tgt Ion:149 Resp: 418491
 Ion Ratio Lower Upper
 149 100
 91 75.5 61.2 91.8
 206 17.6 15.7 23.5









#81
Benzo(a)anthracene
Concen: 48.768 ng
RT: 14.063 min Scan# 2003
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:228 Resp: 823074
Ion Ratio Lower Upper
228 100
226 26.7 22.1 33.1
229 19.4 15.8 23.8



#82
3,3'-Dichlorobenzidine
Concen: 31.076 ng
RT: 14.021 min Scan# 1995
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:252 Resp: 172159
Ion Ratio Lower Upper
252 100
254 64.9 50.2 75.4
126 11.9 8.2 12.4





#83

Chrysene

Concen: 47.715 ng

RT: 14.098 min Scan# 2009

Delta R.T. -0.006 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31

Instrument :

BNA_F

ClientSampleId :

IDW-VB1-071922MS





Tgt Ion:228 Resp: 760082

Ion Ratio Lower Upper

228 100

226 30.2 24.3 36.5

229 19.7 15.9 23.9



#84

Bis(2-ethylhexyl)phthalate

Concen: 52.830 ng

RT: 14.039 min Scan# 1998

Delta R.T. 0.000 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31




Tgt Ion:149 Resp: 554946


Ion Ratio Lower Upper

149 100

167 25.7 21.0 31.4

279 4.1 3.1 4.7





#85

Di-n-octyl phthalate

Concen: 59.044 ng

RT: 14.651 min Scan# 2103

Delta R.T. -0.006 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31

Instrument :

BNA_F

ClientSampleId :

IDW-VB1-071922MS





Tgt Ion:149 Resp: 887625

Ion Ratio Lower Upper

149 100

167 1.5 1.3 1.9

43 10.3 9.2 13.8



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.562 min Scan# 2257

Delta R.T. -0.006 min

Lab File: BF129318.D

Acq: 22 Jul 2022 16:31




Tgt Ion:264 Resp: 250435


Ion Ratio Lower Upper

264 100

260 23.4 18.4 27.6

265 20.8 17.2 25.8









#87
Indeno(1,2,3-cd)pyrene
Concen: 54.129 ng
RT: 17.080 min Scan# 2155
Delta R.T. -0.012 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:276 Resp: 929295
Ion Ratio Lower Upper
276 100
138 23.6 21.1 31.7
277 25.7 20.3 30.5



#88
Benzo(b)fluoranthene
Concen: 48.676 ng
RT: 15.127 min Scan# 2183
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:252 Resp: 811357
Ion Ratio Lower Upper
252 100
253 21.4 17.7 26.5
125 9.0 8.0 12.0









#89
Benzo(k)fluoranthene
Concen: 47.561 ng
RT: 15.157 min Scan# 2188
Delta R.T. -0.006 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31




Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS


Tgt Ion:252 Resp: 769771
Ion Ratio Lower Upper
252 100
253 22.1 17.8 26.6
125 9.2 8.3 12.5



#90
Benzo(a)pyrene
Concen: 52.736 ng
RT: 15.504 min Scan# 2247
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:252 Resp: 711239
Ion Ratio Lower Upper
252 100
253 21.9 17.0 25.6
125 9.7 8.8 13.2









#91
Dibenzo(a,h)anthracene
Concen: 58.412 ng
RT: 17.104 min Scan# 2519
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Instrument :
BNA_F
ClientSampleId :
IDW-VB1-071922MS

Tgt Ion:278 Resp: 808290

Ion	Ratio	Lower	Upper
278	100		
139	13.7	12.8	19.2
279	23.5	18.6	28.0



#92
Benzo(g,h,i)perylene
Concen: 56.197 ng
RT: 17.551 min Scan# 2595
Delta R.T. 0.000 min
Lab File: BF129318.D
Acq: 22 Jul 2022 16:31

Tgt Ion:276 Resp: 808044

Ion	Ratio	Lower	Upper
276	100		
277	23.4	19.1	28.7
138	18.7	18.0	27.0

