

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF072224\
 Data File : BF138602.D
 Acq On : 22 Jul 2024 12:10
 Operator : RC/JU
 Sample : PB162092TB
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB162092TB

Quant Time: Jul 22 12:46:22 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF070924.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 09 16:58:40 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.857	152	91196	20.000	ng	-0.01
21) Naphthalene-d8	8.140	136	365105	20.000	ng	-0.01
39) Acenaphthene-d10	9.892	164	204211	20.000	ng	-0.01
64) Phenanthrene-d10	11.381	188	365195	20.000	ng	0.00
76) Chrysene-d12	14.016	240	290872	20.000	ng	-0.01
86) Perylene-d12	15.486	264	175870	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.499	112	759096	131.828	ng	0.00
7) Phenol-d6	6.498	99	1025102	133.823	ng	0.00
23) Nitrobenzene-d5	7.422	82	674285	90.675	ng	-0.01
42) 2,4,6-Tribromophenol	10.686	330	253245	132.689	ng	0.00
45) 2-Fluorobiphenyl	9.216	172	1137217	87.036	ng	-0.01
79) Terphenyl-d14	12.969	244	1274979	71.409	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propyla...	7.422	70	90124	19.041	ng	# 73
25) Isophorone	7.422	82	671681	52.597	ng	# 67
51) 2,6-Dinitrotoluene	9.892	165	26091	8.582	ng	# 24
57) 2,4-Dinitrotoluene	9.892	165	26091	6.633	ng	# 19
67) 4-Bromophenyl-phenylether	10.686	248	15756	4.198	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF072224\
Data File : BF138602.D
Acq On : 22 Jul 2024 12:10
Operator : RC/JU
Sample : PB162092TB
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB162092TB

Quant Time: Jul 22 12:46:22 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF070924.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 09 16:58:40 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.857 min Scan# 813
Delta R.T. -0.012 min
Lab File: BF138602.D
Acq: 22 Jul 2024 12:10




Instrument :
BNA_F
ClientSampleId :
PB162092TB

Tgt Ion:152 Resp: 91196
Ion Ratio Lower Upper
152 100
150 156.1 126.2 189.4
115 63.6 50.3 75.5



#5
2-Fluorophenol
Concen: 131.828 ng
RT: 5.499 min Scan# 579
Delta R.T. 0.006 min
Lab File: BF138602.D
Acq: 22 Jul 2024 12:10

Tgt Ion:112 Resp: 759096
Ion Ratio Lower Upper
112 100
64 70.0 55.1 82.7
63 37.1 29.0 43.6








#7
Phenol-d6
Concen: 133.823 ng
RT: 6.498 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF138602.D
Acq: 22 Jul 2024 12:10




Instrument :
BNA_F
ClientSampleId :
PB162092TB


Tgt Ion: 99 Resp: 1025102
Ion Ratio Lower Upper
99 100
42 22.4 19.7 29.5
71 35.8 29.9 44.9



#19
n-Nitroso-di-n-propylamine
Concen: 19.041 ng
RT: 7.422 min Scan# 906
Delta R.T. 0.141 min
Lab File: BF138602.D
Acq: 22 Jul 2024 12:10

Tgt Ion: 70 Resp: 90124
Ion Ratio Lower Upper
70 100
42 56.9 62.4 93.6#
101 0.0 7.2 10.8#
130 1.8 15.7 23.5#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.140 min Scan# 1031
Delta R.T. -0.011 min
Lab File: BF138602.D
Acq: 22 Jul 2024 12:10




Instrument :
BNA_F
ClientSampleId :
PB162092TB

Tgt Ion:	136	Resp:	365105
Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.5	12.7
54	10.7	8.1	12.1
68	6.5	4.7	7.1



#23
Nitrobenzene-d5
Concen: 90.675 ng
RT: 7.422 min Scan# 906
Delta R.T. -0.011 min
Lab File: BF138602.D
Acq: 22 Jul 2024 12:10

Tgt Ion:	82	Resp:	674285
Ion	Ratio	Lower	Upper
82	100		
128	41.6	32.3	48.5
54	61.0	51.4	77.0








#25
Isophorone
Concen: 52.597 ng
RT: 7.422 min Scan# 90
Delta R.T. -0.264 min
Lab File: BF138602.D
Acq: 22 Jul 2024 12:10




Instrument :
BNA_F
ClientSampleId :
PB162092TB


Tgt Ion: 82 Resp: 671681
Ion Ratio Lower Upper
82 100
95 0.0 6.0 9.0#
138 0.0 12.8 19.2#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.892 min Scan# 1326
Delta R.T. -0.011 min
Lab File: BF138602.D
Acq: 22 Jul 2024 12:10

Tgt Ion: 164 Resp: 204211
Ion Ratio Lower Upper
164 100
162 100.2 79.0 118.6
160 44.0 34.4 51.6









#42
 2,4,6-Tribromophenol
 Concen: 132.689 ng
 RT: 10.686 min Scan# 1461
 Delta R.T. -0.006 min
 Lab File: BF138602.D
 Acq: 22 Jul 2024 12:10




Instrument :
 BNA_F
 ClientSampleId :
 PB162092TB


Tgt Ion:330 Resp: 253245
 Ion Ratio Lower Upper
 330 100
 332 96.0 76.8 115.2
 141 34.6 29.4 44.2



#45
 2-Fluorobiphenyl
 Concen: 87.036 ng
 RT: 9.216 min Scan# 1211
 Delta R.T. -0.011 min
 Lab File: BF138602.D
 Acq: 22 Jul 2024 12:10

Tgt Ion:172 Resp: 1137217
 Ion Ratio Lower Upper
 172 100
 171 35.7 28.9 43.3
 170 23.7 18.9 28.3








#51
2,6-Dinitrotoluene
Concen: 8.582 ng
RT: 9.892 min Scan# 11
Delta R.T. 0.200 min
Lab File: BF138602.D
Acq: 22 Jul 2024 12:10




Instrument :
BNA_F
ClientSampleId :
PB162092TB


Tgt Ion:165 Resp: 26091
Ion Ratio Lower Upper
165 100
63 1.6 48.1 72.1#
89 1.1 43.0 64.6#



#57
2,4-Dinitrotoluene
Concen: 6.633 ng
RT: 9.892 min Scan# 1326
Delta R.T. -0.200 min
Lab File: BF138602.D
Acq: 22 Jul 2024 12:10

Tgt Ion:165 Resp: 26091
Ion Ratio Lower Upper
165 100
63 1.6 44.6 66.8#
89 1.1 63.4 95.2#
182 0.0 2.6 3.8#





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.381 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF138602.D

Acq: 22 Jul 2024 12:10

Instrument :

BNA_F

ClientSampleId :

PB162092TB





Tgt Ion:188 Resp: 365195

Ion Ratio Lower Upper

188 100

94 10.2 8.7 13.1

80 11.3 9.0 13.4



#67

4-Bromophenyl-phenylether

Concen: 4.198 ng

RT: 10.686 min Scan# 1461

Delta R.T. -0.247 min

Lab File: BF138602.D

Acq: 22 Jul 2024 12:10




Tgt Ion:248 Resp: 15756


Ion Ratio Lower Upper

248 100

250 197.8 77.9 116.9#

141 528.8 67.7 101.5#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.016 min Scan# 2030
Delta R.T. -0.011 min
Lab File: BF138602.D
Acq: 22 Jul 2024 12:10




Instrument :
BNA_F
ClientSampleId :
PB162092TB


Tgt Ion:240 Resp: 290872
Ion Ratio Lower Upper
240 100
120 12.8 8.6 12.8
236 25.6 21.0 31.6



#79
Terphenyl-d14
Concen: 71.409 ng
RT: 12.969 min Scan# 1849
Delta R.T. -0.006 min
Lab File: BF138602.D
Acq: 22 Jul 2024 12:10


Tgt Ion:244 Resp: 1274979
Ion Ratio Lower Upper
244 100
212 6.9 5.5 8.3
122 11.9 7.8 11.8#





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.486 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF138602.D
Acq: 22 Jul 2024 12:10

Instrument :
BNA_F
ClientSampleId :
PB162092TB



Tgt Ion:264 Resp: 175870

Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.0	28.6
265	21.0	17.0	25.4

