

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF072316\
 Data File : BF089251.D
 Acq On : 24 Jul 2016 00:30
 Operator : UM/SJ
 Sample : H4129-08
 Misc :
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 KSB-12-10.0-12.0

Quant Time: Jul 25 01:13:26 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF072016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 20 19:03:15 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.58	152	46696	20.00	ng	-0.02
21) Naphthalene-d8	7.86	136	208832	20.00	ng	-0.02
38) Acenaphthene-d10	9.61	164	91281	20.00	ng	-0.02
63) Phenanthrene-d10	11.08	188	156376	20.00	ng	-0.02
75) Chrysene-d12	13.70	240	98192	20.00	ng	-0.02
86) Perylene-d12	15.05	264	94545	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.15	112	462630	150.68	ng	-0.03
7) Phenol-d6	6.24	99	607229	153.36	ng	-0.03
23) Nitrobenzene-d5	7.15	82	388500	98.85	ng	-0.02
41) 2,4,6-Tribromophenol	10.40	330	106263	129.30	ng	-0.02
44) 2-Fluorobiphenyl	8.95	172	662419	99.99	ng	-0.02
78) Terphenyl-d14	12.66	244	399438	88.23	ng	-0.02
Target Compounds						
9) Benzaldehyde	6.24	77	802	Below Cal	#	1
19) n-Nitroso-di-n-propylamine	7.15	70	51559	19.91	ng	# 79
25) Isophorone	7.15	82	298652	41.23	ng	# 66
49) Dimethylphthalate	9.35	163	283652	40.49	ng	99
56) 2,4-Dinitrotoluene	9.61	165	10829	5.32	ng	# 10
66) 4-Bromophenyl-phenylether	10.40	248	8553	5.53	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF072316\
Data File : BF089251.D
Acq On : 24 Jul 2016 00:30
Operator : UM/SJ
Sample : H4129-08
Misc :
ALS Vial : 49 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
KSB-12-10.0-12.0

Quant Time: Jul 25 01:13:26 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF072016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 20 19:03:15 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.58 min Scan# 437

Delta R.T. -0.02 min

Lab File: BF089251.D

Acq: 24 Jul 2016 00:30

Instrument :

BNA_F

ClientSampleId :

KSB-12-10.0-12.0


Tgt Ion:152 Resp: 46696

Ion Ratio Lower Upper

152 100

150 157.5 125.1 187.7




115 60.2 51.1 76.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 150.68 ng

RT: 5.15 min Scan# 312

Delta R.T. -0.03 min

Lab File: BF089251.D

Acq: 24 Jul 2016 00:30


Tgt Ion:112 Resp: 462630

Ion Ratio Lower Upper

112 100

64 51.9 51.0 76.4



63 28.2 27.3 40.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 153.36 ng

RT: 6.24 min Scan# 407

Delta R.T. -0.03 min

Lab File: BF089251.D

Acq: 24 Jul 2016 00:30

Instrument :

BNA_F

ClientSampleId :

KSB-12-10.0-12.0


Tgt Ion: 99 Resp: 607229

Ion Ratio Lower Upper

99 100

42 17.4 13.5 20.3




71 37.9 28.9 43.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 19.91 ng

RT: 7.15 min Scan# 487

Delta R.T. 0.11 min

Lab File: BF089251.D

Acq: 24 Jul 2016 00:30

Tgt Ion: 70 Resp: 51559


Ion Ratio Lower Upper

70 100

42 42.5 39.2 58.8

101 0.0 8.5 12.7#

130 2.0 18.4 27.6#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.86 min Scan# 549

Delta R.T. -0.02 min

Lab File: BF089251.D

Acq: 24 Jul 2016 00:30

Instrument :

BNA_F

ClientSampleId :

KSB-12-10.0-12.0

Tgt Ion:136 Resp: 208832


Ion Ratio Lower Upper

136 100

137 10.8 8.8 13.2

54 7.2 7.0 10.4

68 5.8 5.0 7.6




Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E


Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



Time-->

7.86



#23

Nitrobenzene-d5

Concen: 98.85 ng

RT: 7.15 min Scan# 487

Delta R.T. -0.02 min

Lab File: BF089251.D

Acq: 24 Jul 2016 00:30


Tgt Ion: 82 Resp: 388500

Ion Ratio Lower Upper

82 100

128 43.0 33.0 49.6


54 45.9 39.0 58.4



Abundance Ion 82.00 (81.70 to 82.70): BF0


Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



Time-->

7.15



#25

Isophorone

Concen: 41.23 ng

RT: 7.15 min Scan# 487

Delta R.T. -0.29 min

Lab File: BF089251.D

Acq: 24 Jul 2016 00:30

Instrument :

BNA_F

ClientSampleId :

KSB-12-10.0-12.0





Tgt Ion: 82 Resp: 298652

Ion Ratio Lower Upper

82 100

95 0.0 6.1 9.1#

138 0.0 13.6 20.4#



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.61 min Scan# 702

Delta R.T. -0.02 min

Lab File: BF089251.D

Acq: 24 Jul 2016 00:30




Tgt Ion: 164 Resp: 91281


Ion Ratio Lower Upper

164 100

162 104.6 84.1 126.1

160 47.5 37.1 55.7









#41
 2,4,6-Tribromophenol
 Concen: 129.30 ng
 RT: 10.40 min Scan# 771
 Delta R.T. -0.02 min
 Lab File: BF089251.D
 Acq: 24 Jul 2016 00:30

Instrument :
 BNA_F
 ClientSampleId :
 KSB-12-10.0-12.0

Tgt Ion:330 Resp: 106263
 Ion Ratio Lower Upper
 330 100
 332 96.1 77.2 115.8
 141 49.4 42.2 63.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 99.99 ng
 RT: 8.95 min Scan# 644
 Delta R.T. -0.02 min
 Lab File: BF089251.D
 Acq: 24 Jul 2016 00:30

Tgt Ion:172 Resp: 662419
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.2 43.8
 170 24.2 19.1 28.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 40.49 ng
RT: 9.35 min Scan# 679
Delta R.T. -0.03 min
Lab File: BF089251.D
Acq: 24 Jul 2016 00:30




Instrument :
BNA_F
ClientSampleId :
KSB-12-10.0-12.0


Tgt Ion:163 Resp: 283652
Ion Ratio Lower Upper
163 100
194 3.6 2.9 4.3
164 9.8 7.6 11.4



#56
2,4-Dinitrotoluene
Concen: 5.32 ng
RT: 9.61 min Scan# 702
Delta R.T. -0.23 min
Lab File: BF089251.D
Acq: 24 Jul 2016 00:30

Tgt Ion:165 Resp: 10829
Ion Ratio Lower Upper
165 100
63 0.0 55.4 83.2#
89 0.0 74.3 111.5#
182 0.0 2.0 3.0#









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.08 min Scan# 831
 Delta R.T. -0.02 min
 Lab File: BF089251.D
 Acq: 24 Jul 2016 00:30

Instrument :
 BNA_F
 ClientSampleId :
 KSB-12-10.0-12.0

Tgt Ion:188 Resp: 156376
 Ion Ratio Lower Upper
 188 100
 94 7.6 7.0 10.4
 80 8.4 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0






#66
 4-Bromophenyl-phenylether
 Concen: 5.53 ng
 RT: 10.40 min Scan# 771
 Delta R.T. -0.26 min
 Lab File: BF089251.D
 Acq: 24 Jul 2016 00:30

Tgt Ion:248 Resp: 8553
 Ion Ratio Lower Upper
 248 100
 250 198.8 76.9 115.3#
 141 495.8 77.4 116.2#



Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.70 min Scan# 1060

Delta R.T. -0.02 min

Lab File: BF089251.D

Acq: 24 Jul 2016 00:30

Instrument :

BNA_F

ClientSampleId :

KSB-12-10.0-12.0


Tgt Ion:240 Resp: 98192

Ion Ratio Lower Upper

240 100

120 12.0 13.6 20.4#




236 25.5 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 88.23 ng

RT: 12.66 min Scan# 969

Delta R.T. -0.02 min

Lab File: BF089251.D

Acq: 24 Jul 2016 00:30


Tgt Ion:244 Resp: 399438

Ion Ratio Lower Upper

244 100

212 8.4 7.0 10.4



122 16.9 13.8 20.8




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.05 min Scan# 1178
Delta R.T. -0.02 min
Lab File: BF089251.D
Acq: 24 Jul 2016 00:30

Instrument :
BNA_F
ClientSampleId :
KSB-12-10.0-12.0

Tgt Ion: 264 Resp: 94545
Ion Ratio Lower Upper
264 100
260 22.4 18.5 27.7
265 21.3 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

