

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF072316\
 Data File : BF089247.D
 Acq On : 23 Jul 2016 22:26
 Operator : UM/SJ
 Sample : H4129-17
 Misc :
 ALS Vial : 45 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 KMW-04-5.0-7.0

Quant Time: Jul 25 04:43:12 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF072016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 25 03:29:41 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.58	152	45015	20.00	ng	0.00
21) Naphthalene-d8	7.86	136	198238	20.00	ng	-0.01
38) Acenaphthene-d10	9.61	164	94903	20.00	ng	0.00
63) Phenanthrene-d10	11.08	188	171813	20.00	ng	0.00
75) Chrysene-d12	13.70	240	115583	20.00	ng	-0.01
86) Perylene-d12	15.04	264	83052	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.16	112	341495	115.38	ng	0.01
7) Phenol-d6	6.24	99	486192	127.38	ng	0.00
23) Nitrobenzene-d5	7.15	82	295224	79.13	ng	0.00
41) 2,4,6-Tribromophenol	10.40	330	96928	113.44	ng	0.00
44) 2-Fluorobiphenyl	8.95	172	496002	72.01	ng	0.00
78) Terphenyl-d14	12.66	244	367970	69.05	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.35	163	148761	20.43	ng	Qvalue 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF072316\
Data File : BF089247.D
Acq On : 23 Jul 2016 22:26
Operator : UM/SJ
Sample : H4129-17
Misc :
ALS Vial : 45 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
KMW-04-5.0-7.0

Quant Time: Jul 25 04:43:12 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF072016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 25 03:29:41 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.58 min Scan# 437
Delta R.T. -0.00 min
Lab File: BF089247.D
Acq: 23 Jul 2016 22:26

Instrument :
BNA_F
ClientSampleId :
KMW-04-5.0-7.0

Tgt Ion:152 Resp: 45015
Ion Ratio Lower Upper
152 100
150 155.0 125.1 187.7
115 62.9 51.1 76.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 115.38 ng
RT: 5.16 min Scan# 313
Delta R.T. 0.01 min
Lab File: BF089247.D
Acq: 23 Jul 2016 22:26

Tgt Ion:112 Resp: 341495
Ion Ratio Lower Upper
112 100
64 52.0 51.0 76.4
63 27.7 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 127.38 ng

RT: 6.24 min Scan# 407

Delta R.T. -0.00 min

Lab File: BF089247.D

Acq: 23 Jul 2016 22:26

Instrument :

BNA_F

ClientSampleId :

KMW-04-5.0-7.0


Tgt Ion: 99 Resp: 486192

Ion Ratio Lower Upper

99 100

42 15.8 13.5 20.3




71 35.3 28.9 43.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.86 min Scan# 549

Delta R.T. -0.01 min

Lab File: BF089247.D

Acq: 23 Jul 2016 22:26

Tgt Ion: 136 Resp: 198238


Ion Ratio Lower Upper

136 100

137 10.9 8.8 13.2

54 7.8 7.0 10.4

68 6.3 5.0 7.6






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 79.13 ng
 RT: 7.15 min Scan# 487
 Delta R.T. -0.00 min
 Lab File: BF089247.D
 Acq: 23 Jul 2016 22:26

Instrument :
 BNA_F
 ClientSampleId :
 KMW-04-5.0-7.0

Tgt Ion	Ratio	Lower	Upper
82	100		
128	47.3	33.0	49.6
54	43.5	39.0	58.4




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.61 min Scan# 702
 Delta R.T. -0.00 min
 Lab File: BF089247.D
 Acq: 23 Jul 2016 22:26

Tgt Ion	Ratio	Lower	Upper
164	100		
162	105.5	84.1	126.1
160	47.8	37.1	55.7



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 113.44 ng
 RT: 10.40 min Scan# 771
 Delta R.T. -0.00 min
 Lab File: BF089247.D
 Acq: 23 Jul 2016 22:26

Instrument :
 BNA_F
 ClientSampleId :
 KMW-04-5.0-7.0

Tgt Ion:330 Resp: 96928
 Ion Ratio Lower Upper
 330 100
 332 98.0 77.2 115.8
 141 46.0 42.2 63.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 72.01 ng
 RT: 8.95 min Scan# 644
 Delta R.T. -0.00 min
 Lab File: BF089247.D
 Acq: 23 Jul 2016 22:26

Tgt Ion:172 Resp: 496002
 Ion Ratio Lower Upper
 172 100
 171 35.7 29.2 43.8
 170 23.4 19.1 28.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 20.43 ng
RT: 9.35 min Scan# 679
Delta R.T. -0.01 min
Lab File: BF089247.D
Acq: 23 Jul 2016 22:26

Instrument :
BNA_F
ClientSampleId :
KMW-04-5.0-7.0

Tgt Ion:163 Resp: 148761
Ion Ratio Lower Upper
163 100
194 3.5 2.9 4.3
164 9.3 7.6 11.4




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.08 min Scan# 831
Delta R.T. -0.00 min
Lab File: BF089247.D
Acq: 23 Jul 2016 22:26

Tgt Ion:188 Resp: 171813
Ion Ratio Lower Upper
188 100
94 7.8 7.0 10.4
80 8.4 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.70 min Scan# 1060

Delta R.T. -0.01 min

Lab File: BF089247.D

Acq: 23 Jul 2016 22:26

Instrument :

BNA_F

ClientSampleId :

KMW-04-5.0-7.0


Tgt Ion:240 Resp: 115583

Ion Ratio Lower Upper

240 100

120 10.7 13.6 20.4#




236 25.2 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 69.05 ng

RT: 12.66 min Scan# 969

Delta R.T. -0.01 min

Lab File: BF089247.D

Acq: 23 Jul 2016 22:26


Tgt Ion:244 Resp: 367970

Ion Ratio Lower Upper

244 100

212 8.3 7.0 10.4



122 16.7 13.8 20.8




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.04 min Scan# 1177
Delta R.T. -0.01 min
Lab File: BF089247.D
Acq: 23 Jul 2016 22:26

Instrument :
BNA_F
ClientSampleId :
KMW-04-5.0-7.0

Tgt Ion: 264 Resp: 83052
Ion Ratio Lower Upper
264 100
260 24.3 18.5 27.7
265 21.5 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

