

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF072316\
 Data File : BF089266.D
 Acq On : 24 Jul 2016 8:05
 Operator : UM/SJ
 Sample : H4152-11
 Misc :
 ALS Vial : 64 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-16-14.0-15.0

Quant Time: Jul 25 05:24:01 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF072016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 25 03:29:41 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.58	152	44314	20.00	ng	0.00
21) Naphthalene-d8	7.86	136	197789	20.00	ng	-0.01
38) Acenaphthene-d10	9.61	164	82795	20.00	ng	0.00
63) Phenanthrene-d10	11.08	188	131189	20.00	ng	0.00
75) Chrysene-d12	13.70	240	91087	20.00	ng	-0.01
86) Perylene-d12	15.05	264	85860	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.16	112	446771	153.33	ng	0.01
7) Phenol-d6	6.24	99	573316	152.58	ng	0.00
23) Nitrobenzene-d5	7.15	82	381432	102.47	ng	0.00
41) 2,4,6-Tribromophenol	10.40	330	96872	129.95	ng	0.00
44) 2-Fluorobiphenyl	8.95	172	629002	104.67	ng	0.00
78) Terphenyl-d14	12.66	244	332771	79.24	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.35	163	152033	23.93	ng	Qvalue 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF072316\
Data File : BF089266.D
Acq On : 24 Jul 2016 8:05
Operator : UM/SJ
Sample : H4152-11
Misc :
ALS Vial : 64 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-16-14.0-15.0

Quant Time: Jul 25 05:24:01 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF072016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 25 03:29:41 2016
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.58 min Scan# 437
 Delta R.T. 0.00 min
 Lab File: BF089266.D
 Acq: 24 Jul 2016 8:05




Instrument :
 BNA_F
 ClientSampleId :
 SB-16-14.0-15.0


Tgt Ion:152 Resp: 44314
 Ion Ratio Lower Upper
 152 100
 150 161.4 125.1 187.7
 115 63.5 51.1 76.7



#5
 2-Fluorophenol
 Concen: 153.33 ng
 RT: 5.16 min Scan# 313
 Delta R.T. 0.01 min
 Lab File: BF089266.D
 Acq: 24 Jul 2016 8:05

Tgt Ion:112 Resp: 446771
 Ion Ratio Lower Upper
 112 100
 64 54.2 51.0 76.4
 63 29.5 27.3 40.9





#7

Phenol-d6

Concen: 152.58 ng

RT: 6.24 min Scan# 407

Delta R.T. 0.00 min

Lab File: BF089266.D

Acq: 24 Jul 2016 8:05

Instrument :

BNA_F

ClientSampleId :

SB-16-14.0-15.0


Tgt Ion: 99 Resp: 573316

Ion Ratio Lower Upper

99 100

42 18.3 13.5 20.3




71 38.5 28.9 43.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.86 min Scan# 549

Delta R.T. -0.01 min

Lab File: BF089266.D

Acq: 24 Jul 2016 8:05

Tgt Ion: 136 Resp: 197789


Ion Ratio Lower Upper

136 100

137 11.0 8.8 13.2

54 7.1 7.0 10.4

68 5.5 5.0 7.6






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 102.47 ng
 RT: 7.15 min Scan# 487
 Delta R.T. -0.00 min
 Lab File: BF089266.D
 Acq: 24 Jul 2016 8:05




Instrument :
 BNA_F
 ClientSampleId :
 SB-16-14.0-15.0

Tgt Ion: 82 Resp: 381432
 Ion Ratio Lower Upper
 82 100
 128 43.9 33.0 49.6
 54 46.0 39.0 58.4



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.61 min Scan# 702
 Delta R.T. -0.00 min
 Lab File: BF089266.D
 Acq: 24 Jul 2016 8:05

Tgt Ion: 164 Resp: 82795
 Ion Ratio Lower Upper
 164 100
 162 104.5 84.1 126.1
 160 47.2 37.1 55.7









#41
 2,4,6-Tribromophenol
 Concen: 129.95 ng
 RT: 10.40 min Scan# 771
 Delta R.T. -0.00 min
 Lab File: BF089266.D
 Acq: 24 Jul 2016 8:05

Instrument :
 BNA_F
 ClientSampleId :
 SB-16-14.0-15.0

Tgt Ion:330 Resp: 96872
 Ion Ratio Lower Upper
 330 100
 332 96.1 77.2 115.8
 141 45.1 42.2 63.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 104.67 ng
 RT: 8.95 min Scan# 644
 Delta R.T. 0.00 min
 Lab File: BF089266.D
 Acq: 24 Jul 2016 8:05

Tgt Ion:172 Resp: 629002
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.2 43.8
 170 23.6 19.1 28.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 23.93 ng

RT: 9.35 min Scan# 679

Delta R.T. -0.01 min

Lab File: BF089266.D

Acq: 24 Jul 2016 8:05

Instrument :

BNA_F

ClientSampleId :

SB-16-14.0-15.0


Tgt Ion:163 Resp: 152033

Ion Ratio Lower Upper

163 100

194 3.8 2.9 4.3




164 9.7 7.6 11.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.08 min Scan# 831

Delta R.T. -0.00 min

Lab File: BF089266.D

Acq: 24 Jul 2016 8:05


Tgt Ion:188 Resp: 131189

Ion Ratio Lower Upper

188 100

94 7.3 7.0 10.4



80 8.4 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.70 min Scan# 1060

Delta R.T. -0.01 min

Lab File: BF089266.D

Acq: 24 Jul 2016 8:05

Instrument :

BNA_F

ClientSampleId :

SB-16-14.0-15.0


Tgt Ion:240 Resp: 91087

Ion Ratio Lower Upper

240 100

120 11.7 13.6 20.4#




236 25.6 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 79.24 ng

RT: 12.66 min Scan# 969

Delta R.T. -0.01 min

Lab File: BF089266.D

Acq: 24 Jul 2016 8:05


Tgt Ion:244 Resp: 332771

Ion Ratio Lower Upper

244 100

212 8.1 7.0 10.4



122 16.4 13.8 20.8






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.05 min Scan# 1178
Delta R.T. 0.00 min
Lab File: BF089266.D
Acq: 24 Jul 2016 8:05

Instrument :
BNA_F
ClientSampleId :
SB-16-14.0-15.0

Tgt Ion: 264 Resp: 85860
Ion Ratio Lower Upper
264 100
260 24.6 18.5 27.7
265 21.4 17.3 25.9

