

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF072415\
 Data File : BF080651.D
 Acq On : 25 Jul 2015 5:32
 Operator : TP/UM
 Sample : G3079-07
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-11-7-22-15

Quant Time: Jul 25 06:51:19 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF072415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jul 25 04:28:42 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.93	152	52033	20.00	ng	0.00
21) Naphthalene-d8	8.21	136	181679	20.00	ng	0.00
38) Acenaphthene-d10	9.97	164	101630	20.00	ng	0.00
63) Phenanthrene-d10	11.46	188	191884	20.00	ng	0.00
75) Chrysene-d12	14.19	240	167234	20.00	ng	0.03
86) Perylene-d12	15.78	264	139844	20.00	ng	0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.50	112	160820	52.04	ng	0.00
7) Phenol-d6	6.53	99	114676	31.07	ng	-0.01
23) Nitrobenzene-d5	7.49	82	282796	78.17	ng	0.00
41) 2,4,6-Tribromophenol	10.76	330	114394	125.28	ng	0.00
44) 2-Fluorobiphenyl	9.30	172	508137	77.14	ng	0.00
78) Terphenyl-d14	13.06	244	596857	76.85	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF072415\
Data File : BF080651.D
Acq On : 25 Jul 2015 5:32
Operator : TP/UM
Sample : G3079-07
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-11-7-22-15

Quant Time: Jul 25 06:51:19 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF072415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jul 25 04:28:42 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.93 min Scan# 424
 Delta R.T. -0.00 min
 Lab File: BF080651.D
 Acq: 25 Jul 2015 5:32

Instrument :
 BNA_F
 ClientSampleId :
 MW-11-7-22-15

Tgt Ion:152 Resp: 52033
 Ion Ratio Lower Upper
 152 100
 150 148.9 128.9 193.3
 115 57.4 51.0 76.6




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 52.04 ng
 RT: 5.50 min Scan# 299
 Delta R.T. -0.00 min
 Lab File: BF080651.D
 Acq: 25 Jul 2015 5:32

Tgt Ion:112 Resp: 160820
 Ion Ratio Lower Upper
 112 100
 64 69.7 51.2 76.8
 63 38.6 29.0 43.6



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 31.07 ng

RT: 6.53 min Scan# 389

Delta R.T. -0.01 min

Lab File: BF080651.D

Acq: 25 Jul 2015 5:32

Instrument :

BNA_F

ClientSampleId :

MW-11-7-22-15


Tgt Ion: 99 Resp: 114676

Ion Ratio Lower Upper

99 100

42 32.5 16.3 24.5#




71 46.2 29.7 44.5#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.21 min Scan# 536

Delta R.T. -0.00 min

Lab File: BF080651.D

Acq: 25 Jul 2015 5:32

Tgt Ion: 136 Resp: 181679


Ion Ratio Lower Upper

136 100

137 11.2 9.3 13.9

54 11.8 11.6 17.4

68 6.0 5.0 7.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 78.17 ng
 RT: 7.49 min Scan# 473
 Delta R.T. -0.00 min
 Lab File: BF080651.D
 Acq: 25 Jul 2015 5:32

Instrument :
 BNA_F
 ClientSampleId :
 MW-11-7-22-15

Tgt Ion	Ratio	Lower	Upper
82	100		
128	46.2	34.8	52.2
54	54.4	45.4	68.0




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): BF0
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.97 min Scan# 690
 Delta R.T. -0.00 min
 Lab File: BF080651.D
 Acq: 25 Jul 2015 5:32

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.3	83.3	124.9
160	44.8	36.9	55.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 125.28 ng
 RT: 10.76 min Scan# 759
 Delta R.T. -0.00 min
 Lab File: BF080651.D
 Acq: 25 Jul 2015 5:32

Instrument :
 BNA_F
 ClientSampleId :
 MW-11-7-22-15

Tgt Ion:330 Resp: 114394
 Ion Ratio Lower Upper
 330 100
 332 97.5 76.7 115.1
 141 40.2 32.7 49.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 77.14 ng
 RT: 9.30 min Scan# 631
 Delta R.T. -0.00 min
 Lab File: BF080651.D
 Acq: 25 Jul 2015 5:32

Tgt Ion:172 Resp: 508137
 Ion Ratio Lower Upper
 172 100
 171 34.9 27.7 41.5
 170 23.6 19.0 28.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.46 min Scan# 820
Delta R.T. -0.00 min
Lab File: BF080651.D
Acq: 25 Jul 2015 5:32




Instrument :
BNA_F
ClientSampleId :
MW-11-7-22-15


Tgt Ion:188 Resp: 191884
Ion Ratio Lower Upper
188 100
94 6.3 5.6 8.4
80 6.6 6.1 9.1



#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.19 min Scan# 1059
Delta R.T. 0.03 min
Lab File: BF080651.D
Acq: 25 Jul 2015 5:32

Tgt Ion:240 Resp: 167234
Ion Ratio Lower Upper
240 100
120 5.3 10.8 16.2#
236 25.0 20.3 30.5









#78
 Terphenyl-d14
 Concen: 76.85 ng
 RT: 13.06 min Scan# 960
 Delta R.T. -0.00 min
 Lab File: BF080651.D
 Acq: 25 Jul 2015 5:32

Instrument :
 BNA_F
 ClientSampleId :
 MW-11-7-22-15

Tgt Ion	Ratio	Lower	Upper
244	100		
212	8.1	5.2	7.8#
122	10.3	4.1	6.1#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.78 min Scan# 1198
 Delta R.T. 0.05 min
 Lab File: BF080651.D
 Acq: 25 Jul 2015 5:32

Tgt Ion	Ratio	Lower	Upper
264	100		
260	22.9	20.1	30.1
265	22.0	17.4	26.0

