

Data Path : Z:\HPCHEM1\BNA F\DATA\BF072417\
 Data File : BF096999.D
 Acq On : 24 Jul 2017 21:47
 Operator : SJ/JU
 Sample : I4361-07
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 RAMP-D-4-(0-2)

Quant Time: Jul 25 02:32:21 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF071317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 25 01:37:00 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.51	152	123446	20.00	ng	-0.03
21) Naphthalene-d8	7.79	136	489553	20.00	ng	-0.04
38) Acenaphthene-d10	9.54	164	218891	20.00	ng	-0.04
63) Phenanthrene-d10	11.02	188	404896	20.00	ng	-0.04
75) Chrysene-d12	13.64	240	290018	20.00	ng	-0.04
86) Perylene-d12	14.99	264	205150	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.13	112	961796	117.15	ng	-0.02
7) Phenol-d6	6.18	99	1219743	123.80	ng	-0.04
23) Nitrobenzene-d5	7.08	82	789703	99.92	ng	-0.04
41) 2,4,6-Tribromophenol	10.33	330	240054	128.48	ng	-0.03
44) 2-Fluorobiphenyl	8.87	172	1180287	85.19	ng	-0.04
78) Terphenyl-d14	12.60	244	990808	59.25	ng	-0.03
Target Compounds						
10) Phenol	6.19	94	29273	2.628	ng	99
49) Dimethylphthalate	9.27	163	132416	8.034	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF072417\
Data File : BF096999.D
Acq On : 24 Jul 2017 21:47
Operator : SJ/JU
Sample : I4361-07
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
RAMP-D-4-(0-2)

Quant Time: Jul 25 02:32:21 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF071317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 25 01:37:00 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.51 min Scan# 786
Delta R.T. -0.03 min
Lab File: BF096999.D
Acq: 24 Jul 2017 21:47

Instrument :
BNA_F
ClientSampleId :
RAMP-D-4-(0-2)

Tot Ion:152 Resp: 123446
Ion Ratio Lower Upper
152 100
150 157.4 126.2 189.2
115 66.5 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 117.148 ng
RT: 5.13 min Scan# 551
Delta R.T. -0.02 min
Lab File: BF096999.D
Acq: 24 Jul 2017 21:47

Tgt Ion:112 Resp: 961796
Ion Ratio Lower Upper
112 100
64 66.0 46.0 69.0
63 34.4 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 123.802 ng

RT: 6.18 min Scan# 730

Delta R.T. -0.04 min

Lab File: BF096999.D

Acq: 24 Jul 2017 21:47

Instrument :





BNA_F

ClientSampleId :

RAMP-D-4-(0-2)

Tot Ion: 99 Resp: 1219743

Ion	Ratio	Lower	Upper
99	100		
42	23.4	13.5	20.3#
71	32.2	24.5	36.7



#10

Phenol

Concen: 2.628 ng

RT: 6.19 min Scan# 732




Delta R.T. -0.04 min


Lab File: BF096999.D

Acq: 24 Jul 2017 21:47

Tgt Ion: 94 Resp: 29273

Ion	Ratio	Lower	Upper
94	100		
65	31.3	9.9	49.9
66	42.8	23.1	63.1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.79 min Scan# 1004
Delta R.T. -0.04 min
Lab File: BF096999.D
Acq: 24 Jul 2017 21:47

Instrument :
BNA_F
ClientSampleId :
RAMP-D-4-(0-2)

Tot Ion:	136	Resp:	489553
Ion	Ratio	Lower	Upper
136	100		
137	11.3	8.5	12.7
54	11.1	4.9	7.3#
68	5.9	4.1	6.1




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 99.917 ng
RT: 7.08 min Scan# 883
Delta R.T. -0.04 min
Lab File: BF096999.D
Acq: 24 Jul 2017 21:47

Tgt Ion:	82	Resp:	789703
Ion	Ratio	Lower	Upper
82	100		
128	46.1	34.0	51.0
54	68.4	42.2	63.2#



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0









#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.54 min Scan# 1301
Delta R.T. -0.04 min
Lab File: BF096999.D
Acq: 24 Jul 2017 21:47

Instrument :
BNA_F
ClientSampleId :
RAMP-D-4-(0-2)

Tot Ion:164 Resp: 218891
Ion Ratio Lower Upper
164 100
162 103.5 82.6 123.8
160 43.2 36.2 54.2




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 128.480 ng
RT: 10.33 min Scan# 1436
Delta R.T. -0.03 min
Lab File: BF096999.D
Acq: 24 Jul 2017 21:47

Tgt Ion:330 Resp: 240054
Ion Ratio Lower Upper
330 100
332 95.7 76.6 115.0
141 38.6 31.4 47.2



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 85.191 ng
 RT: 8.87 min Scan# 1188
 Delta R.T. -0.04 min
 Lab File: BF096999.D
 Acq: 24 Jul 2017 21:47




Instrument :
 BNA_F
 ClientSampleId :
 RAMP-D-4-(0-2)

Tot Ion:172 Resp: 1180287

Ion	Ratio	Lower	Upper
172	100		
171	36.8	29.6	44.4
170	24.0	19.8	29.8




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49
 Dimethylphthalate
 Concen: 8.034 ng
 RT: 9.27 min Scan# 1255
 Delta R.T. -0.05 min
 Lab File: BF096999.D
 Acq: 24 Jul 2017 21:47


Tgt Ion:163 Resp: 132416

Ion	Ratio	Lower	Upper
163	100		
194	2.8	2.6	4.0
164	10.5	8.4	12.6



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.02 min Scan# 1552
Delta R.T. -0.04 min
Lab File: BF096999.D
Acq: 24 Jul 2017 21:47




Instrument :
BNA_F
ClientSampleId :
RAMP-D-4-(0-2)


Tot Ion:188 Resp: 404896
Ion Ratio Lower Upper
188 100
94 10.7 9.4 14.2
80 10.8 10.2 15.2



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.64 min Scan# 1998
Delta R.T. -0.04 min
Lab File: BF096999.D
Acq: 24 Jul 2017 21:47

Tgt Ion:240 Resp: 290018
Ion Ratio Lower Upper
240 100
120 14.7 5.8 8.8#
236 25.3 20.5 30.7





#78

Terphenyl-d14

Concen: 59.249 ng

RT: 12.60 min Scan# 1822

Delta R.T. -0.03 min

Lab File: BF096999.D

Acq: 24 Jul 2017 21:47

Instrument :

BNA_F

ClientSampleId :

RAMP-D-4-(0-2)


Tot Ion:244 Resp: 990808

Ion Ratio Lower Upper

244 100

212 7.1 6.0 9.0




122 14.5 10.3 15.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 14.99 min Scan# 2228

Delta R.T. -0.04 min

Lab File: BF096999.D

Acq: 24 Jul 2017 21:47


Tgt Ion:264 Resp: 205150

Ion Ratio Lower Upper

264 100

260 22.2 19.5 29.3

265 21.0 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

