

Data Path : Z:\HPCHEM1\BNA F\DATA\BF072516\
 Data File : BF089285.D
 Acq On : 25 Jul 2016 18:18
 Operator : UM/SJ
 Sample : H4152-11
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-16-14.0-15.0

Quant Time: Jul 26 01:55:30 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 25 16:56:43 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.56	152	55686	20.00	ng	-0.01
21) Naphthalene-d8	7.85	136	218564	20.00	ng	0.00
38) Acenaphthene-d10	9.59	164	89430	20.00	ng	-0.01
63) Phenanthrene-d10	11.06	188	149058	20.00	ng	-0.01
75) Chrysene-d12	13.68	240	108525	20.00	ng	-0.01
86) Perylene-d12	15.02	264	79783	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.14	112	458149	125.13	ng	0.00
7) Phenol-d6	6.23	99	653065	138.31	ng	0.00
23) Nitrobenzene-d5	7.13	82	376734	91.59	ng	-0.01
41) 2,4,6-Tribromophenol	10.38	330	87672	108.89	ng	-0.01
44) 2-Fluorobiphenyl	8.92	172	569485	87.74	ng	-0.01
78) Terphenyl-d14	12.65	244	382669	76.48	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.32	163	161149	23.48	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF072516\
Data File : BF089285.D
Acq On : 25 Jul 2016 18:18
Operator : UM/SJ
Sample : H4152-11
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-16-14.0-15.0

Quant Time: Jul 26 01:55:30 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 25 16:56:43 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.56 min Scan# 435
Delta R.T. -0.01 min
Lab File: BF089285.D
Acq: 25 Jul 2016 18:18

Instrument :
BNA_F
ClientSampleId :
SB-16-14.0-15.0

Tot Ion:152 Resp: 55686
Ion Ratio Lower Upper
152 100
150 157.4 125.1 187.7
115 72.7 51.1 76.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 125.13 ng
RT: 5.14 min Scan# 311
Delta R.T. 0.00 min
Lab File: BF089285.D
Acq: 25 Jul 2016 18:18

Tgt Ion:112 Resp: 458149
Ion Ratio Lower Upper
112 100
64 61.5 51.0 76.4
63 34.0 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 138.31 ng

RT: 6.23 min Scan# 406

Delta R.T. 0.00 min

Lab File: BF089285.D

Acq: 25 Jul 2016 18:18

Instrument :

BNA_F

ClientSampleId :

SB-16-14.0-15.0


Tot Ion: 99 Resp: 653065

Ion Ratio Lower Upper

99 100

42 16.7 13.5 20.3




71 36.8 28.9 43.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.85 min Scan# 548

Delta R.T. 0.00 min

Lab File: BF089285.D

Acq: 25 Jul 2016 18:18

Tgt Ion: 136 Resp: 218564


Ion Ratio Lower Upper

136 100

137 10.3 8.8 13.2

54 5.9 7.0 10.4#

68 4.8 5.0 7.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 91.59 ng
RT: 7.13 min Scan# 485
Delta R.T. -0.01 min
Lab File: BF089285.D
Acq: 25 Jul 2016 18:18




Instrument :
BNA_F
ClientSampleId :
SB-16-14.0-15.0

Tot Ion: 82 Resp: 376734
Ion Ratio Lower Upper
82 100
128 37.8 33.0 49.6
54 49.7 39.0 58.4



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.59 min Scan# 700
Delta R.T. -0.01 min
Lab File: BF089285.D
Acq: 25 Jul 2016 18:18

Tgt Ion: 164 Resp: 89430
Ion Ratio Lower Upper
164 100
162 103.5 84.1 126.1
160 46.5 37.1 55.7









#41
 2,4,6-Tribromophenol
 Concen: 108.89 ng
 RT: 10.38 min Scan# 769
 Delta R.T. -0.01 min
 Lab File: BF089285.D
 Acq: 25 Jul 2016 18:18

Instrument :
 BNA_F
 ClientSampleId :
 SB-16-14.0-15.0

Tot Ion:330 Resp: 87672
 Ion Ratio Lower Upper
 330 100
 332 95.9 77.2 115.8
 141 50.9 42.2 63.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 87.74 ng
 RT: 8.92 min Scan# 642
 Delta R.T. -0.01 min
 Lab File: BF089285.D
 Acq: 25 Jul 2016 18:18

Tgt Ion:172 Resp: 569485
 Ion Ratio Lower Upper
 172 100
 171 35.9 29.2 43.8
 170 23.8 19.1 28.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 23.48 ng
RT: 9.32 min Scan# 677
Delta R.T. -0.02 min
Lab File: BF089285.D
Acq: 25 Jul 2016 18:18




Instrument :
BNA_F
ClientSampleId :
SB-16-14.0-15.0

Tot Ion:163 Resp: 161149
Ion Ratio Lower Upper
163 100
194 3.0 2.9 4.3
164 10.1 7.6 11.4



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.06 min Scan# 829
Delta R.T. -0.01 min
Lab File: BF089285.D
Acq: 25 Jul 2016 18:18

Tgt Ion:188 Resp: 149058
Ion Ratio Lower Upper
188 100
94 9.9 7.0 10.4
80 10.9 7.7 11.5





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.68 min Scan# 1058

Delta R.T. -0.01 min

Lab File: BF089285.D

Acq: 25 Jul 2016 18:18

Instrument :

BNA_F

ClientSampleId :

SB-16-14.0-15.0


Tot Ion:240 Resp: 108525

Ion Ratio Lower Upper

240 100

120 14.5 13.6 20.4




236 26.1 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 76.48 ng

RT: 12.65 min Scan# 968

Delta R.T. 0.00 min

Lab File: BF089285.D

Acq: 25 Jul 2016 18:18


Tgt Ion:244 Resp: 382669

Ion Ratio Lower Upper

244 100

212 7.0 7.0 10.4



122 7.8 13.8 20.8#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.02 min Scan# 1175
 Delta R.T. -0.01 min
 Lab File: BF089285.D
 Acq: 25 Jul 2016 18:18

Instrument :
 BNA_F
 ClientSampleId :
 SB-16-14.0-15.0

Tot Ion:264 Resp: 79783
 Ion Ratio Lower Upper
 264 100
 260 24.0 18.5 27.7
 265 21.6 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

