


Data Path : Z:\HPCHEM1\BNA F\DATA\BF072617\
 Data File : BF097087.D
 Acq On : 26 Jul 2017 20:48
 Operator : SJ/JU
 Sample : I4400-03
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Jul 27 08:19:04 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 25 14:11:51 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.49	152	108650	20.00	ng	0.00
21) Naphthalene-d8	7.77	136	459829	20.00	ng	-0.01
38) Acenaphthene-d10	9.52	164	217816	20.00	ng	-0.01
63) Phenanthrene-d10	11.00	188	362681	20.00	ng	0.00
75) Chrysene-d12	13.62	240	283860	20.00	ng	0.00
86) Perylene-d12	14.97	264	214222	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.10	112	761703	105.68	ng	0.00
7) Phenol-d6	6.16	99	847450	103.00	ng	-0.01
23) Nitrobenzene-d5	7.06	82	522496	66.66	ng	-0.01
41) 2,4,6-Tribromophenol	10.31	330	191046	111.01	ng	-0.01
44) 2-Fluorobiphenyl	8.86	172	913504	71.17	ng	-0.01
78) Terphenyl-d14	12.59	244	747816	53.71	ng	0.00
Target Compounds						
10) Phenol	6.17	94	39558	4.053	ng	95
19) n-Nitroso-di-n-propylamine	7.06	70	69576	12.846	ng	# 86
25) Isophorone	7.06	82	518496	33.777	ng	# 67
49) Dimethylphthalate	9.26	163	133684	8.082	ng	98
56) 2,4-Dinitrotoluene	9.52	165	27785	6.890	ng	# 34
66) 4-Bromophenyl-phenylether	10.31	248	11623	3.211	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed




#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.49 min Scan# 783
 Delta R.T. -0.01 min
 Lab File: BF097087.D
 Acq: 26 Jul 2017 20:48

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:152 Resp: 108650
 Ion Ratio Lower Upper
 152 100
 150 157.3 126.2 189.2
 115 62.9 52.2 78.2




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 105.684 ng
 RT: 5.10 min Scan# 546
 Delta R.T. 0.00 min
 Lab File: BF097087.D
 Acq: 26 Jul 2017 20:48

Tgt Ion:112 Resp: 761703
 Ion Ratio Lower Upper
 112 100
 64 66.4 46.0 69.0
 63 33.8 23.4 35.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 102.995 ng

RT: 6.16 min Scan# 726

Delta R.T. -0.01 min

Lab File: BF097087.D

Acq: 26 Jul 2017 20:48

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 847450

Ion Ratio Lower Upper




99 100

42 23.2 13.5 20.3#

71 32.1 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 4.053 ng

RT: 6.17 min Scan# 728

Delta R.T. -0.01 min

Lab File: BF097087.D

Acq: 26 Jul 2017 20:48


Tgt Ion: 94 Resp: 39558

Ion Ratio Lower Upper



94 100


65 32.4 9.9 49.9

66 39.8 23.1 63.1



Abundance Ion 94.00 (93.70 to 94.70): BF0
Ion 65.00 (64.70 to 65.70): BF0
Ion 66.00 (65.70 to 66.70): BF0









#19
n-Nitroso-di-n-propylamine
Concen: 12.846 ng
RT: 7.06 min Scan# 880
Delta R.T. 0.13 min
Lab File: BF097087.D
Acq: 26 Jul 2017 20:48




Instrument :
BNA_F
ClientSampleId :


Tot Ion: 70 Resp: 69576
Ion Ratio Lower Upper
70 100
42 61.8 47.2 70.8
101 0.0 7.2 10.8#
130 1.9 15.9 23.9#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.77 min Scan# 1001
Delta R.T. -0.01 min
Lab File: BF097087.D
Acq: 26 Jul 2017 20:48

Tgt Ion: 136 Resp: 459829
Ion Ratio Lower Upper
136 100
137 10.8 8.5 12.7
54 10.6 4.9 7.3#
68 5.5 4.1 6.1









#23
 Nitrobenzene-d5
 Concen: 66.659 ng
 RT: 7.06 min Scan# 880
 Delta R.T. -0.01 min
 Lab File: BF097087.D
 Acq: 26 Jul 2017 20:48




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	82	Resp	522496
Ion Ratio	100	Lower	Upper
128	45.8	34.0	51.0
54	65.5	42.2	63.2#



#25
 Isophorone
 Concen: 33.777 ng
 RT: 7.06 min Scan# 880
 Delta R.T. -0.28 min
 Lab File: BF097087.D
 Acq: 26 Jul 2017 20:48

Tgt Ion	82	Resp	518496
Ion Ratio	100	Lower	Upper
95	0.0	5.3	7.9#
138	0.0	13.1	19.7#









#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.52 min Scan# 1298
 Delta R.T. -0.01 min
 Lab File: BF097087.D
 Acq: 26 Jul 2017 20:48

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:164 Resp: 217816
 Ion Ratio Lower Upper
 164 100
 162 105.0 82.6 123.8
 160 45.7 36.2 54.2




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 111.012 ng
 RT: 10.31 min Scan# 1432
 Delta R.T. -0.01 min
 Lab File: BF097087.D
 Acq: 26 Jul 2017 20:48

Tgt Ion:330 Resp: 191046
 Ion Ratio Lower Upper
 330 100
 332 96.4 76.6 115.0
 141 38.6 31.4 47.2



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 71.175 ng
RT: 8.86 min Scan# 1185
Delta R.T. -0.01 min
Lab File: BF097087.D
Acq: 26 Jul 2017 20:48

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
172	100		
171	36.4	29.6	44.4
170	24.4	19.8	29.8




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#49
Dimethylphthalate
Concen: 8.082 ng
RT: 9.26 min Scan# 1253
Delta R.T. -0.02 min
Lab File: BF097087.D
Acq: 26 Jul 2017 20:48

Tgt Ion	Ratio	Lower	Upper
163	100		
194	2.8	2.6	4.0
164	9.7	8.4	12.6



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#56
 2,4-Dinitrotoluene
 Concen: 6.890 ng
 RT: 9.52 min Scan# 1298
 Delta R.T. -0.21 min
 Lab File: BF097087.D
 Acq: 26 Jul 2017 20:48




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:165 Resp: 27785
 Ion Ratio Lower Upper
 165 100
 63 1.9 25.4 38.0#
 89 1.8 46.4 69.6#
 182 0.0 1.8 2.6#



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.00 min Scan# 1549
 Delta R.T. -0.01 min
 Lab File: BF097087.D
 Acq: 26 Jul 2017 20:48

Tgt Ion:188 Resp: 362681
 Ion Ratio Lower Upper
 188 100
 94 10.7 9.4 14.2
 80 11.4 10.2 15.2









#66
 4-Bromophenyl-phenylether
 Concen: 3.211 ng
 RT: 10.31 min Scan# 1432
 Delta R.T. -0.25 min
 Lab File: BF097087.D
 Acq: 26 Jul 2017 20:48

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:248 Resp: 11623
 Ion Ratio Lower Upper
 248 100
 250 203.1 76.8 115.2#
 141 639.1 68.6 103.0#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.62 min Scan# 1995
 Delta R.T. -0.01 min
 Lab File: BF097087.D
 Acq: 26 Jul 2017 20:48

Tgt Ion:240 Resp: 283860
 Ion Ratio Lower Upper
 240 100
 120 14.8 5.8 8.8#
 236 25.6 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 53.713 ng

RT: 12.59 min Scan# 1819

Delta R.T. -0.00 min

Lab File: BF097087.D

Acq: 26 Jul 2017 20:48

Instrument :

BNA_F

ClientSampleId :


Tot Ion:244 Resp: 747816

Ion Ratio Lower Upper

244 100

212 7.0 6.0 9.0




122 14.6 10.3 15.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 14.97 min Scan# 2225

Delta R.T. -0.00 min

Lab File: BF097087.D

Acq: 26 Jul 2017 20:48


Tgt Ion:264 Resp: 214222

Ion Ratio Lower Upper

264 100

260 24.1 19.5 29.3

265 22.0 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

