

Data Path : Z:\HPCHEM1\BNA F\DATA\BF072716\
 Data File : BF089335.D
 Acq On : 27 Jul 2016 18:20
 Operator : UM/SJ
 Sample : H4149-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 LOCATION-46E

Quant Time: Jul 28 01:11:04 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 27 17:12:17 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.55	152	36957	20.00	ng	0.00
21) Naphthalene-d8	7.83	136	170614	20.00	ng	0.00
38) Acenaphthene-d10	9.58	164	75985	20.00	ng	0.00
63) Phenanthrene-d10	11.04	188	159484	20.00	ng	-0.01
75) Chrysene-d12	13.67	240	127756	20.00	ng	0.00
86) Perylene-d12	15.01	264	102643	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.12	112	277646	119.96	ng	0.01
7) Phenol-d6	6.19	99	374925	122.57	ng	-0.01
23) Nitrobenzene-d5	7.12	82	236210	81.72	ng	0.00
41) 2,4,6-Tribromophenol	10.36	330	79242	125.92	ng	0.00
44) 2-Fluorobiphenyl	8.91	172	423498	81.79	ng	0.00
78) Terphenyl-d14	12.63	244	399468	73.18	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.31	163	102172	17.67	ng	Qvalue 99
83) Bis(2-ethylhexyl)phthalate	13.67	149	45697	7.18	ng	# 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF072716\
Data File : BF089335.D
Acq On : 27 Jul 2016 18:20
Operator : UM/SJ
Sample : H4149-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
LOCATION-46E

Quant Time: Jul 28 01:11:04 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 27 17:12:17 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.55 min Scan# 434
Delta R.T. -0.00 min
Lab File: BF089335.D
Acq: 27 Jul 2016 18:20

Instrument :
BNA_F
ClientSampleId :
LOCATION-46E

Tot Ion:152 Resp: 36957
Ion Ratio Lower Upper
152 100
150 154.9 129.5 194.3
115 63.2 51.4 77.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 119.96 ng
RT: 5.12 min Scan# 309
Delta R.T. 0.01 min
Lab File: BF089335.D
Acq: 27 Jul 2016 18:20

Tgt Ion:112 Resp: 277646
Ion Ratio Lower Upper
112 100
64 59.9 55.0 82.6
63 32.2 29.4 44.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 122.57 ng

RT: 6.19 min Scan# 403

Delta R.T. -0.01 min

Lab File: BF089335.D

Acq: 27 Jul 2016 18:20

Instrument :

BNA_F

ClientSampleId :

LOCATION-46E


Tot Ion: 99 Resp: 374925

Ion Ratio Lower Upper




99 100

42 19.2 13.6 20.4

71 39.0 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.83 min Scan# 546

Delta R.T. -0.00 min

Lab File: BF089335.D

Acq: 27 Jul 2016 18:20

Tgt Ion: 136 Resp: 170614


Ion Ratio Lower Upper

136 100



137 10.6 8.6 13.0


54 7.0 7.0 10.4

68 5.4 4.9 7.3



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 81.72 ng
 RT: 7.12 min Scan# 484
 Delta R.T. -0.00 min
 Lab File: BF089335.D
 Acq: 27 Jul 2016 18:20

Instrument :
 BNA_F
 ClientSampleId :
 LOCATION-46E

Tot Ion: 82 Resp: 236210
 Ion Ratio Lower Upper
 82 100
 128 49.2 32.5 48.7#
 54 44.1 38.8 58.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.58 min Scan# 699
 Delta R.T. -0.00 min
 Lab File: BF089335.D
 Acq: 27 Jul 2016 18:20

Tgt Ion:164 Resp: 75985
 Ion Ratio Lower Upper
 164 100
 162 111.4 83.7 125.5
 160 49.8 37.8 56.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 125.92 ng
 RT: 10.36 min Scan# 768
 Delta R.T. -0.00 min
 Lab File: BF089335.D
 Acq: 27 Jul 2016 18:20

Instrument :
 BNA_F
 ClientSampleId :
 LOCATION-46E

Tot Ion:330 Resp: 79242
 Ion Ratio Lower Upper
 330 100
 332 97.8 76.8 115.2
 141 48.4 37.3 55.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 81.79 ng
 RT: 8.91 min Scan# 641
 Delta R.T. -0.00 min
 Lab File: BF089335.D
 Acq: 27 Jul 2016 18:20

Tgt Ion:172 Resp: 423498
 Ion Ratio Lower Upper
 172 100
 171 35.6 29.2 43.8
 170 23.4 19.2 28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 17.67 ng
RT: 9.31 min Scan# 676
Delta R.T. -0.01 min
Lab File: BF089335.D
Acq: 27 Jul 2016 18:20




Instrument :
BNA_F
ClientSampleId :
LOCATION-46E


Tot Ion:163 Resp: 102172
Ion Ratio Lower Upper
163 100
194 3.7 2.8 4.2
164 10.2 7.8 11.8



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.04 min Scan# 827
Delta R.T. -0.01 min
Lab File: BF089335.D
Acq: 27 Jul 2016 18:20

Tgt Ion:188 Resp: 159484
Ion Ratio Lower Upper
188 100
94 13.5 6.5 9.7#
80 16.2 7.2 10.8#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.67 min Scan# 1057

Delta R.T. -0.00 min

Lab File: BF089335.D

Acq: 27 Jul 2016 18:20

Instrument :

BNA_F

ClientSampleId :

LOCATION-46E


Tot Ion:240 Resp: 127756

Ion Ratio Lower Upper

240 100

120 8.9 9.1 13.7#




236 25.1 20.6 30.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 73.18 ng

RT: 12.63 min Scan# 966

Delta R.T. -0.00 min

Lab File: BF089335.D

Acq: 27 Jul 2016 18:20


Tgt Ion:244 Resp: 399468

Ion Ratio Lower Upper

244 100

212 8.1 6.5 9.7



122 14.1 11.4 17.0




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#83
 Bis(2-ethylhexyl)phthalate
 Concen: 7.18 ng
 RT: 13.67 min Scan# 1057
 Delta R.T. -0.00 min
 Lab File: BF089335.D
 Acq: 27 Jul 2016 18:20

Instrument :
 BNA_F
 ClientSampleId :
 LOCATION-46E

Tot Ion:149 Resp: 45697
 Ion Ratio Lower Upper
 149 100
 167 26.8 18.8 28.2
 279 2.1 1.4 2.0#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.01 min Scan# 1174
 Delta R.T. -0.00 min
 Lab File: BF089335.D
 Acq: 27 Jul 2016 18:20

Tgt Ion:264 Resp: 102643
 Ion Ratio Lower Upper
 264 100
 260 23.3 19.0 28.4
 265 21.5 17.5 26.3

