

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF072721\
 Data File : BF124813.D
 Acq On : 28 Jul 2021 1:58
 Operator : JU/CG
 Sample : M3194-01 10X
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 JC-03-072621

Quant Time: Jul 28 03:09:01 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF072221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 22 15:28:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	6286	20.000	ng	0.00
21) Naphthalene-d8	8.151	136	24755	20.000	ng	# 0.00
39) Acenaphthene-d10	9.910	164	14044	20.000	ng	0.00
64) Phenanthrene-d10	11.398	188	23551	20.000	ng	0.00
76) Chrysene-d12	14.033	240	14663	20.000	ng	0.00
86) Perylene-d12	15.515	264	13086	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	3055	8.229	ng	0.00
7) Phenol-d6	6.486	99	3777	8.115	ng	-0.01
23) Nitrobenzene-d5	7.428	82	2699	6.489	ng	-0.01
42) 2,4,6-Tribromophenol	10.692	330	1060	8.791	ng	-0.01
45) 2-Fluorobiphenyl	9.227	172	5558	5.813	ng	0.00
79) Terphenyl-d14	12.974	244	5163	6.036	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF072721\
Data File : BF124813.D
Acq On : 28 Jul 2021 1:58
Operator : JU/CG
Sample : M3194-01 10X
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
JC-03-072621

Quant Time: Jul 28 03:09:01 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF072221.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 22 15:28:57 2021
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.869 min Scan# 813
Delta R.T. -0.000 min
Lab File: BF124813.D
Acq: 28 Jul 2021 1:58




Instrument :
BNA_F
ClientSampleId :
JC-03-072621


Tgt Ion:152 Resp: 6286
Ion Ratio Lower Upper
152 100
150 154.0 117.6 176.4
115 65.7 47.1 70.7



#5
2-Fluorophenol
Concen: 8.229 ng
RT: 5.475 min Scan# 576
Delta R.T. -0.006 min
Lab File: BF124813.D
Acq: 28 Jul 2021 1:58

Tgt Ion:112 Resp: 3055
Ion Ratio Lower Upper
112 100
64 58.5 44.2 66.2
63 37.2 26.2 39.2









#7
Phenol-d6
Concen: 8.115 ng
RT: 6.486 min Scan# 748
Delta R.T. -0.012 min
Lab File: BF124813.D
Acq: 28 Jul 2021 1:58

Instrument :
BNA_F
ClientSampleId :
JC-03-072621

Tgt Ion: 99 Resp: 3777




Ion	Ratio	Lower	Upper
99	100		
42	26.5	23.5	35.3
71	36.7	25.6	38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1031
Delta R.T. -0.006 min
Lab File: BF124813.D
Acq: 28 Jul 2021 1:58

Tgt Ion: 136 Resp: 24755

Ion	Ratio	Lower	Upper
136	100		
137	12.7	9.8	14.6
54	9.8	6.4	9.6#
68	5.2	3.3	4.9#





#23

Nitrobenzene-d5

Concen: 6.489 ng

RT: 7.428 min Scan# 908

Delta R.T. -0.012 min

Lab File: BF124813.D

Acq: 28 Jul 2021 1:58





Tgt Ion: 82 Resp: 2699

Ion Ratio Lower Upper

82 100

128 45.7 40.6 60.8

54 48.8 49.6 74.4#



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.910 min Scan# 1330

Delta R.T. -0.006 min

Lab File: BF124813.D

Acq: 28 Jul 2021 1:58




Tgt Ion:164 Resp: 14044

Ion Ratio Lower Upper

164 100

162 100.3 81.3 121.9


160 44.5 38.0 57.0








#42
2,4,6-Tribromophenol
Concen: 8.791 ng
RT: 10.692 min Scan# 1463
Delta R.T. -0.012 min
Lab File: BF124813.D
Acq: 28 Jul 2021 1:58


Instrument :
BNA_F
ClientSampleId :
JC-03-072621





Tgt Ion: 330 Resp: 1060
Ion Ratio Lower Upper
330 100
332 96.3 76.2 114.4
141 24.1 44.6 66.8#



#45
2-Fluorobiphenyl
Concen: 5.813 ng
RT: 9.227 min Scan# 1214
Delta R.T. -0.006 min
Lab File: BF124813.D
Acq: 28 Jul 2021 1:58



Tgt Ion: 172 Resp: 5558
Ion Ratio Lower Upper
172 100
171 31.3 26.5 39.7
170 23.5 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.398 min Scan# 1583
Delta R.T. -0.000 min
Lab File: BF124813.D
Acq: 28 Jul 2021 1:58




Instrument :
BNA_F
ClientSampleId :
JC-03-072621

Tgt Ion:188 Resp: 23551
Ion Ratio Lower Upper
188 100
94 9.1 6.7 10.1
80 9.0 7.5 11.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.033 min Scan# 2031
Delta R.T. -0.006 min
Lab File: BF124813.D
Acq: 28 Jul 2021 1:58

Tgt Ion:240 Resp: 14663
Ion Ratio Lower Upper
240 100
120 10.9 10.8 16.2
236 23.5 21.6 32.4









#79
Terphenyl-d14
Concen: 6.036 ng
RT: 12.974 min Scan# 1851
Delta R.T. -0.012 min
Lab File: BF124813.D
Acq: 28 Jul 2021 1:58

Instrument :
BNA_F
ClientSampleId :
JC-03-072621

Tgt Ion:244 Resp: 5163
Ion Ratio Lower Upper
244 100
212 5.1 5.9 8.9#
122 10.3 9.0 13.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.515 min Scan# 2283
Delta R.T. 0.006 min
Lab File: BF124813.D
Acq: 28 Jul 2021 1:58

Tgt Ion:264 Resp: 13086
Ion Ratio Lower Upper
264 100
260 23.0 19.6 29.4
265 17.5 17.2 25.8

