

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF072816\
 Data File : BF089351.D
 Acq On : 28 Jul 2016 7:26
 Operator : UM/SJ
 Sample : H4157-24
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 I-21

Quant Time: Jul 28 08:13:26 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF072716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 27 17:12:17 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.55	152	41770	20.00	ng	0.00
21) Naphthalene-d8	7.83	136	192545	20.00	ng	0.00
38) Acenaphthene-d10	9.58	164	87408	20.00	ng	0.00
63) Phenanthrene-d10	11.04	188	176666	20.00	ng	-0.01
75) Chrysene-d12	13.67	240	132604	20.00	ng	0.00
86) Perylene-d12	14.99	264	99742	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.13	112	359933	137.59	ng	0.02
7) Phenol-d6	6.20	99	482000	139.42	ng	0.00
23) Nitrobenzene-d5	7.12	82	340197	104.29	ng	0.00
41) 2,4,6-Tribromophenol	10.36	330	118271	163.37	ng	0.00
44) 2-Fluorobiphenyl	8.91	172	615233	103.30	ng	0.00
78) Terphenyl-d14	12.63	244	541789	95.63	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF072816\
Data File : BF089351.D
Acq On : 28 Jul 2016 7:26
Operator : UM/SJ
Sample : H4157-24
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
I-21

Quant Time: Jul 28 08:13:26 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF072716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 27 17:12:17 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.55 min Scan# 434

Delta R.T. 0.00 min

Lab File: BF089351.D

Acq: 28 Jul 2016 7:26

Instrument :

BNA_F

ClientSampleId :

I-21


Tgt Ion:152 Resp: 41770

Ion Ratio Lower Upper

152 100

150 157.1 129.5 194.3




115 64.5 51.4 77.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 137.59 ng

RT: 5.13 min Scan# 310

Delta R.T. 0.02 min

Lab File: BF089351.D

Acq: 28 Jul 2016 7:26


Tgt Ion:112 Resp: 359933

Ion Ratio Lower Upper

112 100

64 62.6 55.0 82.6



63 33.7 29.4 44.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 139.42 ng

RT: 6.20 min Scan# 404

Delta R.T. 0.00 min

Lab File: BF089351.D

Acq: 28 Jul 2016 7:26

Instrument :

BNA_F

ClientSampled :

I-21


Tgt Ion: 99 Resp: 482000

Ion Ratio Lower Upper

99 100

42 17.4 13.6 20.4




71 37.6 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.83 min Scan# 546

Delta R.T. 0.00 min

Lab File: BF089351.D

Acq: 28 Jul 2016 7:26

Tgt Ion: 136 Resp: 192545


Ion Ratio Lower Upper

136 100

137 10.7 8.6 13.0

54 6.8 7.0 10.4#

68 5.1 4.9 7.3






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 104.29 ng
 RT: 7.12 min Scan# 484
 Delta R.T. 0.00 min
 Lab File: BF089351.D
 Acq: 28 Jul 2016 7:26

Instrument :
 BNA_F
 ClientSampleId :
 I-21

Tgt Ion: 82 Resp: 340197
 Ion Ratio Lower Upper
 82 100
 128 46.3 32.5 48.7
 54 44.7 38.8 58.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.58 min Scan# 699
 Delta R.T. 0.00 min
 Lab File: BF089351.D
 Acq: 28 Jul 2016 7:26

Tgt Ion: 164 Resp: 87408
 Ion Ratio Lower Upper
 164 100
 162 109.5 83.7 125.5
 160 49.4 37.8 56.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 163.37 ng
 RT: 10.36 min Scan# 768
 Delta R.T. 0.00 min
 Lab File: BF089351.D
 Acq: 28 Jul 2016 7:26

Instrument :
 BNA_F
 ClientSampleId :
 I-21

Tgt Ion:330 Resp: 118271
 Ion Ratio Lower Upper
 330 100
 332 96.3 76.8 115.2
 141 43.1 37.3 55.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 103.30 ng
 RT: 8.91 min Scan# 641
 Delta R.T. 0.00 min
 Lab File: BF089351.D
 Acq: 28 Jul 2016 7:26

Tgt Ion:172 Resp: 615233
 Ion Ratio Lower Upper
 172 100
 171 35.9 29.2 43.8
 170 23.6 19.2 28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.04 min Scan# 827
Delta R.T. -0.01 min
Lab File: BF089351.D
Acq: 28 Jul 2016 7:26

Instrument :
BNA_F
ClientSampleId :
I-21

Tgt Ion:188 Resp: 176666
Ion Ratio Lower Upper
188 100
94 12.9 6.5 9.7#
80 15.0 7.2 10.8#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.67 min Scan# 1057
Delta R.T. 0.00 min
Lab File: BF089351.D
Acq: 28 Jul 2016 7:26

Tgt Ion:240 Resp: 132604
Ion Ratio Lower Upper
240 100
120 9.1 9.1 13.7#
236 25.2 20.6 30.8



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 95.63 ng
 RT: 12.63 min Scan# 966
 Delta R.T. 0.00 min
 Lab File: BF089351.D
 Acq: 28 Jul 2016 7:26

Instrument :
 BNA_F
 ClientSampleId :
 I-21

Tgt Ion:244 Resp: 541789
 Ion Ratio Lower Upper
 244 100
 212 8.1 6.5 9.7
 122 15.2 11.4 17.0



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.99 min Scan# 1173
 Delta R.T. -0.01 min
 Lab File: BF089351.D
 Acq: 28 Jul 2016 7:26

Tgt Ion:264 Resp: 99742
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.0 28.4
 265 20.6 17.5 26.3

