

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF072916\
 Data File : BF089393.D
 Acq On : 29 Jul 2016 5:58
 Operator : UM/SJ
 Sample : H4157-23RE
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 I-20RE

Quant Time: Jul 29 07:20:57 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF072716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 28 16:02:32 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.52	152	46501	20.00	ng	-0.02
21) Naphthalene-d8	7.82	136	178533	20.00	ng	-0.01
38) Acenaphthene-d10	9.55	164	76319	20.00	ng	-0.02
63) Phenanthrene-d10	11.03	188	120306	20.00	ng	-0.02
75) Chrysene-d12	13.65	240	93280	20.00	ng	-0.02
86) Perylene-d12	14.98	264	71377	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.12	112	378887	130.10	ng	0.01
7) Phenol-d6	6.19	99	479572	124.61	ng	-0.01
23) Nitrobenzene-d5	7.10	82	317257	104.89	ng	-0.02
41) 2,4,6-Tribromophenol	10.34	330	77708	122.94	ng	-0.02
44) 2-Fluorobiphenyl	8.89	172	511504	98.36	ng	-0.02
78) Terphenyl-d14	12.62	244	365699	91.76	ng	-0.01


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF072916\
Data File : BF089393.D
Acq On : 29 Jul 2016 5:58
Operator : UM/SJ
Sample : H4157-23RE
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
I-20RE

Quant Time: Jul 29 07:20:57 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF072716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 28 16:02:32 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.52 min Scan# 432

Delta R.T. -0.02 min

Lab File: BF089393.D

Acq: 29 Jul 2016 5:58

Instrument :

BNA_F

ClientSampleId :

I-20RE


Tgt Ion:152 Resp: 46501

Ion Ratio Lower Upper

152 100

150 161.5 129.5 194.3




115 65.7 51.4 77.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 130.10 ng

RT: 5.12 min Scan# 309

Delta R.T. 0.01 min

Lab File: BF089393.D

Acq: 29 Jul 2016 5:58


Tgt Ion:112 Resp: 378887

Ion Ratio Lower Upper

112 100

64 57.4 55.0 82.6



63 30.8 29.4 44.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 124.61 ng

RT: 6.19 min Scan# 403

Delta R.T. -0.01 min

Lab File: BF089393.D

Acq: 29 Jul 2016 5:58

Instrument :

BNA_F

ClientSampleId :

I-20RE


Tgt Ion: 99 Resp: 479572

Ion Ratio Lower Upper

99 100

42 16.7 13.6 20.4




71 36.6 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.82 min Scan# 545

Delta R.T. -0.01 min

Lab File: BF089393.D

Acq: 29 Jul 2016 5:58

Tgt Ion: 136 Resp: 178533


Ion Ratio Lower Upper

136 100

137 10.4 8.6 13.0

54 5.4 7.0 10.4#

68 4.5 4.9 7.3#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 104.89 ng
 RT: 7.10 min Scan# 482
 Delta R.T. -0.02 min
 Lab File: BF089393.D
 Acq: 29 Jul 2016 5:58

Instrument :
 BNA_F
 ClientSampled :
 I-20RE

Tgt Ion: 82 Resp: 317257
 Ion Ratio Lower Upper
 82 100
 128 39.4 32.5 48.7
 54 49.4 38.8 58.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.55 min Scan# 697
 Delta R.T. -0.02 min
 Lab File: BF089393.D
 Acq: 29 Jul 2016 5:58

Tgt Ion: 164 Resp: 76319
 Ion Ratio Lower Upper
 164 100
 162 104.6 83.7 125.5
 160 45.7 37.8 56.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 122.94 ng
 RT: 10.34 min Scan# 766
 Delta R.T. -0.02 min
 Lab File: BF089393.D
 Acq: 29 Jul 2016 5:58

Instrument :
 BNA_F
 ClientSampleId :
 I-20RE

Tgt Ion:330 Resp: 77708
 Ion Ratio Lower Upper
 330 100
 332 96.0 76.8 115.2
 141 50.1 37.3 55.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 98.36 ng
 RT: 8.89 min Scan# 639
 Delta R.T. -0.02 min
 Lab File: BF089393.D
 Acq: 29 Jul 2016 5:58

Tgt Ion:172 Resp: 511504
 Ion Ratio Lower Upper
 172 100
 171 36.6 29.2 43.8
 170 24.0 19.2 28.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.03 min Scan# 826

Delta R.T. -0.02 min

Lab File: BF089393.D

Acq: 29 Jul 2016 5:58

Instrument :

BNA_F

ClientSampleId :

I-20RE


Tgt Ion:188 Resp: 120306

Ion Ratio Lower Upper

188 100

94 8.3 6.5 9.7




80 9.4 7.2 10.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.65 min Scan# 1055

Delta R.T. -0.02 min

Lab File: BF089393.D

Acq: 29 Jul 2016 5:58


Tgt Ion:240 Resp: 93280

Ion Ratio Lower Upper

240 100

120 12.4 9.1 13.7



236 26.2 20.6 30.8




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 91.76 ng
 RT: 12.62 min Scan# 965
 Delta R.T. -0.01 min
 Lab File: BF089393.D
 Acq: 29 Jul 2016 5:58

Instrument :
 BNA_F
 ClientSampleId :
 I-20RE

Tgt Ion:244 Resp: 365699
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.5 9.7
 122 7.3 11.4 17.0#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.98 min Scan# 1172
 Delta R.T. -0.02 min
 Lab File: BF089393.D
 Acq: 29 Jul 2016 5:58

Tgt Ion:264 Resp: 71377
 Ion Ratio Lower Upper
 264 100
 260 24.2 19.0 28.4
 265 20.3 17.5 26.3

