

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF073016\
 Data File : BF089424.D
 Acq On : 29 Jul 2016 22:39
 Operator : UM/SJ
 Sample : H4221-07
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-48-14.0-15.0

Quant Time: Jul 30 01:07:01 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF072716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jul 30 01:00:15 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.51	152	45054	20.00	ng	0.00
21) Naphthalene-d8	7.80	136	179918	20.00	ng	0.00
38) Acenaphthene-d10	9.54	164	86318	20.00	ng	0.00
63) Phenanthrene-d10	11.02	188	133660	20.00	ng	0.00
75) Chrysene-d12	13.63	240	93832	20.00	ng	0.00
86) Perylene-d12	14.96	264	94419	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.10	112	362903	128.61	ng	0.01
7) Phenol-d6	6.18	99	482619	129.43	ng	0.00
23) Nitrobenzene-d5	7.08	82	284614	93.37	ng	-0.01
41) 2,4,6-Tribromophenol	10.33	330	77888	108.95	ng	0.00
44) 2-Fluorobiphenyl	8.88	172	480482	81.69	ng	0.00
78) Terphenyl-d14	12.59	244	305085	76.10	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.28	163	192658	29.33	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF073016\
Data File : BF089424.D
Acq On : 29 Jul 2016 22:39
Operator : UM/SJ
Sample : H4221-07
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-48-14.0-15.0

Quant Time: Jul 30 01:07:01 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF072716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jul 30 01:00:15 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.51 min Scan# 431

Delta R.T. 0.00 min

Lab File: BF089424.D

Acq: 29 Jul 2016 22:39

Instrument :

BNA_F

ClientSampleId :

SB-48-14.0-15.0


Tgt Ion:152 Resp: 45054

Ion Ratio Lower Upper

152 100

150 159.3 129.5 194.3




115 68.6 51.4 77.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 128.61 ng

RT: 5.10 min Scan# 307

Delta R.T. 0.01 min

Lab File: BF089424.D

Acq: 29 Jul 2016 22:39


Tgt Ion:112 Resp: 362903

Ion Ratio Lower Upper

112 100

64 48.8 55.0 82.6#



63 25.7 29.4 44.2#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 129.43 ng

RT: 6.18 min Scan# 402

Delta R.T. 0.00 min

Lab File: BF089424.D

Acq: 29 Jul 2016 22:39

Instrument :

BNA_F

ClientSampleId :

SB-48-14.0-15.0





Tgt Ion: 99 Resp: 482619

Ion Ratio Lower Upper

99 100

42 13.4 13.6 20.4#

71 32.9 29.4 44.2



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.80 min Scan# 544

Delta R.T. 0.00 min

Lab File: BF089424.D

Acq: 29 Jul 2016 22:39

Tgt Ion: 136 Resp: 179918




Ion Ratio Lower Upper


136 100

137 10.6 8.6 13.0

54 6.0 7.0 10.4#

68 4.9 4.9 7.3









#23
 Nitrobenzene-d5
 Concen: 93.37 ng
 RT: 7.08 min Scan# 481
 Delta R.T. -0.01 min
 Lab File: BF089424.D
 Acq: 29 Jul 2016 22:39

Instrument :
 BNA_F
 ClientSampleId :
 SB-48-14.0-15.0

Tgt Ion	Ratio	Lower	Upper
82	100		
128	38.6	32.5	48.7
54	49.7	38.8	58.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.54 min Scan# 696
 Delta R.T. 0.00 min
 Lab File: BF089424.D
 Acq: 29 Jul 2016 22:39

Tgt Ion	Ratio	Lower	Upper
164	100		
162	106.8	83.7	125.5
160	46.7	37.8	56.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 108.95 ng
 RT: 10.33 min Scan# 765
 Delta R.T. 0.00 min
 Lab File: BF089424.D
 Acq: 29 Jul 2016 22:39




Instrument :
 BNA_F
 ClientSampleId :
 SB-48-14.0-15.0


Tgt Ion:330 Resp: 77888
 Ion Ratio Lower Upper
 330 100
 332 97.8 76.8 115.2
 141 45.7 37.3 55.9



#44
 2-Fluorobiphenyl
 Concen: 81.69 ng
 RT: 8.88 min Scan# 638
 Delta R.T. 0.00 min
 Lab File: BF089424.D
 Acq: 29 Jul 2016 22:39

Tgt Ion:172 Resp: 480482
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.2 43.8
 170 23.3 19.2 28.8









#49
Dimethylphthalate
Concen: 29.33 ng
RT: 9.28 min Scan# 673
Delta R.T. -0.01 min
Lab File: BF089424.D
Acq: 29 Jul 2016 22:39




Instrument :
BNA_F
ClientSampleId :
SB-48-14.0-15.0


Tgt Ion:163 Resp: 192658
Ion Ratio Lower Upper
163 100
194 3.1 2.8 4.2
164 10.1 7.8 11.8



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.02 min Scan# 825
Delta R.T. 0.00 min
Lab File: BF089424.D
Acq: 29 Jul 2016 22:39

Tgt Ion:188 Resp: 133660
Ion Ratio Lower Upper
188 100
94 7.7 6.5 9.7
80 8.5 7.2 10.8





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.63 min Scan# 1054

Delta R.T. 0.00 min

Lab File: BF089424.D

Acq: 29 Jul 2016 22:39

Instrument :

BNA_F

ClientSampleId :

SB-48-14.0-15.0


Tgt Ion:240 Resp: 93832

Ion Ratio Lower Upper

240 100

120 10.2 9.1 13.7




236 24.4 20.6 30.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 76.10 ng

RT: 12.59 min Scan# 963

Delta R.T. -0.01 min

Lab File: BF089424.D

Acq: 29 Jul 2016 22:39


Tgt Ion:244 Resp: 305085

Ion Ratio Lower Upper

244 100

212 8.0 6.5 9.7



122 14.5 11.4 17.0




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 14.96 min Scan# 1170
Delta R.T. -0.01 min
Lab File: BF089424.D
Acq: 29 Jul 2016 22:39

Instrument :
BNA_F
ClientSampleId :
SB-48-14.0-15.0

Tgt Ion: 264 Resp: 94419
Ion Ratio Lower Upper
264 100
260 24.6 19.0 28.4
265 21.4 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

