

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF073115\
 Data File : BF080730.D
 Acq On : 31 Jul 2015 13:03
 Operator : TP/UM
 Sample : PB84659BL
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB84659BL

Quant Time: Aug 01 01:12:15 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF073015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 31 01:45:22 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	157217	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	606757	20.00	ng	-0.01
38) Acenaphthene-d10	9.88	164	275938	20.00	ng	-0.01
63) Phenanthrene-d10	11.37	188	605004	20.00	ng	0.00
75) Chrysene-d12	14.00	240	363788	20.00	ng	0.00
86) Perylene-d12	15.41	264	297368	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.47	112	1236262	134.89	ng	0.02
7) Phenol-d6	6.49	99	1768433	141.74	ng	0.00
23) Nitrobenzene-d5	7.41	82	999475	79.77	ng	-0.01
41) 2,4,6-Tribromophenol	10.67	330	413339	144.36	ng	-0.01
44) 2-Fluorobiphenyl	9.21	172	1815523	98.16	ng	-0.01
78) Terphenyl-d14	12.96	244	1838816	95.60	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF073115\
Data File : BF080730.D
Acq On : 31 Jul 2015 13:03
Operator : TP/UM
Sample : PB84659BL
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB84659BL

Quant Time: Aug 01 01:12:15 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF073015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 31 01:45:22 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.85 min Scan# 417
Delta R.T. 0.00 min
Lab File: BF080730.D
Acq: 31 Jul 2015 13:03

Instrument :
BNA_F
ClientSampleId :
PB84659BL

Tgt Ion:152 Resp: 157217
Ion Ratio Lower Upper
152 100
150 158.6 129.6 194.4
115 63.8 56.6 85.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 134.89 ng
RT: 5.47 min Scan# 296
Delta R.T. 0.02 min
Lab File: BF080730.D
Acq: 31 Jul 2015 13:03

Tgt Ion:112 Resp: 1236262
Ion Ratio Lower Upper
112 100
64 77.1 66.8 100.2
63 42.3 36.7 55.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 141.74 ng

RT: 6.49 min Scan# 385

Delta R.T. 0.00 min

Lab File: BF080730.D

Acq: 31 Jul 2015 13:03

Instrument :

BNA_F

ClientSampleId :

PB84659BL


Tgt Ion: 99 Resp: 1768433

Ion Ratio Lower Upper

99 100

42 22.2 18.2 27.2




71 37.8 29.5 44.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.13 min Scan# 529

Delta R.T. -0.01 min

Lab File: BF080730.D

Acq: 31 Jul 2015 13:03

Tgt Ion: 136 Resp: 606757


Ion Ratio Lower Upper

136 100

137 11.0 8.4 12.6

54 12.1 6.9 10.3#

68 5.9 3.5 5.3#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 79.77 ng

RT: 7.41 min Scan# 466

Delta R.T. -0.01 min

Lab File: BF080730.D

Acq: 31 Jul 2015 13:03

Instrument :

BNA_F

ClientSampleId :

PB84659BL


Tgt Ion: 82 Resp: 999475

Ion Ratio Lower Upper




82 100

128 37.9 31.5 47.3

54 68.7 51.8 77.8



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.88 min Scan# 682

Delta R.T. -0.01 min

Lab File: BF080730.D

Acq: 31 Jul 2015 13:03


Tgt Ion: 164 Resp: 275938

Ion Ratio Lower Upper



164 100


162 106.1 83.4 125.0

160 47.9 38.0 57.0



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 144.36 ng
 RT: 10.67 min Scan# 751
 Delta R.T. -0.01 min
 Lab File: BF080730.D
 Acq: 31 Jul 2015 13:03

Instrument :
 BNA_F
 ClientSampleId :
 PB84659BL

Tgt Ion:330 Resp: 413339
 Ion Ratio Lower Upper
 330 100
 332 96.8 76.6 114.8
 141 38.0 26.0 39.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 98.16 ng
 RT: 9.21 min Scan# 623
 Delta R.T. -0.01 min
 Lab File: BF080730.D
 Acq: 31 Jul 2015 13:03

Tgt Ion:172 Resp: 1815523
 Ion Ratio Lower Upper
 172 100
 171 36.5 30.2 45.4
 170 24.9 20.2 30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.37 min Scan# 812
Delta R.T. 0.00 min
Lab File: BF080730.D
Acq: 31 Jul 2015 13:03




Instrument :
BNA_F
ClientSampleId :
PB84659BL


Tgt Ion:188 Resp: 605004
Ion Ratio Lower Upper
188 100
94 7.0 8.1 12.1#
80 7.2 9.1 13.7#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.00 min Scan# 1042
Delta R.T. 0.00 min
Lab File: BF080730.D
Acq: 31 Jul 2015 13:03

Tgt Ion:240 Resp: 363788
Ion Ratio Lower Upper
240 100
120 6.9 11.8 17.8#
236 26.7 21.8 32.8









#78
 Terphenyl-d14
 Concen: 95.60 ng
 RT: 12.96 min Scan# 951
 Delta R.T. 0.00 min
 Lab File: BF080730.D
 Acq: 31 Jul 2015 13:03

Instrument :
 BNA_F
 ClientSampleId :
 PB84659BL

Tgt Ion:244 Resp: 1838816
 Ion Ratio Lower Upper
 244 100
 212 8.1 5.9 8.9
 122 9.2 6.6 9.8




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.41 min Scan# 1166
 Delta R.T. 0.00 min
 Lab File: BF080730.D
 Acq: 31 Jul 2015 13:03

Tgt Ion:264 Resp: 297368
 Ion Ratio Lower Upper
 264 100
 260 22.8 19.4 29.0
 265 20.9 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

