

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF073124\
 Data File : BF138712.D
 Acq On : 31 Jul 2024 20:07
 Operator : RC/JU
 Sample : P3402-04
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 355

Quant Time: Aug 01 04:34:04 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF073024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 30 17:50:01 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.845	152	56857	20.000	ng	0.00
21) Naphthalene-d8	8.128	136	196806	20.000	ng	0.00
39) Acenaphthene-d10	9.880	164	90762	20.000	ng	0.00
64) Phenanthrene-d10	11.363	188	161629	20.000	ng	0.00
76) Chrysene-d12	14.004	240	114701	20.000	ng	0.00
86) Perylene-d12	15.468	264	88151	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	445185	120.867	ng	0.01
7) Phenol-d6	6.487	99	535469	108.281	ng	0.00
23) Nitrobenzene-d5	7.410	82	350372	87.041	ng	0.00
42) 2,4,6-Tribromophenol	10.669	330	107826	145.032	ng	0.00
45) 2-Fluorobiphenyl	9.198	172	553489	91.626	ng	0.00
79) Terphenyl-d14	12.951	244	673926	98.372	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propyla...	7.410	70	46129	15.444	ng	Qvalue 75
25) Isophorone	7.410	82	347831	50.605	ng	# 66
51) 2,6-Dinitrotoluene	9.880	165	12120	9.254	ng	# 19
57) 2,4-Dinitrotoluene	9.880	165	12120	7.253	ng	# 16
67) 4-Bromophenyl-phenylether	10.669	248	7810	4.463	ng	# 1
77) Benzydine	12.704	184	10324	3.763	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF073124\
Data File : BF138712.D
Acq On : 31 Jul 2024 20:07
Operator : RC/JU
Sample : P3402-04
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
355

Quant Time: Aug 01 04:34:04 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF073024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 30 17:50:01 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.845 min Scan# 808
Delta R.T. 0.000 min
Lab File: BF138712.D
Acq: 31 Jul 2024 20:07




Instrument :
BNA_F
ClientSampleId :
355


Tgt Ion:152 Resp: 56857
Ion Ratio Lower Upper
152 100
150 154.5 126.0 189.0
115 65.8 51.7 77.5



#5
2-Fluorophenol
Concen: 120.867 ng
RT: 5.481 min Scan# 576
Delta R.T. 0.012 min
Lab File: BF138712.D
Acq: 31 Jul 2024 20:07

Tgt Ion:112 Resp: 445185
Ion Ratio Lower Upper
112 100
64 69.8 54.2 81.4
63 37.3 28.7 43.1









#7
Phenol-d6
Concen: 108.281 ng
RT: 6.487 min Scan# 74
Delta R.T. -0.000 min
Lab File: BF138712.D
Acq: 31 Jul 2024 20:07




Instrument :
BNA_F
ClientSampleId :
355


Tgt Ion: 99 Resp: 535469
Ion Ratio Lower Upper
99 100
42 21.9 17.4 26.0
71 36.4 28.1 42.1



#19
n-Nitroso-di-n-propylamine
Concen: 15.444 ng
RT: 7.410 min Scan# 904
Delta R.T. 0.153 min
Lab File: BF138712.D
Acq: 31 Jul 2024 20:07

Tgt Ion: 70 Resp: 46129
Ion Ratio Lower Upper
70 100
42 54.1 57.4 86.0#
101 0.0 7.5 11.3#
130 1.8 16.4 24.6#





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.128 min Scan# 1

Delta R.T. -0.000 min

Lab File: BF138712.D


Acq: 31 Jul 2024 20:07

Instrument :

BNA_F

ClientSampleId :

355



Tgt Ion:136 Resp: 196806




Ion Ratio Lower Upper

136 100

137 10.8 8.9 13.3

54 9.7 8.6 12.8

68 5.9 4.8 7.2



#23

Nitrobenzene-d5

Concen: 87.041 ng

RT: 7.410 min Scan# 904

Delta R.T. -0.000 min

Lab File: BF138712.D

Acq: 31 Jul 2024 20:07




Tgt Ion: 82 Resp: 350372


Ion Ratio Lower Upper

82 100

128 41.7 32.8 49.2

54 58.8 48.3 72.5









#25
Isophorone
Concen: 50.605 ng
RT: 7.410 min Scan# 904
Delta R.T. -0.259 min
Lab File: BF138712.D
Acq: 31 Jul 2024 20:07




Instrument :
BNA_F
ClientSampleId :
355


Tgt Ion: 82 Resp: 347831
Ion Ratio Lower Upper
82 100
95 0.0 5.7 8.5#
138 0.0 13.7 20.5#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.880 min Scan# 1324
Delta R.T. 0.000 min
Lab File: BF138712.D
Acq: 31 Jul 2024 20:07


Tgt Ion: 164 Resp: 90762
Ion Ratio Lower Upper
164 100
162 101.4 79.4 119.0
160 44.7 35.1 52.7








#42
2,4,6-Tribromophenol
Concen: 145.032 ng
RT: 10.669 min Scan# 1458
Delta R.T. -0.000 min
Lab File: BF138712.D
Acq: 31 Jul 2024 20:07


Instrument :
BNA_F
ClientSampleId :
355





Tgt Ion:330 Resp: 107826
Ion Ratio Lower Upper
330 100
332 97.7 76.4 114.6
141 39.1 31.1 46.7




#45
2-Fluorobiphenyl
Concen: 91.626 ng
RT: 9.198 min Scan# 1208
Delta R.T. -0.006 min
Lab File: BF138712.D
Acq: 31 Jul 2024 20:07



Tgt Ion:172 Resp: 553489
Ion Ratio Lower Upper
172 100
171 35.6 28.3 42.5
170 23.7 18.8 28.2









#51
2,6-Dinitrotoluene
Concen: 9.254 ng
RT: 9.880 min Scan# 1324
Delta R.T. 0.212 min
Lab File: BF138712.D
Acq: 31 Jul 2024 20:07




Instrument :
BNA_F
ClientSampleId :
355


Tgt Ion:165 Resp: 12120
Ion Ratio Lower Upper
165 100
63 0.0 52.0 78.0#
89 0.0 47.0 70.6#



#57
2,4-Dinitrotoluene
Concen: 7.253 ng
RT: 9.880 min Scan# 1324
Delta R.T. -0.188 min
Lab File: BF138712.D
Acq: 31 Jul 2024 20:07

Tgt Ion:165 Resp: 12120
Ion Ratio Lower Upper
165 100
63 0.0 46.3 69.5#
89 0.0 64.2 96.4#
182 0.0 2.5 3.7#









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.363 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF138712.D
Acq: 31 Jul 2024 20:07




Instrument :
BNA_F
ClientSampleId :
355


Tgt Ion:188 Resp: 161629
Ion Ratio Lower Upper
188 100
94 10.4 7.6 11.4
80 11.6 8.6 12.8



#67
4-Bromophenyl-phenylether
Concen: 4.463 ng
RT: 10.669 min Scan# 1458
Delta R.T. -0.241 min
Lab File: BF138712.D
Acq: 31 Jul 2024 20:07

Tgt Ion:248 Resp: 7810
Ion Ratio Lower Upper
248 100
250 196.1 77.7 116.5#
141 527.3 68.0 102.0#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.004 min Scan# 20
Delta R.T. -0.000 min
Lab File: BF138712.D
Acq: 31 Jul 2024 20:07




Instrument :
BNA_F
ClientSampleId :
355


Tgt Ion:240 Resp: 114701
Ion Ratio Lower Upper
240 100
120 11.4 10.2 15.4
236 25.3 19.8 29.8



#77
Benzidine
Concen: 3.763 ng
RT: 12.704 min Scan# 1804
Delta R.T. -0.000 min
Lab File: BF138712.D
Acq: 31 Jul 2024 20:07


Tgt Ion:184 Resp: 10324
Ion Ratio Lower Upper
184 100
185 13.8 11.1 16.7
183 13.5 9.6 14.4








#79
 Terphenyl-d14
 Concen: 98.372 ng
 RT: 12.951 min Scan# 1846
 Delta R.T. 0.006 min
 Lab File: BF138712.D
 Acq: 31 Jul 2024 20:07

Instrument :
 BNA_F
 ClientSampleId :
 355



Tgt Ion:244 Resp: 673926
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.4 8.2
 122 11.5 9.6 14.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.468 min Scan# 2274
 Delta R.T. -0.000 min
 Lab File: BF138712.D
 Acq: 31 Jul 2024 20:07

Tgt Ion:264 Resp: 88151
 Ion Ratio Lower Upper
 264 100
 260 24.2 19.0 28.6
 265 21.6 17.0 25.6

