

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF080115\
 Data File : BF080772.D
 Acq On : 1 Aug 2015 10:45
 Operator : TP/UM
 Sample : G3140-04
 Misc :
 ALS Vial : 61 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-1

Quant Time: Aug 03 02:06:51 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF073015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 31 01:45:22 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	140776	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	539648	20.00	ng	-0.01
38) Acenaphthene-d10	9.88	164	255729	20.00	ng	-0.01
63) Phenanthrene-d10	11.37	188	495572	20.00	ng	0.00
75) Chrysene-d12	13.99	240	317229	20.00	ng	-0.01
86) Perylene-d12	15.40	264	289448	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	905396	110.33	ng	0.01
7) Phenol-d6	6.49	99	1433480	128.31	ng	0.00
23) Nitrobenzene-d5	7.41	82	895997	80.40	ng	-0.01
41) 2,4,6-Tribromophenol	10.67	330	338192	127.45	ng	-0.01
44) 2-Fluorobiphenyl	9.21	172	1409509	82.23	ng	-0.01
78) Terphenyl-d14	12.95	244	1305794	77.85	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.61	163	533726	29.62	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF080115\
Data File : BF080772.D
Acq On : 1 Aug 2015 10:45
Operator : TP/UM
Sample : G3140-04
Misc :
ALS Vial : 61 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-1

Quant Time: Aug 03 02:06:51 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF073015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 31 01:45:22 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.85 min Scan# 417

Delta R.T. 0.00 min

Lab File: BF080772.D

Acq: 1 Aug 2015 10:45

Instrument :

BNA_F

ClientSampleId :

SB-1


Tgt Ion:152 Resp: 140776

Ion Ratio Lower Upper

152 100

150 160.3 129.6 194.4




115 63.6 56.6 85.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 110.33 ng

RT: 5.46 min Scan# 295

Delta R.T. 0.01 min

Lab File: BF080772.D

Acq: 1 Aug 2015 10:45


Tgt Ion:112 Resp: 905396

Ion Ratio Lower Upper

112 100

64 83.0 66.8 100.2



63 45.4 36.7 55.1




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 128.31 ng

RT: 6.49 min Scan# 385

Delta R.T. 0.00 min

Lab File: BF080772.D

Acq: 1 Aug 2015 10:45

Instrument :





BNA_F

ClientSampleId :

SB-1

Tgt Ion: 99 Resp: 1433480

Ion	Ratio	Lower	Upper
99	100		
42	18.2	18.2	27.2#
71	34.5	29.5	44.3



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.13 min Scan# 529




Delta R.T. -0.01 min


Lab File: BF080772.D

Acq: 1 Aug 2015 10:45

Tgt Ion: 136 Resp: 539648

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.4	12.6
54	11.5	6.9	10.3#
68	5.5	3.5	5.3#









#23
 Nitrobenzene-d5
 Concen: 80.40 ng
 RT: 7.41 min Scan# 466
 Delta R.T. -0.01 min
 Lab File: BF080772.D
 Acq: 1 Aug 2015 10:45




Instrument :
 BNA_F
 ClientSampled :
 SB-1


Tgt Ion: 82 Resp: 895997
 Ion Ratio Lower Upper
 82 100
 128 37.7 31.5 47.3
 54 68.9 51.8 77.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.88 min Scan# 682
 Delta R.T. -0.01 min
 Lab File: BF080772.D
 Acq: 1 Aug 2015 10:45

Tgt Ion: 164 Resp: 255729
 Ion Ratio Lower Upper
 164 100
 162 103.2 83.4 125.0
 160 46.8 38.0 57.0









#41
 2,4,6-Tribromophenol
 Concen: 127.45 ng
 RT: 10.67 min Scan# 751
 Delta R.T. -0.01 min
 Lab File: BF080772.D
 Acq: 1 Aug 2015 10:45

Instrument :
 BNA_F
 ClientSampled :
 SB-1

Tgt Ion	Ratio	Lower	Upper
330	100		
332	95.0	76.6	114.8
141	40.9	26.0	39.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 82.23 ng
 RT: 9.21 min Scan# 623
 Delta R.T. -0.01 min
 Lab File: BF080772.D
 Acq: 1 Aug 2015 10:45

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.6	30.2	45.4
170	24.7	20.2	30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 29.62 ng

RT: 9.61 min Scan# 658

Delta R.T. -0.01 min

Lab File: BF080772.D

Acq: 1 Aug 2015 10:45

Instrument :

BNA_F

ClientSampleId :

SB-1


Tgt Ion:163 Resp: 533726

Ion Ratio Lower Upper

163 100

194 3.5 2.7 4.1




164 10.2 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.37 min Scan# 812

Delta R.T. 0.00 min

Lab File: BF080772.D

Acq: 1 Aug 2015 10:45


Tgt Ion:188 Resp: 495572

Ion Ratio Lower Upper

188 100

94 5.3 8.1 12.1#



80 5.6 9.1 13.7#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.99 min Scan# 1041

Delta R.T. -0.01 min

Lab File: BF080772.D

Acq: 1 Aug 2015 10:45

Instrument :

BNA_F

ClientSampleId :

SB-1


Tgt Ion:240 Resp: 317229

Ion Ratio Lower Upper

240 100

120 13.0 11.8 17.8




236 26.6 21.8 32.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 77.85 ng

RT: 12.95 min Scan# 950

Delta R.T. -0.01 min

Lab File: BF080772.D

Acq: 1 Aug 2015 10:45


Tgt Ion:244 Resp: 1305794

Ion Ratio Lower Upper

244 100

212 8.2 5.9 8.9



122 13.8 6.6 9.8#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Perylene-d12

Concen: 20.00 ng

RT: 15.40 min Scan# 1165

Delta R.T. -0.01 min

Lab File: BF080772.D

Acq: 1 Aug 2015 10:45

Instrument :

BNA_F

ClientSampleId :

SB-1

Tgt Ion:264 Resp: 289448

Ion Ratio Lower Upper

264 100

260 23.0 19.4 29.0

265 21.9 17.3 25.9

