

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF080115\
 Data File : BF080785.D
 Acq On : 1 Aug 2015 17:28
 Operator : TP/UM
 Sample : G3127-17
 Misc :
 ALS Vial : 71 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 RAMP-AC-4(0-2)

Quant Time: Aug 03 13:41:27 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF073015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 31 01:45:22 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	111313	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	405800	20.00	ng	-0.01
38) Acenaphthene-d10	9.88	164	176997	20.00	ng	-0.01
63) Phenanthrene-d10	11.37	188	310893	20.00	ng	0.00
75) Chrysene-d12	13.99	240	196295	20.00	ng	-0.01
86) Perylene-d12	15.40	264	228673	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	731974	112.81	ng	0.01
7) Phenol-d6	6.48	99	830094	93.97	ng	-0.01
23) Nitrobenzene-d5	7.41	82	657210	78.43	ng	-0.01
41) 2,4,6-Tribromophenol	10.67	330	208160	113.34	ng	-0.01
44) 2-Fluorobiphenyl	9.21	172	898871	75.76	ng	-0.01
78) Terphenyl-d14	12.95	244	601250	57.93	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.61	163	252824	20.27	ng	Qvalue 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF080115\
Data File : BF080785.D
Acq On : 1 Aug 2015 17:28
Operator : TP/UM
Sample : G3127-17
Misc :
ALS Vial : 71 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
RAMP-AC-4(0-2)

Quant Time: Aug 03 13:41:27 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF073015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 31 01:45:22 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.85 min Scan# 417
Delta R.T. -0.00 min
Lab File: BF080785.D
Acq: 1 Aug 2015 17:28

Instrument :
BNA_F
ClientSampleId :
RAMP-AC-4(0-2)

Tgt Ion:152 Resp: 111313
Ion Ratio Lower Upper
152 100
150 157.9 129.6 194.4
115 62.9 56.6 85.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 112.81 ng
RT: 5.46 min Scan# 295
Delta R.T. 0.01 min
Lab File: BF080785.D
Acq: 1 Aug 2015 17:28

Tgt Ion:112 Resp: 731974
Ion Ratio Lower Upper
112 100
64 70.3 66.8 100.2
63 38.3 36.7 55.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 93.97 ng

RT: 6.48 min Scan# 384

Delta R.T. -0.01 min

Lab File: BF080785.D

Acq: 1 Aug 2015 17:28

Instrument :

BNA_F

ClientSampleId :

RAMP-AC-4(0-2)


Tgt Ion: 99 Resp: 830094

Ion Ratio Lower Upper

99 100

42 26.7 18.2 27.2




71 40.9 29.5 44.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.13 min Scan# 529

Delta R.T. -0.01 min

Lab File: BF080785.D

Acq: 1 Aug 2015 17:28

Tgt Ion: 136 Resp: 405800


Ion Ratio Lower Upper

136 100

137 10.7 8.4 12.6

54 11.0 6.9 10.3#

68 5.0 3.5 5.3






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 78.43 ng
 RT: 7.41 min Scan# 466
 Delta R.T. -0.01 min
 Lab File: BF080785.D
 Acq: 1 Aug 2015 17:28

Instrument :
 BNA_F
 ClientSampleId :
 RAMP-AC-4(0-2)

Tgt Ion: 82 Resp: 657210
 Ion Ratio Lower Upper
 82 100
 128 39.2 31.5 47.3
 54 65.4 51.8 77.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.88 min Scan# 682
 Delta R.T. -0.01 min
 Lab File: BF080785.D
 Acq: 1 Aug 2015 17:28

Tgt Ion: 164 Resp: 176997
 Ion Ratio Lower Upper
 164 100
 162 106.3 83.4 125.0
 160 48.0 38.0 57.0



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 113.34 ng
 RT: 10.67 min Scan# 751
 Delta R.T. -0.01 min
 Lab File: BF080785.D
 Acq: 1 Aug 2015 17:28




Instrument :
 BNA_F
 ClientSampleId :
 RAMP-AC-4(0-2)


Tgt Ion	Ratio	Lower	Upper
330	100		
332	92.6	76.6	114.8
141	32.9	26.0	39.0



#44
 2-Fluorobiphenyl
 Concen: 75.76 ng
 RT: 9.21 min Scan# 623
 Delta R.T. -0.01 min
 Lab File: BF080785.D
 Acq: 1 Aug 2015 17:28

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.2	30.2	45.4
170	24.8	20.2	30.2





#49

Dimethylphthalate

Concen: 20.27 ng

RT: 9.61 min Scan# 658

Delta R.T. -0.01 min

Lab File: BF080785.D

Acq: 1 Aug 2015 17:28

Instrument :

BNA_F

ClientSampleId :

RAMP-AC-4(0-2)


Tgt Ion:163 Resp: 252824

Ion Ratio Lower Upper

163 100

194 3.8 2.7 4.1




164 9.1 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.37 min Scan# 812

Delta R.T. -0.00 min

Lab File: BF080785.D

Acq: 1 Aug 2015 17:28


Tgt Ion:188 Resp: 310893

Ion Ratio Lower Upper

188 100

94 5.3 8.1 12.1#



80 5.6 9.1 13.7#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.99 min Scan# 1041

Delta R.T. -0.01 min

Lab File: BF080785.D

Acq: 1 Aug 2015 17:28

Instrument :

BNA_F

ClientSampleId :

RAMP-AC-4(0-2)


Tgt Ion:240 Resp: 196295

Ion Ratio Lower Upper

240 100

120 13.0 11.8 17.8




236 25.9 21.8 32.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 57.93 ng

RT: 12.95 min Scan# 950

Delta R.T. -0.01 min

Lab File: BF080785.D

Acq: 1 Aug 2015 17:28


Tgt Ion:244 Resp: 601250

Ion Ratio Lower Upper

244 100

212 7.8 5.9 8.9



122 11.5 6.6 9.8#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.40 min Scan# 1165
Delta R.T. -0.01 min
Lab File: BF080785.D
Acq: 1 Aug 2015 17:28

Instrument :
BNA_F
ClientSampleId :
RAMP-AC-4(0-2)

Tgt Ion:	264	Resp:	228673
Ion	Ratio	Lower	Upper
264	100		
260	22.2	19.4	29.0
265	20.7	17.3	25.9

