

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF080115\
 Data File : BF080786.D
 Acq On : 1 Aug 2015 17:59
 Operator : TP/UM
 Sample : G3125-11
 Misc :
 ALS Vial : 72 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 WEST-ABUT-7(0-2)

Quant Time: Aug 03 05:00:11 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF073015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 31 01:45:22 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	105506	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	391800	20.00	ng	-0.01
38) Acenaphthene-d10	9.88	164	175153	20.00	ng	-0.01
63) Phenanthrene-d10	11.37	188	295953	20.00	ng	0.00
75) Chrysene-d12	13.99	240	188204	20.00	ng	-0.01
86) Perylene-d12	15.40	264	219710	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	532652	86.61	ng	0.01
7) Phenol-d6	6.48	99	715788	85.49	ng	-0.01
23) Nitrobenzene-d5	7.41	82	486488	60.13	ng	-0.01
41) 2,4,6-Tribromophenol	10.67	330	167592	92.21	ng	-0.01
44) 2-Fluorobiphenyl	9.21	172	752925	64.13	ng	-0.01
78) Terphenyl-d14	12.94	244	547925	55.06	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.61	163	242674	19.66	ng	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF080115\
Data File : BF080786.D
Acq On : 1 Aug 2015 17:59
Operator : TP/UM
Sample : G3125-11
Misc :
ALS Vial : 72 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
WEST-ABUT-7(0-2)

Quant Time: Aug 03 05:00:11 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF073015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 31 01:45:22 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.85 min Scan# 417

Delta R.T. -0.00 min

Lab File: BF080786.D

Acq: 1 Aug 2015 17:59

Instrument :

BNA_F

ClientSampleId :

WEST-ABUT-7(0-2)


Tgt Ion:152 Resp: 105506

Ion Ratio Lower Upper

152 100

150 153.9 129.6 194.4




115 62.3 56.6 85.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 86.61 ng

RT: 5.46 min Scan# 295

Delta R.T. 0.01 min

Lab File: BF080786.D

Acq: 1 Aug 2015 17:59


Tgt Ion:112 Resp: 532652

Ion Ratio Lower Upper

112 100

64 74.7 66.8 100.2



63 41.8 36.7 55.1




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 85.49 ng

RT: 6.48 min Scan# 384

Delta R.T. -0.01 min

Lab File: BF080786.D

Acq: 1 Aug 2015 17:59

Instrument :

BNA_F

ClientSampleId :

WEST-ABUT-7(0-2)





Tgt Ion: 99 Resp: 715788

Ion Ratio Lower Upper

99 100

42 24.7 18.2 27.2

71 40.1 29.5 44.3



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.13 min Scan# 529

Delta R.T. -0.01 min

Lab File: BF080786.D

Acq: 1 Aug 2015 17:59

Tgt Ion: 136 Resp: 391800




Ion Ratio Lower Upper


136 100

137 10.7 8.4 12.6

54 10.9 6.9 10.3#

68 4.9 3.5 5.3









#23
 Nitrobenzene-d5
 Concen: 60.13 ng
 RT: 7.41 min Scan# 466
 Delta R.T. -0.01 min
 Lab File: BF080786.D
 Acq: 1 Aug 2015 17:59

Instrument :
 BNA_F
 ClientSampleId :
 WEST-ABUT-7(0-2)

Tgt Ion: 82 Resp: 486488
 Ion Ratio Lower Upper
 82 100
 128 43.4 31.5 47.3
 54 59.4 51.8 77.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.88 min Scan# 682
 Delta R.T. -0.01 min
 Lab File: BF080786.D
 Acq: 1 Aug 2015 17:59

Tgt Ion: 164 Resp: 175153
 Ion Ratio Lower Upper
 164 100
 162 103.5 83.4 125.0
 160 46.5 38.0 57.0



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 92.21 ng
 RT: 10.67 min Scan# 751
 Delta R.T. -0.01 min
 Lab File: BF080786.D
 Acq: 1 Aug 2015 17:59

Instrument :
 BNA_F
 ClientSampleId :
 WEST-ABUT-7(0-2)

Tgt Ion:330 Resp: 167592
 Ion Ratio Lower Upper
 330 100
 332 96.3 76.6 114.8
 141 35.4 26.0 39.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 64.13 ng
 RT: 9.21 min Scan# 623
 Delta R.T. -0.01 min
 Lab File: BF080786.D
 Acq: 1 Aug 2015 17:59

Tgt Ion:172 Resp: 752925
 Ion Ratio Lower Upper
 172 100
 171 36.1 30.2 45.4
 170 24.7 20.2 30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 19.66 ng

RT: 9.61 min Scan# 658

Delta R.T. -0.01 min

Lab File: BF080786.D

Acq: 1 Aug 2015 17:59

Instrument :

BNA_F

ClientSampleId :

WEST-ABUT-7(0-2)


Tgt Ion:163 Resp: 242674

Ion Ratio Lower Upper

163 100

194 3.8 2.7 4.1




164 9.5 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.37 min Scan# 812

Delta R.T. -0.00 min

Lab File: BF080786.D

Acq: 1 Aug 2015 17:59


Tgt Ion:188 Resp: 295953

Ion Ratio Lower Upper

188 100

94 5.0 8.1 12.1#



80 5.5 9.1 13.7#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.99 min Scan# 1041

Delta R.T. -0.01 min

Lab File: BF080786.D

Acq: 1 Aug 2015 17:59

Instrument :

BNA_F

ClientSampleId :

WEST-ABUT-7(0-2)


Tgt Ion:240 Resp: 188204

Ion Ratio Lower Upper

240 100

120 12.7 11.8 17.8




236 26.8 21.8 32.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 55.06 ng

RT: 12.94 min Scan# 950

Delta R.T. -0.01 min

Lab File: BF080786.D

Acq: 1 Aug 2015 17:59


Tgt Ion:244 Resp: 547925

Ion Ratio Lower Upper

244 100

212 8.0 5.9 8.9



122 10.6 6.6 9.8#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.40 min Scan# 1165
Delta R.T. -0.01 min
Lab File: BF080786.D
Acq: 1 Aug 2015 17:59

Instrument :
BNA_F
ClientSampleId :
WEST-ABUT-7(0-2)

Tgt Ion:	264	Resp:	219710
Ion	Ratio	Lower	Upper
264	100		
260	22.1	19.4	29.0
265	22.2	17.3	25.9

