

Data Path : Z:\HPCHEM1\BNA F\DATA\BF080116\
 Data File : BF089509.D
 Acq On : 1 Aug 2016 14:06
 Operator : UM/SJ
 Sample : H4285-01
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 AB-SLOPE(0-4)K

Quant Time: Aug 02 02:26:55 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072716.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 02 02:21:57 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.48	152	41327	20.00	ng	0.00
21) Naphthalene-d8	7.77	136	168009	20.00	ng	0.00
38) Acenaphthene-d10	9.51	164	83841	20.00	ng	-0.01
63) Phenanthrene-d10	10.98	188	149588	20.00	ng	0.00
75) Chrysene-d12	13.60	240	94564	20.00	ng	-0.01
86) Perylene-d12	14.93	264	70542	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.05	112	352404	136.16	ng	0.01
7) Phenol-d6	6.15	99	503496	147.20	ng	0.00
23) Nitrobenzene-d5	7.05	82	294227	103.37	ng	-0.01
41) 2,4,6-Tribromophenol	10.30	330	74008	106.58	ng	-0.01
44) 2-Fluorobiphenyl	8.84	172	460656	80.63	ng	-0.01
78) Terphenyl-d14	12.56	244	306760	75.92	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.24	163	81693	12.80	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF080116\
Data File : BF089509.D
Acq On : 1 Aug 2016 14:06
Operator : UM/SJ
Sample : H4285-01
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
AB-SLOPE(0-4)K

Quant Time: Aug 02 02:26:55 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF072716.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 02 02:21:57 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.48 min Scan# 428

Delta R.T. -0.00 min

Lab File: BF089509.D

Acq: 1 Aug 2016 14:06

Instrument :

BNA_F

ClientSampleId :

AB-SLOPE(0-4)K


Tot Ion:152 Resp: 41327

Ion Ratio Lower Upper

152 100

150 160.1 129.5 194.3




115 68.3 51.4 77.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 136.16 ng

RT: 5.05 min Scan# 303

Delta R.T. 0.01 min

Lab File: BF089509.D

Acq: 1 Aug 2016 14:06


Tgt Ion:112 Resp: 352404

Ion Ratio Lower Upper

112 100

64 63.4 55.0 82.6



63 33.5 29.4 44.2




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 147.20 ng

RT: 6.15 min Scan# 399

Delta R.T. -0.00 min

Lab File: BF089509.D

Acq: 1 Aug 2016 14:06

Instrument :

BNA_F

ClientSampleId :

AB-SLOPE(0-4)K


Tot Ion: 99 Resp: 503496

Ion Ratio Lower Upper

99 100

42 17.7 13.6 20.4




71 37.4 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.77 min Scan# 541

Delta R.T. -0.00 min

Lab File: BF089509.D

Acq: 1 Aug 2016 14:06

Tgt Ion: 136 Resp: 168009


Ion Ratio Lower Upper

136 100

137 10.4 8.6 13.0

54 5.6 7.0 10.4#

68 4.7 4.9 7.3#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 103.37 ng
 RT: 7.05 min Scan# 478
 Delta R.T. -0.01 min
 Lab File: BF089509.D
 Acq: 1 Aug 2016 14:06




Instrument :
 BNA_F
 ClientSampleId :
 AB-SLOPE(0-4)K


Tot Ion	82	Resp	294227
Ion Ratio	100	Lower	Upper
128	38.1	32.5	48.7
54	50.4	38.8	58.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.51 min Scan# 693
 Delta R.T. -0.01 min
 Lab File: BF089509.D
 Acq: 1 Aug 2016 14:06

Tgt Ion	164	Resp	83841
Ion Ratio	100	Lower	Upper
162	104.0	83.7	125.5
160	46.5	37.8	56.6









#41
 2,4,6-Tribromophenol
 Concen: 106.58 ng
 RT: 10.30 min Scan# 762
 Delta R.T. -0.01 min
 Lab File: BF089509.D
 Acq: 1 Aug 2016 14:06




Instrument :
 BNA_F
 ClientSampleId :
 AB-SLOPE(0-4)K


Tot Ion:330 Resp: 74008
 Ion Ratio Lower Upper
 330 100
 332 96.4 76.8 115.2
 141 46.6 37.3 55.9



#44
 2-Fluorobiphenyl
 Concen: 80.63 ng
 RT: 8.84 min Scan# 635
 Delta R.T. -0.01 min
 Lab File: BF089509.D
 Acq: 1 Aug 2016 14:06

Tgt Ion:172 Resp: 460656
 Ion Ratio Lower Upper
 172 100
 171 36.1 29.2 43.8
 170 24.0 19.2 28.8





#49

Dimethylphthalate

Concen: 12.80 ng

RT: 9.24 min Scan# 670

Delta R.T. -0.02 min

Lab File: BF089509.D

Acq: 1 Aug 2016 14:06

Instrument :

BNA_F

ClientSampleId :

AB-SLOPE(0-4)K


Tot Ion:163 Resp: 81693

Ion Ratio Lower Upper

163 100

194 3.1 2.8 4.2




164 10.6 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 10.98 min Scan# 822

Delta R.T. -0.00 min

Lab File: BF089509.D

Acq: 1 Aug 2016 14:06


Tgt Ion:188 Resp: 149588

Ion Ratio Lower Upper

188 100

94 7.9 6.5 9.7



80 8.7 7.2 10.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.60 min Scan# 1051

Delta R.T. -0.01 min

Lab File: BF089509.D

Acq: 1 Aug 2016 14:06

Instrument :

BNA_F

ClientSampleId :

AB-SLOPE(0-4)K


Tot Ion:240 Resp: 94564

Ion Ratio Lower Upper

240 100

120 10.8 9.1 13.7




236 24.9 20.6 30.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 75.92 ng

RT: 12.56 min Scan# 960

Delta R.T. -0.01 min

Lab File: BF089509.D

Acq: 1 Aug 2016 14:06


Tgt Ion:244 Resp: 306760

Ion Ratio Lower Upper

244 100

212 8.2 6.5 9.7



122 18.3 11.4 17.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 14.93 min Scan# 1167
 Delta R.T. -0.01 min
 Lab File: BF089509.D
 Acq: 1 Aug 2016 14:06

Instrument :
 BNA_F
 ClientSampleId :
 AB-SLOPE(0-4)K

Tot Ion:264 Resp: 70542
 Ion Ratio Lower Upper
 264 100
 260 23.8 19.0 28.4
 265 21.6 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

