

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF080119\
 Data File : BF115915.D
 Acq On : 1 Aug 2019 19:15
 Operator : HP/JU
 Sample : K4066-02
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-1-A

Quant Time: Aug 02 05:01:14 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 31 15:31:51 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	153622	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	579654	20.00	ng	0.00
39) Acenaphthene-d10	9.89	164	293297	20.00	ng	0.00
64) Phenanthrene-d10	11.38	188	462045	20.00	ng	0.00
76) Chrysene-d12	14.02	240	295565	20.00	ng	0.00
87) Perylene-d12	15.49	264	362196	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	1021570	111.32	ng	0.02
7) Phenol-d6	6.49	99	1224411	105.75	ng	0.00
23) Nitrobenzene-d5	7.42	82	915144	91.13	ng	0.00
42) 2,4,6-Tribromophenol	10.69	330	349611	122.95	ng	0.00
45) 2-Fluorobiphenyl	9.22	172	1500832	95.85	ng	0.00
79) Terphenyl-d14	12.96	244	1322417	94.28	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.42	70	123163	17.167	ng	# 77
25) Isophorone	7.42	82	915138	47.659	ng	# 66
50) Dimethylphthalate	9.60	163	75911	3.801	ng	# 99
51) 2,6-Dinitrotoluene	9.89	165	37357	8.608	ng	# 28
57) 2,4-Dinitrotoluene	9.89	165	37357	6.465	ng	# 25
67) 4-Bromophenyl-phenylether	10.69	248	21546	4.356	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF080119\
Data File : BF115915.D
Acq On : 1 Aug 2019 19:15
Operator : HP/JU
Sample : K4066-02
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-1-A

Quant Time: Aug 02 05:01:14 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 31 15:31:51 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.85 min Scan# 810
Delta R.T. 0.00 min
Lab File: BF115915.D
Acq: 1 Aug 2019 19:15

Instrument :
BNA_F
ClientSampleId :
TP-1-A

Tgt Ion:152 Resp: 153622
Ion Ratio Lower Upper
152 100
150 157.2 127.4 191.0
115 63.4 51.8 77.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 111.323 ng
RT: 5.49 min Scan# 578
Delta R.T. 0.02 min
Lab File: BF115915.D
Acq: 1 Aug 2019 19:15

Tgt Ion:112 Resp: 1021570
Ion Ratio Lower Upper
112 100
64 58.9 46.8 70.2
63 30.3 24.2 36.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 105.754 ng

RT: 6.49 min Scan# 749

Delta R.T. 0.01 min

Lab File: BF115915.D

Acq: 1 Aug 2019 19:15

Instrument :

BNA_F

ClientSampled :

TP-1-A


Tgt Ion: 99 Resp: 1224411

Ion Ratio Lower Upper

99 100

42 16.8 13.8 20.6



71 33.7 27.1 40.7



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 17.167 ng

RT: 7.42 min Scan# 906

Delta R.T. 0.15 min

Lab File: BF115915.D

Acq: 1 Aug 2019 19:15

Tgt Ion: 70 Resp: 123163


Ion Ratio Lower Upper

70 100

42 42.6 41.8 62.8

101 0.0 7.7 11.5#

130 2.3 17.8 26.6#






Abundance Ion 70.00 (69.70 to 70.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 101.00 (100.70 to 101.70): BF1

Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.13 min Scan# 1028
Delta R.T. 0.00 min
Lab File: BF115915.D
Acq: 1 Aug 2019 19:15

Instrument :
BNA_F
ClientSampleId :
TP-1-A

Tgt Ion:	136	Resp:	579654
Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.1	13.7
54	7.0	6.1	9.1
68	5.9	5.4	8.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1





#23
Nitrobenzene-d5
Concen: 91.132 ng
RT: 7.42 min Scan# 906
Delta R.T. 0.00 min
Lab File: BF115915.D
Acq: 1 Aug 2019 19:15

Tgt Ion:	82	Resp:	915144
Ion	Ratio	Lower	Upper
82	100		
128	46.1	36.6	55.0
54	44.9	36.6	55.0



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 47.659 ng

RT: 7.42 min Scan# 906

Delta R.T. -0.26 min

Lab File: BF115915.D

Acq: 1 Aug 2019 19:15

Instrument :

BNA_F

ClientSampleId :

TP-1-A


Tgt Ion: 82 Resp: 915138

Ion Ratio Lower Upper

82 100

95 0.0 5.5 8.3#




138 0.0 13.9 20.9#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.89 min Scan# 1327

Delta R.T. -0.01 min

Lab File: BF115915.D

Acq: 1 Aug 2019 19:15


Tgt Ion: 164 Resp: 293297

Ion Ratio Lower Upper

164 100

162 99.8 80.8 121.2



160 45.8 36.2 54.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E








#42
 2,4,6-Tribromophenol
 Concen: 122.947 ng
 RT: 10.69 min Scan# 1462
 Delta R.T. 0.00 min
 Lab File: BF115915.D
 Acq: 1 Aug 2019 19:15

Instrument :
 BNA_F
 ClientSampleId :
 TP-1-A

Tgt Ion:330 Resp: 349611
 Ion Ratio Lower Upper
 330 100
 332 96.8 77.7 116.5
 141 33.4 28.1 42.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 95.847 ng
 RT: 9.22 min Scan# 1212
 Delta R.T. 0.00 min
 Lab File: BF115915.D
 Acq: 1 Aug 2019 19:15

Tgt Ion:172 Resp: 1500832
 Ion Ratio Lower Upper
 172 100
 171 36.7 29.1 43.7
 170 25.2 20.1 30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 3.801 ng

RT: 9.60 min Scan# 1278

Delta R.T. -0.01 min

Lab File: BF115915.D

Acq: 1 Aug 2019 19:15

Instrument :

BNA_F

ClientSampleId :

TP-1-A


Tgt Ion:163 Resp: 75911

Ion Ratio Lower Upper

163 100

194 3.9 3.0 4.6




164 10.0 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#51

2,6-Dinitrotoluene

Concen: 8.608 ng

RT: 9.89 min Scan# 1327

Delta R.T. 0.21 min

Lab File: BF115915.D

Acq: 1 Aug 2019 19:15


Tgt Ion:165 Resp: 37357

Ion Ratio Lower Upper

165 100

63 0.9 39.4 59.2#



89 1.6 43.0 64.6#




Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1





#57

2,4-Dinitrotoluene

Concen: 6.465 ng

RT: 9.89 min Scan# 1327

Delta R.T. -0.19 min

Lab File: BF115915.D

Acq: 1 Aug 2019 19:15

Instrument :

BNA_F

ClientSampleId :

TP-1-A

Tgt Ion:165 Resp: 37357


Ion Ratio Lower Upper

165 100

63 0.9 33.2 49.8#

89 1.6 57.3 85.9#

182 0.0 2.1 3.1#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.38 min Scan# 1580

Delta R.T. 0.00 min

Lab File: BF115915.D

Acq: 1 Aug 2019 19:15


Tgt Ion:188 Resp: 462045

Ion Ratio Lower Upper

188 100

94 9.0 8.0 12.0



80 9.6 8.6 12.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1









#67
 4-Bromophenyl-phenylether
 Concen: 4.356 ng
 RT: 10.69 min Scan# 1462
 Delta R.T. -0.24 min
 Lab File: BF115915.D
 Acq: 1 Aug 2019 19:15

Instrument :
 BNA_F
 ClientSampled :
 TP-1-A

Tgt Ion:248 Resp: 21546
 Ion Ratio Lower Upper
 248 100
 250 207.3 77.8 116.6#
 141 490.5 64.3 96.5#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 14.02 min Scan# 2029
 Delta R.T. -0.01 min
 Lab File: BF115915.D
 Acq: 1 Aug 2019 19:15

Tgt Ion:240 Resp: 295565
 Ion Ratio Lower Upper
 240 100
 120 10.5 8.5 12.7
 236 27.2 22.2 33.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 94.279 ng
 RT: 12.96 min Scan# 1849
 Delta R.T. -0.01 min
 Lab File: BF115915.D
 Acq: 1 Aug 2019 19:15

Instrument :
 BNA_F
 ClientSampleId :
 TP-1-A

Tgt Ion:244 Resp: 1322417
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.6 8.4
 122 12.1 8.6 13.0



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.49 min Scan# 2279
 Delta R.T. 0.00 min
 Lab File: BF115915.D
 Acq: 1 Aug 2019 19:15

Tgt Ion:264 Resp: 362196
 Ion Ratio Lower Upper
 264 100
 260 24.6 19.4 29.2
 265 21.7 17.5 26.3

