

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080119\
 Data File : BF115916.D
 Acq On : 1 Aug 2019 19:42
 Operator : HP/JU
 Sample : K4066-12
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-12

Quant Time: Aug 02 06:43:09 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 31 15:31:51 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	137046	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	516434	20.00	ng	0.00
39) Acenaphthene-d10	9.89	164	268784	20.00	ng	0.00
64) Phenanthrene-d10	11.38	188	423836	20.00	ng	0.00
76) Chrysene-d12	14.02	240	282531	20.00	ng	0.00
87) Perylene-d12	15.49	264	341950	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	945524	115.50	ng	0.02
7) Phenol-d6	6.49	99	1119360	108.37	ng	0.00
23) Nitrobenzene-d5	7.42	82	850737	95.09	ng	0.00
42) 2,4,6-Tribromophenol	10.69	330	331575	127.24	ng	0.00
45) 2-Fluorobiphenyl	9.22	172	1435382	100.03	ng	0.00
79) Terphenyl-d14	12.96	244	1286094	95.92	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.60	163	54311	2.968	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080119\
Data File : BF115916.D
Acq On : 1 Aug 2019 19:42
Operator : HP/JU
Sample : K4066-12
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-12

Quant Time: Aug 02 06:43:09 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 31 15:31:51 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.85 min Scan# 810
Delta R.T. 0.00 min
Lab File: BF115916.D
Acq: 1 Aug 2019 19:42

Instrument :
BNA_F
ClientSampleId :
TP-12




Tot Ion:152 Resp: 137046
Ion Ratio Lower Upper
152 100
150 156.6 127.4 191.0
115 62.4 51.8 77.8




#5

2-Fluorophenol
Concen: 115.499 ng
RT: 5.49 min Scan# 578
Delta R.T. 0.02 min
Lab File: BF115916.D
Acq: 1 Aug 2019 19:42

Tgt Ion:112 Resp: 945524
Ion Ratio Lower Upper
112 100
64 59.5 46.8 70.2
63 30.8 24.2 36.2





#7

Phenol-d6

Concen: 108.374 ng

RT: 6.49 min Scan# 748

Delta R.T. 0.00 min

Lab File: BF115916.D

Acq: 1 Aug 2019 19:42

Instrument :


BNA_F

ClientSampleId :

TP-12

Tot Ion: 99 Resp: 1119360

Ion	Ratio	Lower	Upper
99	100		
42	17.6	13.8	20.6
71	34.4	27.1	40.7






Abundance

Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.13 min Scan# 1028


Delta R.T. 0.00 min

Lab File: BF115916.D

Acq: 1 Aug 2019 19:42

Tgt Ion: 136 Resp: 516434

Ion	Ratio	Lower	Upper
136	100		
137	11.1	9.1	13.7
54	6.9	6.1	9.1
68	5.7	5.4	8.2





Abundance


Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 95.089 ng
RT: 7.42 min Scan# 906
Delta R.T. 0.00 min
Lab File: BF115916.D
Acq: 1 Aug 2019 19:42




Instrument :
BNA_F
ClientSampleId :
TP-12


Tot Ion: 82 Resp: 850737
Ion Ratio Lower Upper
82 100
128 47.3 36.6 55.0
54 44.9 36.6 55.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.89 min Scan# 1327
Delta R.T. -0.01 min
Lab File: BF115916.D
Acq: 1 Aug 2019 19:42

Tgt Ion:164 Resp: 268784
Ion Ratio Lower Upper
164 100
162 103.4 80.8 121.2
160 47.5 36.2 54.4









#42
 2,4,6-Tribromophenol
 Concen: 127.238 ng
 RT: 10.69 min Scan# 1462
 Delta R.T. 0.00 min
 Lab File: BF115916.D
 Acq: 1 Aug 2019 19:42

Instrument :
 BNA_F
 ClientSampleId :
 TP-12

Tot Ion:330 Resp: 331575
 Ion Ratio Lower Upper
 330 100
 332 96.3 77.7 116.5
 141 34.3 28.1 42.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 100.027 ng
 RT: 9.22 min Scan# 1212
 Delta R.T. 0.00 min
 Lab File: BF115916.D
 Acq: 1 Aug 2019 19:42

Tgt Ion:172 Resp: 1435382
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.1 43.7
 170 24.9 20.1 30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 2.968 ng

RT: 9.60 min Scan# 1278

Delta R.T. -0.01 min

Lab File: BF115916.D

Acq: 1 Aug 2019 19:42

Instrument :

BNA_F

ClientSampleId :

TP-12


Tot Ion:163 Resp: 54311

Ion Ratio Lower Upper




163 100

194 3.8 3.0 4.6

164 9.7 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.38 min Scan# 1580

Delta R.T. 0.00 min

Lab File: BF115916.D

Acq: 1 Aug 2019 19:42


Tgt Ion:188 Resp: 423836

Ion Ratio Lower Upper



188 100


94 9.5 8.0 12.0

80 10.2 8.6 12.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 14.02 min Scan# 2029
 Delta R.T. -0.01 min
 Lab File: BF115916.D
 Acq: 1 Aug 2019 19:42




Instrument :
 BNA_F
 ClientSampleId :
 TP-12


Tot Ion:240 Resp: 282531
 Ion Ratio Lower Upper
 240 100
 120 10.4 8.5 12.7
 236 26.9 22.2 33.2



#79
 Terphenyl-d14
 Concen: 95.919 ng
 RT: 12.96 min Scan# 1849
 Delta R.T. -0.01 min
 Lab File: BF115916.D
 Acq: 1 Aug 2019 19:42

Tgt Ion:244 Resp: 1286094
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.6 8.4
 122 12.6 8.6 13.0






#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.49 min Scan# 2279
Delta R.T. 0.00 min
Lab File: BF115916.D
Acq: 1 Aug 2019 19:42

Instrument :
BNA_F
ClientSampleId :
TP-12

Tot Ion	Ratio	Lower	Upper
264	100		
260	25.0	19.4	29.2
265	21.5	17.5	26.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

