

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080123\
 Data File : BF134547.D
 Acq On : 01 Aug 2023 14:27
 Operator : CG\JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 02 02:43:05 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF080123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 02 02:20:34 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.792	152	220485	20.000	ng	0.00
21) Naphthalene-d8	8.075	136	863869	20.000	ng	# 0.00
39) Acenaphthene-d10	9.828	164	433432	20.000	ng	0.00
64) Phenanthrene-d10	11.316	188	785259	20.000	ng	# 0.00
76) Chrysene-d12	13.963	240	498206	20.000	ng	0.00
86) Perylene-d12	15.415	264	453778	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.416	112	1078872	74.381	ng	0.00
7) Phenol-d6	6.428	99	1403758	75.709	ng	0.00
23) Nitrobenzene-d5	7.357	82	1150891	83.256	ng	0.00
42) 2,4,6-Tribromophenol	10.616	330	357482	80.907	ng	0.00
45) 2-Fluorobiphenyl	9.151	172	1962270	75.275	ng	0.00
79) Terphenyl-d14	12.910	244	2173886	76.921	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.557	88	246814	36.984	ng	96
3) Pyridine	3.299	79	679650	37.584	ng	93
4) n-Nitrosodimethylamine	3.269	42	331092	38.319	ng	# 69
6) Aniline	6.463	93	922213	37.921	ng	92
8) 2-Chlorophenol	6.581	128	569630	38.931	ng	94
9) Benzaldehyde	6.345	77	331514	35.734	ng	98
10) Phenol	6.440	94	747487	40.909	ng	79
11) bis(2-Chloroethyl)ether	6.540	93	556431	38.335	ng	92
12) 1,3-Dichlorobenzene	6.734	146	573712	37.898	ng	97
13) 1,4-Dichlorobenzene	6.810	146	569533	37.539	ng	99
14) 1,2-Dichlorobenzene	6.963	146	534475	37.809	ng	97
15) Benzyl Alcohol	6.939	79	496454	38.812	ng	93
16) 2,2'-oxybis(1-Chloropr...	7.075	45	874641	38.463	ng	88
17) 2-Methylphenol	7.045	107	498816	38.580	ng	93
18) Hexachloroethane	7.304	117	210159	39.467	ng	99
19) n-Nitroso-di-n-propyla...	7.216	70	414017	37.295	ng	90
20) 3+4-Methylphenols	7.198	107	592885	38.023	ng	# 70
22) Acetophenone	7.204	105	727606	36.484	ng	# 91
24) Nitrobenzene	7.375	77	604513	40.478	ng	100
25) Isophorone	7.616	82	1130866	37.507	ng	98
26) 2-Nitrophenol	7.692	139	253546	40.707	ng	# 87
27) 2,4-Dimethylphenol	7.728	122	509523	37.874	ng	86
28) bis(2-Chloroethoxy)met...	7.828	93	685570	38.011	ng	99
29) 2,4-Dichlorophenol	7.928	162	466624	38.217	ng	97
30) 1,2,4-Trichlorobenzene	8.016	180	494525	37.981	ng	99
31) Naphthalene	8.098	128	1603497	36.933	ng	99
32) Benzoic acid	7.845	122	345390	40.774	ng	89
33) 4-Chloroaniline	8.145	127	705854	36.487	ng	99
34) Hexachlorobutadiene	8.216	225	284678	37.905	ng	96
35) Caprolactam	8.522	113	150317	38.158	ng	91
36) 4-Chloro-3-methylphenol	8.622	107	491219	37.988	ng	91
37) 2-Methylnaphthalene	8.786	142	1072411	37.265	ng	100
38) 1-Methylnaphthalene	8.886	142	1001669	37.431	ng	99
40) 1,2,4,5-Tetrachloroben...	8.951	216	470529	37.332	ng	97
41) Hexachlorocyclopentadiene	8.939	237	252514	41.199	ng	91
43) 2,4,6-Trichlorophenol	9.063	196	323156	39.177	ng	96

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080123\
 Data File : BF134547.D
 Acq On : 01 Aug 2023 14:27
 Operator : CG\JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Aug 02 02:43:05 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF080123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 02 02:20:34 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.098	196	372716	39.535	ng	91
46) 1,1'-Biphenyl	9.251	154	1270680	37.700	ng	97
47) 2-Chloronaphthalene	9.275	162	947519	37.518	ng	97
48) 2-Nitroaniline	9.369	65	313679	40.378	ng	98
49) Acenaphthylene	9.692	152	1489627	37.524	ng	99
50) Dimethylphthalate	9.557	163	1122995	38.014	ng	98
51) 2,6-Dinitrotoluene	9.616	165	242210	40.431	ng	88
52) Acenaphthene	9.863	154	978978	38.053	ng	98
53) 3-Nitroaniline	9.786	138	286641	43.533	ng	98
54) 2,4-Dinitrophenol	9.880	184	76990	41.901	ng	89
55) Dibenzofuran	10.033	168	1370571	37.424	ng	95
56) 4-Nitrophenol	9.933	139	217063	40.307	ng	# 78
57) 2,4-Dinitrotoluene	10.016	165	299386	41.370	ng	# 92
58) Fluorene	10.380	166	969176	36.332	ng	96
59) 2,3,4,6-Tetrachlorophenol	10.104	232	307805	41.269	ng	97
60) Diethylphthalate	10.257	149	1074611	38.377	ng	97
61) 4-Chlorophenyl-phenyle...	10.375	204	485037	36.992	ng	91
62) 4-Nitroaniline	10.398	138	273261	42.341	ng	89
63) Azobenzene	10.533	77	1123414	37.342	ng	98
65) 4,6-Dinitro-2-methylph...	10.422	198	119943	39.641	ng	93
66) n-Nitrosodiphenylamine	10.492	169	948547	37.951	ng	99
67) 4-Bromophenyl-phenylether	10.863	248	330514	38.449	ng	97
68) Hexachlorobenzene	10.922	284	343637	37.857	ng	99
69) Atrazine	11.022	200	266635	39.579	ng	97
70) Pentachlorophenol	11.110	266	238400	42.417	ng	96
71) Phenanthrene	11.339	178	1563111	37.476	ng	100
72) Anthracene	11.392	178	1577058	37.016	ng	99
73) Carbazole	11.545	167	1407093	36.990	ng	100
74) Di-n-butylphthalate	11.886	149	1588808	39.313	ng	98
75) Fluoranthene	12.527	202	1629705	36.989	ng	96
77) Benzidine	12.651	184	470254	43.482	ng	96
78) Pyrene	12.757	202	1666439	38.655	ng	97
80) Butylbenzylphthalate	13.392	149	622664	42.714	ng	# 95
81) Benzo(a)anthracene	13.945	228	1379999	38.738	ng	99
82) 3,3'-Dichlorobenzidine	13.916	252	405343	39.254	ng	# 99
83) Chrysene	13.986	228	1333978	38.435	ng	99
84) Bis(2-ethylhexyl)phtha...	13.957	149	713153	41.571	ng	100
85) Di-n-octyl phthalate	14.574	149	1091383	41.835	ng	97
87) Indeno(1,2,3-cd)pyrene	16.886	276	1056499	39.587	ng	# 92
88) Benzo(b)fluoranthene	14.992	252	1063120	38.414	ng	# 98
89) Benzo(k)fluoranthene	15.021	252	1084479	39.336	ng	# 98
90) Benzo(a)pyrene	15.357	252	999163	38.721	ng	# 98
91) Dibenzo(a,h)anthracene	16.909	278	872627	40.459	ng	# 95
92) Benzo(g,h,i)perylene	17.333	276	874057	39.729	ng	# 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080123\
 Data File : BF134547.D
 Acq On : 01 Aug 2023 14:27
 Operator : CG\JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :


Quant Time: Aug 02 02:43:05 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF080123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 02 02:20:34 2023
 Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.792 min Scan# 80
 Delta R.T. 0.000 min
 Lab File: BF134547.D
 Acq: 01 Aug 2023 14:27

Instrument :
 BNA_F
 ClientSampleId :







Tgt Ion:152 Resp: 220485
 Ion Ratio Lower Upper
 152 100
 150 157.3 128.3 192.5
 115 64.2 52.4 78.6



#2
 1,4-Dioxane
 Concen: 36.984 ng
 RT: 2.557 min Scan# 80
 Delta R.T. 0.006 min
 Lab File: BF134547.D
 Acq: 01 Aug 2023 14:27

Tgt Ion: 88 Resp: 246814
 Ion Ratio Lower Upper
 88 100
 58 81.4 65.1 97.7
 43 31.1 30.3 45.5





#3

Pyridine

Concen: 37.584 ng

RT: 3.299 min Scan# 20

Delta R.T. 0.006 min


Lab File: BF134547.D

Acq: 01 Aug 2023 14:27

Instrument :

BNA_F

ClientSampleId :






Tgt Ion: 79 Resp: 679650

Ion Ratio Lower Upper

79 100

52 79.1 66.6 100.0

51 38.8 36.5 54.7



#4

n-Nitrosodimethylamine

Concen: 38.319 ng

RT: 3.269 min Scan# 201

Delta R.T. 0.006 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27




Tgt Ion: 42 Resp: 331092


Ion Ratio Lower Upper

42 100

74 121.7 72.2 108.4#

44 6.8 5.4 8.0









#5
2-Fluorophenol
Concen: 74.381 ng
RT: 5.416 min Scan# 501
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:112 Resp: 1078872
Ion Ratio Lower Upper
112 100
64 60.7 44.9 67.3
63 31.4 25.4 38.0



#6
Aniline
Concen: 37.921 ng
RT: 6.463 min Scan# 744
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Tgt Ion: 93 Resp: 922213
Ion Ratio Lower Upper
93 100
66 40.2 36.8 55.2
65 20.5 19.4 29.0









#7
Phenol-d6
Concen: 75.709 ng
RT: 6.428 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 99 Resp: 1403758
Ion Ratio Lower Upper
99 100
42 18.9 18.7 28.1
71 32.0 36.4 54.6#



#8
2-Chlorophenol
Concen: 38.931 ng
RT: 6.581 min Scan# 764
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Tgt Ion:128 Resp: 569630
Ion Ratio Lower Upper
128 100
130 32.7 11.1 51.1
64 46.9 31.9 71.9








#9
Benzaldehyde
Concen: 35.734 ng
RT: 6.345 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Instrument :
BNA_F
ClientSampleId :





Tgt Ion: 77 Resp: 331514
Ion Ratio Lower Upper
77 100
105 96.4 77.1 117.1
106 95.2 71.4 111.4




#10
Phenol
Concen: 40.909 ng
RT: 6.440 min Scan# 740
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27



Tgt Ion: 94 Resp: 747487
Ion Ratio Lower Upper
94 100
65 28.7 17.8 57.8
66 37.4 35.2 75.2





#11

bis(2-Chloroethyl)ether

Concen: 38.335 ng

RT: 6.540 min Scan# 757

Delta R.T. 0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27

Instrument :

BNA_F

ClientSampleId :





Tgt Ion: 93 Resp: 556431

Ion Ratio Lower Upper

93 100

63 78.3 68.4 108.4

95 32.6 12.4 52.4



#12

1,3-Dichlorobenzene

Concen: 37.898 ng

RT: 6.734 min Scan# 790

Delta R.T. 0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27




Tgt Ion: 146 Resp: 573712


Ion Ratio Lower Upper

146 100

148 64.1 49.7 74.5

75 34.1 29.5 44.3





#13

1,4-Dichlorobenzene

Concen: 37.539 ng

RT: 6.810 min Scan# 804

Delta R.T. -0.006 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:146 Resp: 569533

Ion Ratio Lower Upper

146 100

148 64.5 51.3 76.9

111 44.6 36.6 55.0



#14

1,2-Dichlorobenzene

Concen: 37.809 ng

RT: 6.963 min Scan# 829

Delta R.T. 0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27




Tgt Ion:146 Resp: 534475


Ion Ratio Lower Upper

146 100

148 64.3 51.2 76.8

111 45.9 39.9 59.9









#15
Benzyl Alcohol
Concen: 38.812 ng
RT: 6.939 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 79 Resp: 496454
Ion Ratio Lower Upper
79 100
108 80.8 56.3 84.5
77 63.5 50.6 76.0



#16
2,2'-oxybis(1-Chloropropane)
Concen: 38.463 ng
RT: 7.075 min Scan# 848
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Tgt Ion: 45 Resp: 874641
Ion Ratio Lower Upper
45 100
77 12.5 0.0 37.8
79 10.0 0.0 34.5








#17
2-Methylphenol
Concen: 38.580 ng
RT: 7.045 min Scan# 843
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:	107	Resp:	498816
Ion	Ratio	Lower	Upper
107	100		
108	113.0	89.4	134.2
77	43.9	42.4	63.6
79	44.0	43.1	64.7



#18
Hexachloroethane
Concen: 39.467 ng
RT: 7.304 min Scan# 887
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Tgt Ion:	117	Resp:	210159
Ion	Ratio	Lower	Upper
117	100		
119	96.8	75.8	113.8
201	91.4	73.6	110.4








#19
n-Nitroso-di-n-propylamine
Concen: 37.295 ng
RT: 7.216 min Scan# 872
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Instrument :
BNA_F
ClientSampleId :




Tgt Ion: 70 Resp: 414017

Ion	Ratio	Lower	Upper
70	100		
42	58.6	54.7	82.1
101	9.5	8.2	12.2
130	22.6	15.1	22.7






#20
3+4-Methylphenols
Concen: 38.023 ng
RT: 7.198 min Scan# 869
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27



Tgt Ion: 107 Resp: 592885


Ion	Ratio	Lower	Upper
107	100		
108	90.9	68.1	108.1
77	77.3	122.1	162.1#
79	28.0	11.0	51.0








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.075 min Scan# 1018
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:136 Resp: 863869
Ion Ratio Lower Upper
136 100
137 10.9 8.4 12.6
54 8.7 5.2 7.8#
68 6.6 2.9 4.3#



#22
Acetophenone
Concen: 36.484 ng
RT: 7.204 min Scan# 870
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Tgt Ion:105 Resp: 727606
Ion Ratio Lower Upper
105 100
71 4.3 7.4 11.0#
51 38.1 36.4 54.6
120 22.5 16.6 25.0





#23

Nitrobenzene-d5

Concen: 83.256 ng

RT: 7.357 min Scan# 896

Delta R.T. 0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27

Instrument :

BNA_F

ClientSampleId :





Tgt Ion: 82 Resp: 1150891

Ion Ratio Lower Upper

82 100

128 43.4 34.3 51.5

54 55.1 43.8 65.6



#24

Nitrobenzene

Concen: 40.478 ng

RT: 7.375 min Scan# 899

Delta R.T. -0.006 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27




Tgt Ion: 77 Resp: 604513


Ion Ratio Lower Upper

77 100

123 44.4 35.5 53.3


65 14.1 11.9 17.9








#25
Isophorone
Concen: 37.507 ng
RT: 7.616 min Scan# 940
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Instrument :
BNA_F
ClientSampleId :







Tgt Ion: 82 Resp: 1130866
Ion Ratio Lower Upper
82 100
95 6.9 6.0 9.0
138 17.6 14.6 22.0



#26
2-Nitrophenol
Concen: 40.707 ng
RT: 7.692 min Scan# 953
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Tgt Ion: 139 Resp: 253546
Ion Ratio Lower Upper
139 100
109 28.8 29.8 44.6#
65 47.7 45.4 68.2





#27

2,4-Dimethylphenol

Concen: 37.874 ng

RT: 7.728 min Scan# 91

Delta R.T. -0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:122 Resp: 509523

Ion Ratio Lower Upper

122 100

107 112.0 106.7 160.1

121 57.7 49.0 73.6



#28

bis(2-Chloroethoxy)methane

Concen: 38.011 ng

RT: 7.828 min Scan# 976

Delta R.T. 0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27




Tgt Ion: 93 Resp: 685570


Ion Ratio Lower Upper

93 100

95 32.0 26.5 39.7

123 11.9 9.6 14.4









#29
2,4-Dichlorophenol
Concen: 38.217 ng
RT: 7.928 min Scan# 993
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:162 Resp: 466624
Ion Ratio Lower Upper
162 100
164 64.4 42.2 82.2
98 36.9 15.5 55.5



#30
1,2,4-Trichlorobenzene
Concen: 37.981 ng
RT: 8.016 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Tgt Ion:180 Resp: 494525
Ion Ratio Lower Upper
180 100
182 93.7 75.0 112.6
145 29.6 25.5 38.3









#31
Naphthalene
Concen: 36.933 ng
RT: 8.098 min Scan# 1022
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:128 Resp: 1603497
Ion Ratio Lower Upper
128 100
129 11.1 8.4 12.6
127 13.5 10.7 16.1



#32
Benzoic acid
Concen: 40.774 ng
RT: 7.845 min Scan# 979
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Tgt Ion:122 Resp: 345390
Ion Ratio Lower Upper
122 100
105 124.2 87.5 127.5
77 95.8 71.4 111.4








#33
4-Chloroaniline
Concen: 36.487 ng
RT: 8.145 min Scan# 1030
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:	127	Resp:	705854
Ion	Ratio	Lower	Upper
127	100		
129	32.4	25.6	38.4
65	30.8	25.4	38.0
92	19.2	16.2	24.4




#34
Hexachlorobutadiene
Concen: 37.905 ng
RT: 8.216 min Scan# 1042
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27



Tgt Ion:	225	Resp:	284678
Ion	Ratio	Lower	Upper
225	100		
223	62.3	48.2	72.4
227	64.8	48.5	72.7









#35
 Caprolactam
 Concen: 38.158 ng
 RT: 8.522 min Scan# 1094
 Delta R.T. 0.006 min
 Lab File: BF134547.D
 Acq: 01 Aug 2023 14:27




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion:113 Resp: 150317
 Ion Ratio Lower Upper
 113 100
 55 167.5 161.5 201.5
 56 128.3 117.8 157.8



#36
 4-Chloro-3-methylphenol
 Concen: 37.988 ng
 RT: 8.622 min Scan# 1111
 Delta R.T. 0.000 min
 Lab File: BF134547.D
 Acq: 01 Aug 2023 14:27

Tgt Ion:107 Resp: 491219
 Ion Ratio Lower Upper
 107 100
 144 26.7 19.6 29.4
 142 80.9 57.7 86.5









#37
2-Methylnaphthalene
Concen: 37.265 ng
RT: 8.786 min Scan# 1139
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:142 Resp: 1072411
Ion Ratio Lower Upper
142 100
141 88.3 70.8 106.2



#38
1-Methylnaphthalene
Concen: 37.431 ng
RT: 8.886 min Scan# 1156
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Tgt Ion:142 Resp: 1001669
Ion Ratio Lower Upper
142 100
141 90.5 71.4 107.2








#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.828 min Scan# 1116
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:164 Resp: 433432
Ion Ratio Lower Upper
164 100
162 101.3 82.6 123.8
160 46.0 37.2 55.8




#40
1,2,4,5-Tetrachlorobenzene
Concen: 37.332 ng
RT: 8.951 min Scan# 1167
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27




Tgt Ion:216 Resp: 470529
Ion Ratio Lower Upper
216 100
214 80.3 62.3 93.5
179 21.2 17.4 26.0
108 20.1 14.5 21.7








#41
Hexachlorocyclopentadiene
Concen: 41.199 ng
RT: 8.939 min Scan# 1165
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Instrument :
BNA_F
ClientSampleId :





Tgt Ion: 237 Resp: 252514
Ion Ratio Lower Upper
237 100
235 64.4 37.0 77.0
272 13.5 0.0 32.7




#42
2,4,6-Tribromophenol
Concen: 80.907 ng
RT: 10.616 min Scan# 1450
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27



Tgt Ion: 330 Resp: 357482
Ion Ratio Lower Upper
330 100
332 95.1 78.8 118.2
141 31.1 25.4 38.2









#43
2,4,6-Trichlorophenol
Concen: 39.177 ng
RT: 9.063 min Scan# 1186
Delta R.T. -0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:196 Resp: 323156
Ion Ratio Lower Upper
196 100
198 101.1 77.4 116.2
200 33.6 25.4 38.2



#44
2,4,5-Trichlorophenol
Concen: 39.535 ng
RT: 9.098 min Scan# 1192
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Tgt Ion:196 Resp: 372716
Ion Ratio Lower Upper
196 100
198 102.4 73.0 109.4
97 45.9 40.8 61.2
132 27.0 23.3 34.9









#45
2-Fluorobiphenyl
Concen: 75.275 ng
RT: 9.151 min Scan# 1201
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:172 Resp: 1962270
Ion Ratio Lower Upper
172 100
171 36.3 28.8 43.2
170 24.5 18.7 28.1



#46
1,1'-Biphenyl
Concen: 37.700 ng
RT: 9.251 min Scan# 1218
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Tgt Ion:154 Resp: 1270680
Ion Ratio Lower Upper
154 100
153 39.6 20.8 60.8
76 13.6 0.0 30.2





#47

2-Chloronaphthalene

Concen: 37.518 ng

RT: 9.275 min Scan# 1222

Delta R.T. 0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:162 Resp: 947519

Ion Ratio Lower Upper

162 100

127 41.2 34.0 51.0

164 33.9 25.7 38.5



#48

2-Nitroaniline

Concen: 40.378 ng

RT: 9.369 min Scan# 1238

Delta R.T. -0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27




Tgt Ion: 65 Resp: 313679


Ion Ratio Lower Upper

65 100

92 66.2 50.7 76.1


138 98.6 78.2 117.4








#49
Acenaphthylene
Concen: 37.524 ng
RT: 9.692 min Scan# 1293
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:152 Resp: 1489627
Ion Ratio Lower Upper
152 100
151 20.9 16.4 24.6
153 14.1 10.9 16.3



#50
Dimethylphthalate
Concen: 38.014 ng
RT: 9.557 min Scan# 1270
Delta R.T. -0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Tgt Ion:163 Resp: 1122995
Ion Ratio Lower Upper
163 100
194 3.8 3.3 4.9
164 10.5 7.5 11.3









#51
2,6-Dinitrotoluene
Concen: 40.431 ng
RT: 9.616 min Scan# 1280
Delta R.T. -0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:165 Resp: 242210
Ion Ratio Lower Upper
165 100
63 60.6 57.8 86.6
89 57.2 51.8 77.8



#52
Acenaphthene
Concen: 38.053 ng
RT: 9.863 min Scan# 1322
Delta R.T. -0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Tgt Ion:154 Resp: 978978
Ion Ratio Lower Upper
154 100
153 110.8 90.0 135.0
152 50.3 42.4 63.6








#53
3-Nitroaniline
Concen: 43.533 ng
RT: 9.786 min Scan# 1309
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:138 Resp: 286641
Ion Ratio Lower Upper
138 100
108 11.3 9.3 13.9
92 106.4 86.6 129.8



#54
2,4-Dinitrophenol
Concen: 41.901 ng
RT: 9.880 min Scan# 1325
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Tgt Ion:184 Resp: 76990
Ion Ratio Lower Upper
184 100
63 81.3 57.1 85.7
154 65.8 59.1 88.7








#55
Dibenzofuran
Concen: 37.424 ng
RT: 10.033 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:168 Resp: 1370571
Ion Ratio Lower Upper
168 100
139 38.3 33.4 50.2
169 14.0 10.6 15.8



#56
4-Nitrophenol
Concen: 40.307 ng
RT: 9.933 min Scan# 1334
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Tgt Ion:139 Resp: 217063
Ion Ratio Lower Upper
139 100
109 71.4 76.9 116.9#
65 98.5 98.5 138.5#








#57
2,4-Dinitrotoluene
Concen: 41.370 ng
RT: 10.016 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:165 Resp: 299386
Ion Ratio Lower Upper
165 100
63 48.1 48.9 73.3#
89 75.5 61.7 92.5
182 2.7 2.0 3.0




#58
Fluorene
Concen: 36.332 ng
RT: 10.380 min Scan# 1410
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27




Tgt Ion:166 Resp: 969176
Ion Ratio Lower Upper
166 100
165 97.6 74.5 111.7
167 13.4 10.6 16.0








#59
2,3,4,6-Tetrachlorophenol
Concen: 41.269 ng
RT: 10.104 min Scan# 1363
Delta R.T. -0.047 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:232 Resp: 307805
Ion Ratio Lower Upper
232 100
131 39.3 33.4 50.0
130 2.3 1.8 2.6
166 23.8 19.3 28.9



#60
Diethylphthalate
Concen: 38.377 ng
RT: 10.257 min Scan# 1389
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Tgt Ion:149 Resp: 1074611
Ion Ratio Lower Upper
149 100
177 23.3 17.0 25.4
150 12.7 9.9 14.9








#61
4-Chlorophenyl-phenylether
Concen: 36.992 ng
RT: 10.375 min Scan# 1409
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:204 Resp: 485037
Ion Ratio Lower Upper
204 100
206 32.9 26.0 39.0
141 55.2 52.2 78.4




#62
4-Nitroaniline
Concen: 42.341 ng
RT: 10.398 min Scan# 1413
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27



Tgt Ion:138 Resp: 273261
Ion Ratio Lower Upper
138 100
92 51.8 27.0 67.0
108 77.9 70.4 110.4









#63
Azobenzene
Concen: 37.342 ng
RT: 10.533 min Scan# 1436
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 77 Resp: 1123414
Ion Ratio Lower Upper
77 100
182 26.1 7.5 47.5
105 22.4 1.9 41.9
51 31.9 13.2 53.2



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.316 min Scan# 1569
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Tgt Ion:188 Resp: 785259
Ion Ratio Lower Upper
188 100
94 9.6 5.1 7.7#
80 10.6 6.6 9.8#









#65
4,6-Dinitro-2-methylphenol
Concen: 39.641 ng
RT: 10.422 min Scan# 1417
Delta R.T. 0.001 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:198 Resp: 119943
Ion Ratio Lower Upper
198 100
51 51.3 38.6 78.6
105 45.1 27.9 67.9



#66
n-Nitrosodiphenylamine
Concen: 37.951 ng
RT: 10.492 min Scan# 1429
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Tgt Ion:169 Resp: 948547
Ion Ratio Lower Upper
169 100
168 66.3 52.6 78.8
167 36.3 29.8 44.8









#67
4-Bromophenyl-phenylether
Concen: 38.449 ng
RT: 10.863 min Scan# 1492
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:248 Resp: 330514
Ion Ratio Lower Upper
248 100
250 97.2 79.6 119.4
141 71.3 59.6 89.4



#68
Hexachlorobenzene
Concen: 37.857 ng
RT: 10.922 min Scan# 1502
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Tgt Ion:284 Resp: 343637
Ion Ratio Lower Upper
284 100
142 31.5 26.5 39.7
249 29.7 23.8 35.8





#69

Atrazine

Concen: 39.579 ng

RT: 11.022 min Scan# 1

Delta R.T. 0.000 min


Lab File: BF134547.D

Acq: 01 Aug 2023 14:27

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:200 Resp: 266635

Ion Ratio Lower Upper

200 100

173 25.8 6.1 46.1

215 47.0 29.7 69.7



#70

Pentachlorophenol

Concen: 42.417 ng

RT: 11.110 min Scan# 1534

Delta R.T. -0.006 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27




Tgt Ion:266 Resp: 238400


Ion Ratio Lower Upper

266 100

268 62.3 52.9 79.3


264 61.5 47.8 71.6








#71
Phenanthrene
Concen: 37.476 ng
RT: 11.339 min Scan# 1573
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:178 Resp: 1563111
Ion Ratio Lower Upper
178 100
176 19.8 15.8 23.6
179 16.1 12.7 19.1



#72
Anthracene
Concen: 37.016 ng
RT: 11.392 min Scan# 1582
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Tgt Ion:178 Resp: 1577058
Ion Ratio Lower Upper
178 100
176 19.2 14.6 21.8
179 15.6 12.3 18.5





#73

Carbazole

Concen: 36.990 ng

RT: 11.545 min Scan# 1

Delta R.T. 0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:167 Resp: 1407093

Ion Ratio Lower Upper

167 100

166 21.9 17.5 26.3

139 13.4 11.0 16.4



#74

Di-n-butylphthalate

Concen: 39.313 ng

RT: 11.886 min Scan# 1666

Delta R.T. -0.006 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27




Tgt Ion:149 Resp: 1588808


Ion Ratio Lower Upper

149 100

150 9.7 7.2 10.8


104 5.5 3.8 5.8








#75
Fluoranthene
Concen: 36.989 ng
RT: 12.527 min Scan# 1775
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:202 Resp: 1629705
Ion Ratio Lower Upper
202 100
101 12.2 0.0 28.5
203 18.0 0.0 37.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.963 min Scan# 2019
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Tgt Ion:240 Resp: 498206
Ion Ratio Lower Upper
240 100
120 9.5 6.6 10.0
236 26.1 20.2 30.2





#77

Benzidine

Concen: 43.482 ng

RT: 12.651 min Scan# 1796

Delta R.T. -0.006 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:184 Resp: 470254

Ion Ratio Lower Upper

184 100

185 16.0 11.2 16.8

183 11.8 8.6 13.0



#78

Pyrene

Concen: 38.655 ng

RT: 12.757 min Scan# 1814

Delta R.T. 0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27




Tgt Ion:202 Resp: 1666439


Ion Ratio Lower Upper

202 100

200 21.4 15.8 23.8


203 18.0 13.5 20.3








#79
 Terphenyl-d14
 Concen: 76.921 ng
 RT: 12.910 min Scan# 1840
 Delta R.T. 0.000 min
 Lab File: BF134547.D
 Acq: 01 Aug 2023 14:27

Instrument :
 BNA_F
 ClientSampleId :







Tgt Ion:244 Resp: 2173886
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.6 8.4
 122 10.0 8.0 12.0



#80
 Butylbenzylphthalate
 Concen: 42.714 ng
 RT: 13.392 min Scan# 1922
 Delta R.T. 0.000 min
 Lab File: BF134547.D
 Acq: 01 Aug 2023 14:27


Tgt Ion:149 Resp: 622664
 Ion Ratio Lower Upper
 149 100
 91 72.7 55.8 83.6
 206 22.6 14.6 21.8








#81
Benzo(a)anthracene
Concen: 38.738 ng
RT: 13.945 min Scan# 2016
Delta R.T. -0.006 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:228 Resp: 1379999
Ion Ratio Lower Upper
228 100
226 27.7 22.3 33.5
229 20.4 15.8 23.6



#82
3,3'-Dichlorobenzidine
Concen: 39.254 ng
RT: 13.916 min Scan# 2011
Delta R.T. 0.000 min
Lab File: BF134547.D
Acq: 01 Aug 2023 14:27

Tgt Ion:252 Resp: 405343
Ion Ratio Lower Upper
252 100
254 66.2 52.7 79.1
126 12.3 7.2 10.8#





#83

Chrysene

Concen: 38.435 ng

RT: 13.986 min Scan# 2023

Delta R.T. 0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:228 Resp: 1333978

Ion Ratio Lower Upper

228 100

226 30.2 24.5 36.7

229 20.1 15.8 23.8



#84

Bis(2-ethylhexyl)phthalate

Concen: 41.571 ng

RT: 13.957 min Scan# 2018

Delta R.T. 0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27




Tgt Ion:149 Resp: 713153


Ion Ratio Lower Upper

149 100

167 27.0 21.6 32.4

279 4.5 3.5 5.3





#85

Di-n-octyl phthalate

Concen: 41.835 ng

RT: 14.574 min Scan# 2123

Delta R.T. 0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:149 Resp: 1091383

Ion Ratio Lower Upper

149 100

167 1.6 1.2 1.8

43 11.5 8.1 12.1



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.415 min Scan# 2266

Delta R.T. 0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27




Tgt Ion:264 Resp: 453778


Ion Ratio Lower Upper

264 100

260 23.9 18.4 27.6

265 21.4 15.8 23.8





#87

Indeno(1,2,3-cd)pyrene

Concen: 39.587 ng

RT: 16.886 min Scan# 2194

Delta R.T. 0.000 min


Lab File: BF134547.D

Acq: 01 Aug 2023 14:27

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:276 Resp: 1056499

Ion Ratio Lower Upper

276 100

138 26.2 14.2 21.4#

277 25.2 19.9 29.9



#88

Benzo(b)fluoranthene

Concen: 38.414 ng

RT: 14.992 min Scan# 2194

Delta R.T. 0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27




Tgt Ion:252 Resp: 1063120


Ion Ratio Lower Upper

252 100

253 22.1 17.3 25.9

125 9.8 6.0 9.0#





#89

Benzo(k)fluoranthene

Concen: 39.336 ng

RT: 15.021 min Scan# 2199

Delta R.T. 0.000 min


Lab File: BF134547.D

Acq: 01 Aug 2023 14:27

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:252 Resp: 1084479

Ion Ratio Lower Upper

252 100

253 22.0 17.9 26.9

125 10.3 6.3 9.5#



#90

Benzo(a)pyrene

Concen: 38.721 ng

RT: 15.357 min Scan# 2256

Delta R.T. 0.000 min

Lab File: BF134547.D

Acq: 01 Aug 2023 14:27




Tgt Ion:252 Resp: 999163


Ion Ratio Lower Upper

252 100

253 21.5 17.0 25.4

125 10.2 6.2 9.4#









#91
 Dibenzo(a,h)anthracene
 Concen: 40.459 ng
 RT: 16.909 min Scan# 2521
 Delta R.T. -0.006 min
 Lab File: BF134547.D
 Acq: 01 Aug 2023 14:27

Instrument :
 BNA_F
 ClientSampleId :

Tgt Ion:278 Resp: 872627
 Ion Ratio Lower Upper
 278 100
 139 16.7 10.0 15.0#
 279 23.4 19.7 29.5



#92
 Benzo(g,h,i)perylene
 Concen: 39.729 ng
 RT: 17.333 min Scan# 2592
 Delta R.T. 0.000 min
 Lab File: BF134547.D
 Acq: 01 Aug 2023 14:27

Tgt Ion:276 Resp: 874057
 Ion Ratio Lower Upper
 276 100
 277 23.5 19.0 28.6
 138 21.4 12.2 18.2#

