

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080123\
 Data File : BF134558.D
 Acq On : 01 Aug 2023 20:28
 Operator : CG\JU
 Sample : 03741-10RE
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 B-P27ARE

Quant Time: Aug 02 02:45:51 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF080123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 02 02:20:34 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.792	152	193277	20.000	ng	0.00
21) Naphthalene-d8	8.069	136	768864	20.000	ng	# 0.00
39) Acenaphthene-d10	9.822	164	386213	20.000	ng	0.00
64) Phenanthrene-d10	11.310	188	668951	20.000	ng	# 0.00
76) Chrysene-d12	13.951	240	372386	20.000	ng	#-0.01
86) Perylene-d12	15.409	264	399549	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.410	112	981610	77.202	ng	0.00
7) Phenol-d6	6.416	99	1272711	78.304	ng	-0.01
23) Nitrobenzene-d5	7.351	82	729577	59.299	ng	0.00
42) 2,4,6-Tribromophenol	10.610	330	319938	81.263	ng	0.00
45) 2-Fluorobiphenyl	9.145	172	1305108	56.186	ng	0.00
79) Terphenyl-d14	12.904	244	1136430	53.798	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.539	163	96387	3.662	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080123\
Data File : BF134558.D
Acq On : 01 Aug 2023 20:28
Operator : CG\JU
Sample : 03741-10RE
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
B-P27ARE

Quant Time: Aug 02 02:45:51 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF080123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 02 02:20:34 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.792 min Scan# 800
 Delta R.T. 0.000 min
 Lab File: BF134558.D
 Acq: 01 Aug 2023 20:28




Instrument :
 BNA_F
 ClientSampleId :
 B-P27ARE


Tgt Ion:152 Resp: 193277
 Ion Ratio Lower Upper
 152 100
 150 152.7 128.3 192.5
 115 60.2 52.4 78.6



#5
 2-Fluorophenol
 Concen: 77.202 ng
 RT: 5.410 min Scan# 565
 Delta R.T. -0.006 min
 Lab File: BF134558.D
 Acq: 01 Aug 2023 20:28

Tgt Ion:112 Resp: 981610
 Ion Ratio Lower Upper
 112 100
 64 63.1 44.9 67.3
 63 32.0 25.4 38.0









#7
Phenol-d6
Concen: 78.304 ng
RT: 6.416 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF134558.D
Acq: 01 Aug 2023 20:28




Instrument :
BNA_F
ClientSampleId :
B-P27ARE


Tgt Ion: 99 Resp: 1272711
Ion Ratio Lower Upper
99 100
42 19.1 18.7 28.1
71 33.0 36.4 54.6#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.069 min Scan# 1017
Delta R.T. -0.006 min
Lab File: BF134558.D
Acq: 01 Aug 2023 20:28

Tgt Ion: 136 Resp: 768864
Ion Ratio Lower Upper
136 100
137 11.1 8.4 12.6
54 8.4 5.2 7.8#
68 6.6 2.9 4.3#





#23

Nitrobenzene-d5

Concen: 59.299 ng

RT: 7.351 min Scan# 89

Delta R.T. -0.006 min

Lab File: BF134558.D

Acq: 01 Aug 2023 20:28

Instrument :

BNA_F

ClientSampleId :

B-P27ARE





Tgt Ion: 82 Resp: 729577

Ion Ratio Lower Upper

82 100

128 46.2 34.3 51.5

54 53.6 43.8 65.6



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.822 min Scan# 1315

Delta R.T. -0.006 min

Lab File: BF134558.D

Acq: 01 Aug 2023 20:28




Tgt Ion:164 Resp: 386213


Ion Ratio Lower Upper

164 100

162 102.1 82.6 123.8

160 45.9 37.2 55.8





#42

2,4,6-Tribromophenol

Concen: 81.263 ng

RT: 10.610 min Scan# 1450

Delta R.T. -0.006 min

Lab File: BF134558.D

Acq: 01 Aug 2023 20:28

Instrument :

BNA_F

ClientSampleId :

B-P27ARE





Tgt Ion:330 Resp: 319938

Ion Ratio Lower Upper

330 100

332 95.0 78.8 118.2

141 30.3 25.4 38.2



#45

2-Fluorobiphenyl

Concen: 56.186 ng

RT: 9.145 min Scan# 1200

Delta R.T. -0.006 min

Lab File: BF134558.D

Acq: 01 Aug 2023 20:28




Tgt Ion:172 Resp: 1305108


Ion Ratio Lower Upper

172 100

171 36.0 28.8 43.2

170 23.9 18.7 28.1









#50
Dimethylphthalate
Concen: 3.662 ng
RT: 9.539 min Scan# 11
Delta R.T. -0.018 min
Lab File: BF134558.D
Acq: 01 Aug 2023 20:28




Instrument :
BNA_F
ClientSampleId :
B-P27ARE


Tgt Ion:163 Resp: 96387
Ion Ratio Lower Upper
163 100
194 3.8 3.3 4.9
164 10.4 7.5 11.3



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.310 min Scan# 1568
Delta R.T. -0.006 min
Lab File: BF134558.D
Acq: 01 Aug 2023 20:28

Tgt Ion:188 Resp: 668951
Ion Ratio Lower Upper
188 100
94 9.3 5.1 7.7#
80 9.9 6.6 9.8#





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.951 min Scan# 20

Delta R.T. -0.012 min

Lab File: BF134558.D

Acq: 01 Aug 2023 20:28

Instrument :

BNA_F

ClientSampleId :

B-P27ARE





Tgt Ion:240 Resp: 372386

Ion Ratio Lower Upper

240 100

120 11.0 6.6 10.0#

236 26.5 20.2 30.2



#79

Terphenyl-d14

Concen: 53.798 ng

RT: 12.904 min Scan# 1839

Delta R.T. -0.006 min

Lab File: BF134558.D

Acq: 01 Aug 2023 20:28




Tgt Ion:244 Resp: 1136430


Ion Ratio Lower Upper

244 100

212 6.2 5.6 8.4

122 10.7 8.0 12.0





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.409 min Scan# 21

Delta R.T. -0.006 min

Lab File: BF134558.D


Acq: 01 Aug 2023 20:28

Instrument :

BNA_F

ClientSampleId :

B-P27ARE



Tgt Ion:264 Resp: 399549

Ion Ratio Lower Upper

264 100

260 23.9 18.4 27.6

265 22.5 15.8 23.8

