

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080222\
 Data File : BF129510.D
 Acq On : 02 Aug 2022 16:35
 Operator : CG\JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 08/03/2022
 Supervised By : Jagrut Upadhyay 08/03/2022

Quant Time: Aug 02 17:39:13 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF072522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 02 01:11:25 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	139317	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	534539	20.000	ng	0.00
39) Acenaphthene-d10	9.916	164	285104	20.000	ng	0.00
64) Phenanthrene-d10	11.404	188	488477	20.000	ng	# 0.00
76) Chrysene-d12	14.051	240	361731	20.000	ng	0.00
86) Perylene-d12	15.533	264	309172	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	708359	82.827	ng	0.00
7) Phenol-d6	6.522	99	881855	82.035	ng	0.00
23) Nitrobenzene-d5	7.445	82	825976	84.351	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	233918	85.338	ng	0.00
45) 2-Fluorobiphenyl	9.234	172	1447426	78.536	ng	0.00
79) Terphenyl-d14	12.992	244	1529516	79.771	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.593	88	150333	38.960	ng	90
3) Pyridine	3.393	79	423273	39.500	ng	91
4) n-Nitrosodimethylamine	3.334	42	186059	39.541	ng	90
6) Aniline	6.540	93	495132	37.050	ng	# 75
8) 2-Chlorophenol	6.669	128	389261	41.661	ng	95
9) Benzaldehyde	6.428	77	271792	37.231	ng	98
10) Phenol	6.534	94	483083m	42.200	ng	
11) bis(2-Chloroethyl)ether	6.610	93	363948	40.089	ng	93
12) 1,3-Dichlorobenzene	6.816	146	409795	40.894	ng	98
13) 1,4-Dichlorobenzene	6.893	146	419992	41.210	ng	100
14) 1,2-Dichlorobenzene	7.045	146	387986	41.418	ng	97
15) Benzyl Alcohol	7.022	79	333452	42.770	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.151	45	513159	37.603	ng	81
17) 2-Methylphenol	7.140	107	311526	40.190	ng	# 93
18) Hexachloroethane	7.387	117	156758	40.849	ng	92
19) n-Nitroso-di-n-propyla...	7.287	70	266156	40.898	ng	93
20) 3+4-Methylphenols	7.293	107	407909	41.389	ng	95
22) Acetophenone	7.287	105	523771	42.086	ng	# 96
24) Nitrobenzene	7.463	77	418523	41.506	ng	94
25) Isophorone	7.698	82	690516	39.340	ng	98
26) 2-Nitrophenol	7.775	139	206966	41.605	ng	97
27) 2,4-Dimethylphenol	7.816	122	303253m	40.641	ng	
28) bis(2-Chloroethoxy)met...	7.904	93	408381	40.107	ng	99
29) 2,4-Dichlorophenol	8.022	162	316435	41.087	ng	99
30) 1,2,4-Trichlorobenzene	8.098	180	328712	41.234	ng	97
31) Naphthalene	8.181	128	1132563	41.703	ng	100
32) Benzoic acid	7.934	122	146492m	27.156	ng	
33) 4-Chloroaniline	8.234	127	440812	39.535	ng	98
34) Hexachlorobutadiene	8.292	225	188658	41.633	ng	100
35) Caprolactam	8.604	113	107215	42.819	ng	# 82
36) 4-Chloro-3-methylphenol	8.722	107	339479	41.560	ng	93
37) 2-Methylnaphthalene	8.875	142	735462	41.672	ng	100
38) 1-Methylnaphthalene	8.969	142	707502	41.527	ng	97
40) 1,2,4,5-Tetrachloroben...	9.039	216	309350	41.323	ng	98
41) Hexachlorocyclopentadiene	9.022	237	122436	36.728	ng	97
43) 2,4,6-Trichlorophenol	9.157	196	222038	40.836	ng	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF080222\
 Data File : BF129510.D
 Acq On : 02 Aug 2022 16:35
 Operator : CG\JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Quant Time: Aug 02 17:39:13 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF072522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 02 01:11:25 2022
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 08/03/2022
 Supervised By : Jagrut Upadhyay 08/03/2022


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
44) 2,4,5-Trichlorophenol	9.204	196	240693	40.706	ng	95	08/03/2022
46) 1,1'-Biphenyl	9.334	154	858499	41.260	ng	99	Supervised By : Jagrut Upadhyay
47) 2-Chloronaphthalene	9.363	162	686042	40.787	ng	99	
48) 2-Nitroaniline	9.463	65	229234	40.985	ng	89	
49) Acenaphthylene	9.781	152	1059208	41.443	ng	99	
50) Dimethylphthalate	9.634	163	808522	41.080	ng	100	
51) 2,6-Dinitrotoluene	9.704	165	180450	40.964	ng	94	08/03/2022
52) Acenaphthene	9.951	154	680265m	40.751	ng		
53) 3-Nitroaniline	9.875	138	206794	39.755	ng	# 95	
54) 2,4-Dinitrophenol	9.986	184	79596	35.395	ng	# 86	
55) Dibenzofuran	10.122	168	955469	41.520	ng	97	
56) 4-Nitrophenol	10.051	139	148454	38.684	ng	98	
57) 2,4-Dinitrotoluene	10.110	165	242281	42.102	ng	89	
58) Fluorene	10.469	166	777305	42.216	ng	99	
59) 2,3,4,6-Tetrachlorophenol	10.245	232	183885	40.242	ng	92	
60) Diethylphthalate	10.334	149	771117	40.530	ng	100	
61) 4-Chlorophenyl-phenyle...	10.457	204	335857	41.375	ng	95	
62) 4-Nitroaniline	10.492	138	213246	41.325	ng	96	
63) Azobenzene	10.616	77	772556	39.811	ng	95	
65) 4,6-Dinitro-2-methylph...	10.516	198	122345	39.682	ng	97	
66) n-Nitrosodiphenylamine	10.575	169	656618	40.364	ng	96	
67) 4-Bromophenyl-phenylether	10.945	248	215882	40.359	ng	92	
68) Hexachlorobenzene	11.016	284	241345	41.642	ng	97	
69) Atrazine	11.104	200	195419	39.550	ng	99	
70) Pentachlorophenol	11.216	266	124951	39.657	ng	99	
71) Phenanthrene	11.433	178	1096727	41.130	ng	99	
72) Anthracene	11.486	178	1093811	41.743	ng	99	
73) Carbazole	11.639	167	1033943	41.917	ng	99	
74) Di-n-butylphthalate	11.957	149	1217906	41.460	ng	99	
75) Fluoranthene	12.622	202	1161695	42.998	ng	98	
77) Benzidine	12.745	184	535121	41.875	ng	98	
78) Pyrene	12.851	202	1192515	39.423	ng	98	
80) Butylbenzylphthalate	13.463	149	523572	39.905	ng	91	
81) Benzo(a)anthracene	14.039	228	1015698	41.105	ng	100	
82) 3,3'-Dichlorobenzidine	14.004	252	329867	40.433	ng	97	
83) Chrysene	14.080	228	957221	41.104	ng	100	
84) Bis(2-ethylhexyl)phtha...	14.016	149	694961	40.233	ng	98	
85) Di-n-octyl phthalate	14.627	149	1059240	42.614	ng	97	
87) Indeno(1,2,3-cd)pyrene	17.045	276	826363	39.691	ng	100	
88) Benzo(b)fluoranthene	15.098	252	809324	39.463	ng	98	
89) Benzo(k)fluoranthene	15.127	252	829702	41.284	ng	100	
90) Benzo(a)pyrene	15.474	252	673341	40.445	ng	99	
91) Dibenzo(a,h)anthracene	17.057	278	675505	39.863	ng	99	
92) Benzo(g,h,i)perylene	17.498	276	687780	39.720	ng	100	

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 782
Delta R.T. -0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:152 Resp: 139317
Ion Ratio Lower Upper
152 100
150 157.4 123.7 185.5
115 64.2 49.9 74.9


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#2
1,4-Dioxane
Concen: 38.960 ng
RT: 2.593 min Scan# 52
Delta R.T. -0.053 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35


Tgt Ion: 88 Resp: 150333
Ion Ratio Lower Upper
88 100
58 78.8 71.8 107.8
43 29.2 26.6 39.8





#3
Pyridine
Concen: 39.500 ng
RT: 3.393 min Scan# 188
Delta R.T. -0.041 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion: 79 Resp: 423273
Ion Ratio Lower Upper
79 100
52 75.8 68.6 102.8
51 38.2 32.9 49.3


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#4
n-Nitrosodimethylamine
Concen: 39.541 ng
RT: 3.334 min Scan# 178
Delta R.T. -0.053 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Tgt Ion: 42 Resp: 186059
Ion Ratio Lower Upper
42 100
74 129.8 94.8 142.2
44 6.9 6.6 10.0







#5
2-Fluorophenol
Concen: 82.827 ng
RT: 5.504 min Scan# 54
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 112 Resp: 708359
Ion Ratio Lower Upper
112 100
64 57.8 53.3 79.9
63 29.6 28.0 42.0



Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#6
Aniline
Concen: 37.050 ng
RT: 6.540 min Scan# 723
Delta R.T. -0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Tgt Ion: 93 Resp: 495132
Ion Ratio Lower Upper
93 100
66 56.2 32.5 48.7#
65 31.8 16.4 24.6#







#7
Phenol-d6
Concen: 82.035 ng
RT: 6.522 min Scan# 719
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 99 Resp: 881855
Ion Ratio Lower Upper
99 100
42 18.0 17.3 25.9
71 34.2 28.9 43.3



Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#8
2-Chlorophenol
Concen: 41.661 ng
RT: 6.669 min Scan# 745
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35


Tgt Ion:128 Resp: 389261
Ion Ratio Lower Upper
128 100
130 32.3 13.1 53.1
64 46.3 30.9 70.9





#9
Benzaldehyde
Concen: 37.231 ng
RT: 6.428 min Scan# 706
Delta R.T. -0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion: 77 Resp: 271792
Ion Ratio Lower Upper
77 100
105 97.9 81.6 121.6
106 97.3 76.1 116.1


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#10
Phenol
Concen: 42.200 ng m
RT: 6.534 min Scan# 722
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Tgt Ion: 94 Resp: 483083
Ion Ratio Lower Upper
94 100
65 36.4 11.4 51.4
66 54.1 21.4 61.4







#11
bis(2-Chloroethyl)ether
Concen: 40.089 ng
RT: 6.610 min Scan# 737
Delta R.T. -0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 93 Resp: 363948
Ion Ratio Lower Upper
93 100
63 78.3 67.4 107.4
95 32.3 12.7 52.7



Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#12
1,3-Dichlorobenzene
Concen: 40.894 ng
RT: 6.816 min Scan# 770
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35


Tgt Ion:146 Resp: 409795
Ion Ratio Lower Upper
146 100
148 64.2 50.6 75.8
75 31.7 26.3 39.5





#13
1,4-Dichlorobenzene
Concen: 41.210 ng
RT: 6.893 min Scan# 785
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:146 Resp: 419992
Ion Ratio Lower Upper
146 100
148 64.0 51.1 76.7
111 43.4 34.2 51.4


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#14
1,2-Dichlorobenzene
Concen: 41.418 ng
RT: 7.045 min Scan# 809
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Tgt Ion:146 Resp: 387986
Ion Ratio Lower Upper
146 100
148 62.8 51.8 77.8
111 46.1 35.1 52.7







#15
Benzyl Alcohol
Concen: 42.770 ng
RT: 7.022 min Scan# 806
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 333452
Ion Ratio Lower Upper
79 100
108 76.6 61.8 92.6
77 61.8 50.2 75.4



Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#16
2,2'-oxybis(1-Chloropropane)
Concen: 37.603 ng
RT: 7.151 min Scan# 827
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35


Tgt Ion: 45 Resp: 513159
Ion Ratio Lower Upper
45 100
77 18.5 0.0 31.3
79 15.2 0.0 28.3





#17
2-Methylphenol
Concen: 40.190 ng
RT: 7.140 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:107 Resp: 311526
Ion Ratio Lower Upper
107 100
108 113.9 91.9 137.9
77 58.2 37.8 56.8
79 53.8 37.4 56.0


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#18
Hexachloroethane
Concen: 40.849 ng
RT: 7.387 min Scan# 867
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Tgt Ion:117 Resp: 156758
Ion Ratio Lower Upper
117 100
119 96.0 77.4 116.2
201 91.3 84.6 127.0





#19

n-Nitroso-di-n-propylamine

Concen: 40.898 ng

RT: 7.287 min Scan# 850

Delta R.T. -0.006 min

Lab File: BF129510.D


Acq: 02 Aug 2022 16:35

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040



Tgt Ion: 70 Resp: 266156

Ion Ratio Lower Upper

70 100

42 58.4 52.3 78.5

101 10.3 7.5 11.3



130 21.0 16.1 24.1

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 08/03/2022

Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022

Supervised By :Jagrut

Upadhyay

08/03/2022



#20

3+4-Methylphenols

Concen: 41.389 ng

RT: 7.293 min Scan# 851

Delta R.T. 0.000 min

Lab File: BF129510.D

Acq: 02 Aug 2022 16:35

Tgt Ion:107 Resp: 407909




Ion Ratio Lower Upper


107 100

108 91.9 71.8 111.8

77 67.8 59.3 99.3


79 31.1 11.7 51.7





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 998
Delta R.T. -0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:136 Resp: 534539
Ion Ratio Lower Upper
136 100
137 11.3 8.8 13.2
54 8.9 7.5 11.3
68 6.5 4.7 7.1


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#22
Acetophenone
Concen: 42.086 ng
RT: 7.287 min Scan# 850
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35


Tgt Ion:105 Resp: 523771
Ion Ratio Lower Upper
105 100
71 8.9 5.0 7.4#
51 34.0 25.0 37.4
120 21.9 17.8 26.8





#23
Nitrobenzene-d5
Concen: 84.351 ng
RT: 7.445 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion: 82 Resp: 825976
Ion Ratio Lower Upper
82 100
128 45.9 34.0 51.0
54 50.0 46.9 70.3


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#24
Nitrobenzene
Concen: 41.506 ng
RT: 7.463 min Scan# 880
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Tgt Ion: 77 Resp: 418523
Ion Ratio Lower Upper
77 100
123 49.0 35.4 53.2
65 14.2 11.8 17.8







#25
Isophorone
Concen: 39.340 ng
RT: 7.698 min Scan# 91
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 690516
Ion Ratio Lower Upper
82 100
95 7.4 5.7 8.5
138 18.9 14.2 21.2



Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#26
2-Nitrophenol
Concen: 41.605 ng
RT: 7.775 min Scan# 933
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Tgt Ion:139 Resp: 206966
Ion Ratio Lower Upper
139 100
109 30.7 25.0 37.4
65 53.2 45.1 67.7





#27

2,4-Dimethylphenol

Concen: 40.641 ng m

RT: 7.816 min Scan# 94

Delta R.T. 0.000 min

Lab File: BF129510.D


Acq: 02 Aug 2022 16:35

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion	Ratio	Lower	Upper
122	100		
107	115.5	93.0	139.6
121	57.5	46.6	70.0

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 08/03/2022


Supervised By :Jagrut Upadhyay 08/03/2022



08/03/2022

Supervised By :Jagrut Upadhyay

08/03/2022



#28

bis(2-Chloroethoxy)methane

Concen: 40.107 ng




RT: 7.904 min Scan# 955


Delta R.T. 0.000 min

Lab File: BF129510.D

Acq: 02 Aug 2022 16:35

Tgt Ion	Ratio	Lower	Upper
93	100		
95	32.8	26.8	40.2
123	11.2	9.2	13.8





#29

2,4-Dichlorophenol

Concen: 41.087 ng

RT: 8.022 min Scan# 91

Delta R.T. 0.000 min

Lab File: BF129510.D

Acq: 02 Aug 2022 16:35

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040

Tgt Ion:162 Resp: 316435

Ion Ratio Lower Upper

162 100

164 63.2 44.2 84.2



98 40.4 19.6 59.6

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 08/03/2022

Supervised By :Jagrut Upadhyay 08/03/2022





08/03/2022

Supervised By :Jagrut

Upadhyay

08/03/2022



#30

1,2,4-Trichlorobenzene

Concen: 41.234 ng

RT: 8.098 min Scan# 988

Delta R.T. 0.000 min

Lab File: BF129510.D

Acq: 02 Aug 2022 16:35




Tgt Ion:180 Resp: 328712


Ion Ratio Lower Upper

180 100

182 94.6 79.2 118.8


145 32.8 26.2 39.2





#31
Naphthalene
Concen: 41.703 ng
RT: 8.181 min Scan# 1004
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:128 Resp: 1132563
Ion Ratio Lower Upper
128 100
129 11.3 9.2 13.8
127 13.2 10.5 15.7


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#32
Benzoic acid
Concen: 27.156 ng m
RT: 7.934 min Scan# 960
Delta R.T. -0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35


Tgt Ion:122 Resp: 146492
Ion Ratio Lower Upper
122 100
105 125.8 107.1 147.1
77 90.4 74.2 114.2





#33
4-Chloroaniline
Concen: 39.535 ng
RT: 8.234 min Scan# 1012
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:127 Resp: 440812
Ion Ratio Lower Upper
127 100
129 33.3 26.4 39.6
65 30.7 26.4 39.6
92 19.0 16.0 24.0


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#34
Hexachlorobutadiene
Concen: 41.633 ng
RT: 8.292 min Scan# 1021
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Tgt Ion:225 Resp: 188658
Ion Ratio Lower Upper
225 100
223 63.6 51.0 76.6
227 64.0 51.1 76.7






#35
 Caprolactam
 Concen: 42.819 ng
 RT: 8.604 min Scan# 1074
 Delta R.T. -0.012 min
 Lab File: BF129510.D
 Acq: 02 Aug 2022 16:35

Instrument :

BNA_F

ClientSampleId :



SSTDCCC040



Tgt Ion:113 Resp: 107215
 Ion Ratio Lower Upper
 113 100
 55 177.7 188.5 228.5
 56 130.6 130.6 170.6


Manual Integrations
 APPROVED

Reviewed By :Christian Giraldo 08/03/2022
 Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
 Supervised By :Jagrut
 Upadhyay



08/03/2022




#36
 4-Chloro-3-methylphenol
 Concen: 41.560 ng
 RT: 8.722 min Scan# 1094
 Delta R.T. 0.000 min
 Lab File: BF129510.D
 Acq: 02 Aug 2022 16:35



Tgt Ion:107 Resp: 339479
 Ion Ratio Lower Upper
 107 100
 144 26.3 19.5 29.3
 142 79.3 58.2 87.4







#37
2-Methylnaphthalene
Concen: 41.672 ng
RT: 8.875 min Scan# 1121
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:142 Resp: 735462
Ion Ratio Lower Upper
142 100
141 89.0 71.0 106.4



Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#38
1-Methylnaphthalene
Concen: 41.527 ng
RT: 8.969 min Scan# 1136
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35


Tgt Ion:142 Resp: 707502
Ion Ratio Lower Upper
142 100
141 90.1 74.2 111.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.916 min Scan# 1147
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:164 Resp: 285104
Ion Ratio Lower Upper
164 100
162 101.1 79.5 119.3
160 43.2 34.2 51.4


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#40
1,2,4,5-Tetrachlorobenzene
Concen: 41.323 ng
RT: 9.039 min Scan# 1148
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35




Tgt Ion:216 Resp: 309350
Ion Ratio Lower Upper
216 100
214 78.5 63.6 95.4
179 23.3 17.0 25.6
108 21.4 16.0 24.0





#41
Hexachlorocyclopentadiene
Concen: 36.728 ng
RT: 9.022 min Scan# 1145
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:237 Resp: 122436
Ion Ratio Lower Upper
237 100
235 64.9 43.2 83.2
272 13.6 0.0 31.9


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#42
2,4,6-Tribromophenol
Concen: 85.338 ng
RT: 10.710 min Scan# 1432
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35




Tgt Ion:330 Resp: 233918
Ion Ratio Lower Upper
330 100
332 101.7 76.8 115.2
141 35.4 28.0 42.0





#43
2,4,6-Trichlorophenol
Concen: 40.836 ng
RT: 9.157 min Scan# 1168
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:196 Resp: 222038
Ion Ratio Lower Upper
196 100
198 95.8 74.0 111.0
200 29.4 24.1 36.1


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#44
2,4,5-Trichlorophenol
Concen: 40.706 ng
RT: 9.204 min Scan# 1176
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Tgt Ion:196 Resp: 240693
Ion Ratio Lower Upper
196 100
198 97.7 75.7 113.5
97 50.3 36.4 54.6
132 28.8 20.7 31.1





#45
2-Fluorobiphenyl
Concen: 78.536 ng
RT: 9.234 min Scan# 1183
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Instrument :

BNA_F



ClientSampleId :

SSTDCCC040

Tgt Ion:172 Resp: 1447426
Ion Ratio Lower Upper
172 100
171 34.8 28.8 43.2
170 23.4 19.8 29.8



Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#46
1,1'-Biphenyl
Concen: 41.260 ng
RT: 9.334 min Scan# 1198
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Tgt Ion:154 Resp: 858499
Ion Ratio Lower Upper
154 100
153 40.5 20.6 60.6
76 14.3 0.0 33.3





#47

2-Chloronaphthalene

Concen: 40.787 ng

RT: 9.363 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF129510.D

Acq: 02 Aug 2022 16:35

Instrument :

BNA_F

ClientSampleId :



SSTDCCC040

Tgt Ion:162	Resp: 686042
Ion Ratio	Lower Upper
162	100
127	42.4 34.5 51.7
164	32.7 26.5 39.7

Manual Integrations



APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022



08/03/2022
Supervised By :Jagrut
Upadhyay

08/03/2022



#48

2-Nitroaniline

Concen: 40.985 ng




RT: 9.463 min Scan# 1220


Delta R.T. 0.000 min

Lab File: BF129510.D

Acq: 02 Aug 2022 16:35


Tgt Ion: 65	Resp: 229234
Ion Ratio	Lower Upper
65	100
92	71.4 51.9 77.9
138	107.4 76.4 114.6





#49
Acenaphthylene
Concen: 41.443 ng
RT: 9.781 min Scan# 1276
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:152 Resp: 1059208
Ion Ratio Lower Upper
152 100
151 19.8 16.2 24.4
153 13.0 10.7 16.1


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#50
Dimethylphthalate
Concen: 41.080 ng
RT: 9.634 min Scan# 1249
Delta R.T. -0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35




Tgt Ion:163 Resp: 808522
Ion Ratio Lower Upper
163 100
194 3.7 3.2 4.8
164 10.3 8.2 12.2





#51
2,6-Dinitrotoluene
Concen: 40.964 ng
RT: 9.704 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:165 Resp: 180450
Ion Ratio Lower Upper
165 100
63 50.3 44.9 67.3
89 51.7 43.6 65.4


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#52
Acenaphthene
Concen: 40.751 ng m
RT: 9.951 min Scan# 1303
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Tgt Ion:154 Resp: 680265
Ion Ratio Lower Upper
154 100
153 111.2 89.6 134.4
152 52.7 42.4 63.6






#53
3-Nitroaniline
Concen: 39.755 ng
RT: 9.875 min Scan# 110
Delta R.T. -0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:138 Resp: 206794
Ion Ratio Lower Upper
138 100
108 10.5 10.9 16.3#
92 117.8 98.2 147.2

Manual Integrations


APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#54
2,4-Dinitrophenol
Concen: 35.395 ng
RT: 9.986 min Scan# 1309
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35




Tgt Ion:184 Resp: 79596
Ion Ratio Lower Upper
184 100
63 59.7 64.5 96.7#
154 63.7 50.6 75.8





#55
Dibenzenofuran
Concen: 41.520 ng
RT: 10.122 min Scan# 1332
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:168 Resp: 955469
Ion Ratio Lower Upper
168 100
139 40.8 30.6 46.0
169 13.5 11.0 16.6


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#56
4-Nitrophenol
Concen: 38.684 ng
RT: 10.051 min Scan# 1320
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35


Tgt Ion:139 Resp: 148454
Ion Ratio Lower Upper
139 100
109 71.7 50.7 90.7
65 97.4 74.5 114.5





#57
2,4-Dinitrotoluene
Concen: 42.102 ng
RT: 10.110 min Scan# 1330
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:165 Resp: 242281
Ion Ratio Lower Upper
165 100
63 41.3 39.8 59.6
89 65.8 60.2 90.2
182 2.6 2.2 3.2


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#58
Fluorene
Concen: 42.216 ng
RT: 10.469 min Scan# 1391
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35




Tgt Ion:166 Resp: 777305
Ion Ratio Lower Upper
166 100
165 96.5 78.1 117.1
167 13.2 10.5 15.7





#59
2,3,4,6-Tetrachlorophenol
Concen: 40.242 ng
RT: 10.245 min Scan# 1353
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:232 Resp: 183885
Ion Ratio Lower Upper
232 100
131 51.8 36.1 54.1
130 2.7 1.8 2.8
166 33.0 24.2 36.2


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#60
Diethylphthalate
Concen: 40.530 ng
RT: 10.334 min Scan# 1368
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35




Tgt Ion:149 Resp: 771117
Ion Ratio Lower Upper
149 100
177 21.6 17.3 25.9
150 12.5 10.2 15.2





#61
4-Chlorophenyl-phenylether
Concen: 41.375 ng
RT: 10.457 min Scan# 1389
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:204 Resp: 335852
Ion Ratio Lower Upper
204 100
206 32.8 25.8 38.6
141 64.0 47.0 70.4


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#62
4-Nitroaniline
Concen: 41.325 ng
RT: 10.492 min Scan# 1395
Delta R.T. -0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35




Tgt Ion:138 Resp: 213246
Ion Ratio Lower Upper
138 100
92 51.6 33.5 73.5
108 76.0 61.0 101.0





#63
Azobenzene
Concen: 39.811 ng
RT: 10.616 min Scan# 1418
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion: 77 Resp: 772556
Ion Ratio Lower Upper
77 100
182 23.7 5.6 45.6
105 21.1 1.6 41.6
51 30.3 15.1 55.1


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.404 min Scan# 1550
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35


Tgt Ion:188 Resp: 488477
Ion Ratio Lower Upper
188 100
94 10.7 7.0 10.6#
80 11.4 7.6 11.4





#65
4,6-Dinitro-2-methylphenol
Concen: 39.682 ng
RT: 10.516 min Scan# 1399
Delta R.T. -0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:198 Resp: 122345
Ion Ratio Lower Upper
198 100
51 56.9 37.6 77.6
105 51.4 27.0 67.0


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#66
n-Nitrosodiphenylamine
Concen: 40.364 ng
RT: 10.575 min Scan# 1409
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35




Tgt Ion:169 Resp: 656618
Ion Ratio Lower Upper
169 100
168 66.8 50.1 75.1
167 36.2 27.9 41.9





#67
4-Bromophenyl-phenylether
Concen: 40.359 ng
RT: 10.945 min Scan# 1474
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:248 Resp: 215882
Ion Ratio Lower Upper
248 100
250 95.6 80.6 120.8
141 83.1 58.9 88.3


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#68
Hexachlorobenzene
Concen: 41.642 ng
RT: 11.016 min Scan# 1484
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Tgt Ion:284 Resp: 241345
Ion Ratio Lower Upper
284 100
142 33.6 29.0 43.4
249 31.0 25.0 37.6





#69

Atrazine

Concen: 39.550 ng

RT: 11.104 min Scan# 1499

Delta R.T. 0.000 min

Lab File: BF129510.D

Acq: 02 Aug 2022 16:35

Instrument :

BNA_F

ClientSampleId :



SSTDCCC040

Tgt Ion:200 Resp: 195419
 Ion Ratio Lower Upper
 200 100
 173 25.9 6.3 46.3
 215 47.1 28.3 68.3

Manual Integrations



APPROVED

Reviewed By :Christian Giraldo 08/03/2022
 Supervised By :Jagrut Upadhyay 08/03/2022



08/03/2022
 Supervised By :Jagrut
 Upadhyay

08/03/2022



#70

Pentachlorophenol

Concen: 39.657 ng




RT: 11.216 min Scan# 1518


Delta R.T. 0.006 min

Lab File: BF129510.D

Acq: 02 Aug 2022 16:35

Tgt Ion:266 Resp: 124951
 Ion Ratio Lower Upper
 266 100
 268 62.8 51.0 76.4
 264 62.0 49.4 74.2







#71
Phenanthrene
Concen: 41.130 ng
RT: 11.433 min Scan# 11433
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:178 Resp: 1096727
Ion Ratio Lower Upper
178 100
176 19.4 16.0 24.0
179 15.4 12.6 19.0



Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#72
Anthracene
Concen: 41.743 ng
RT: 11.486 min Scan# 1564
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35


Tgt Ion:178 Resp: 1093811
Ion Ratio Lower Upper
178 100
176 18.6 15.4 23.2
179 15.4 12.6 19.0





#73
 Carbazole
 Concen: 41.917 ng
 RT: 11.639 min Scan# 1592
 Delta R.T. 0.000 min
 Lab File: BF129510.D
 Acq: 02 Aug 2022 16:35



Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040



Tgt Ion:167 Resp: 1033943
 Ion Ratio Lower Upper
 167 100
 166 21.6 17.7 26.5
 139 14.1 11.2 16.8


Manual Integrations
 APPROVED

Reviewed By :Christian Giraldo 08/03/2022
 Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
 Supervised By :Jagrut
 Upadhyay



08/03/2022




#74
 Di-n-butylphthalate
 Concen: 41.460 ng
 RT: 11.957 min Scan# 1644
 Delta R.T. 0.000 min
 Lab File: BF129510.D
 Acq: 02 Aug 2022 16:35




Tgt Ion:149 Resp: 1217906
 Ion Ratio Lower Upper
 149 100
 150 9.4 7.5 11.3
 104 5.1 4.4 6.6





#75
Fluoranthene
Concen: 42.998 ng
RT: 12.622 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:202 Resp: 1161695
Ion Ratio Lower Upper
202 100
101 12.4 0.0 31.4
203 17.3 0.0 38.0


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2000
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35




Tgt Ion:240 Resp: 361731
Ion Ratio Lower Upper
240 100
120 12.3 8.9 13.3
236 25.4 20.8 31.2





#77
Benzidine
Concen: 41.875 ng
RT: 12.745 min Scan# 1778
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:184 Resp: 53512
Ion Ratio Lower Upper
184 100
185 13.8 11.9 17.9
183 11.7 9.3 13.9


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#78
Pyrene
Concen: 39.423 ng
RT: 12.851 min Scan# 1796
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Tgt Ion:202 Resp: 1192515
Ion Ratio Lower Upper
202 100
200 21.2 17.7 26.5
203 17.6 14.6 21.8






#79
 Terphenyl-d14
 Concen: 79.771 ng
 RT: 12.992 min Scan# 1822
 Delta R.T. 0.006 min
 Lab File: BF129510.D
 Acq: 02 Aug 2022 16:35

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:244 Resp: 1529516
 Ion Ratio Lower Upper
 244 100
 212 6.8 6.1 9.1
 122 10.6 8.8 13.2

Manual Integrations


APPROVED

Reviewed By :Christian Giraldo 08/03/2022
 Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
 Supervised By :Jagrut
 Upadhyay



08/03/2022




#80
 Butylbenzylphthalate
 Concen: 39.905 ng
 RT: 13.463 min Scan# 1900
 Delta R.T. 0.006 min
 Lab File: BF129510.D
 Acq: 02 Aug 2022 16:35




Tgt Ion:149 Resp: 523572
 Ion Ratio Lower Upper
 149 100
 91 67.6 61.2 91.8
 206 21.1 15.7 23.5





#81
Benzo(a)anthracene
Concen: 41.105 ng
RT: 14.039 min Scan# 1998
Delta R.T. 0.000 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:228 Resp: 1015698
Ion Ratio Lower Upper
228 100
226 27.3 22.1 33.1
229 19.9 15.8 23.8


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#82
3,3'-Dichlorobenzidine
Concen: 40.433 ng
RT: 14.004 min Scan# 1992
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35




Tgt Ion:252 Resp: 329867
Ion Ratio Lower Upper
252 100
254 65.4 50.2 75.4
126 11.0 8.2 12.4





#83
Chrysene
Concen: 41.104 ng
RT: 14.080 min Scan# 2007
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:228 Resp: 957221
Ion Ratio Lower Upper
228 100
226 30.2 24.3 36.5
229 19.9 15.9 23.9


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022




08/03/2022
Supervised By :Jagrut
Upadhyay



08/03/2022




#84
Bis(2-ethylhexyl)phthalate
Concen: 40.233 ng
RT: 14.016 min Scan# 1994
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35




Tgt Ion:149 Resp: 694961
Ion Ratio Lower Upper
149 100
167 27.0 21.0 31.4
279 4.4 3.1 4.7





#85
Di-n-octyl phthalate
Concen: 42.614 ng
RT: 14.627 min Scan# 2098
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:149 Resp: 1059240
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 10.2 9.2 13.8


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.533 min Scan# 2252
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Tgt Ion:264 Resp: 309172
Ion Ratio Lower Upper
264 100
260 23.0 18.4 27.6
265 21.6 17.2 25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 39.691 ng
RT: 17.045 min Scan# 2178
Delta R.T. 0.012 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Instrument :

BNA_F



ClientSampleId :

SSTDCCC040

Tgt Ion:276 Resp: 826363
Ion Ratio Lower Upper
276 100
138 26.0 21.1 31.7
277 25.4 20.3 30.5



Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#88
Benzo(b)fluoranthene
Concen: 39.463 ng
RT: 15.098 min Scan# 2178
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Tgt Ion:252 Resp: 809324
Ion Ratio Lower Upper
252 100
253 22.4 17.7 26.5
125 11.3 8.0 12.0







#89
Benzo(k)fluoranthene
Concen: 41.284 ng
RT: 15.127 min Scan# 2186
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:252 Resp: 829702
Ion Ratio Lower Upper
252 100
253 22.2 17.8 26.6
125 10.9 8.3 12.5



Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022






08/03/2022
Supervised By :Jagrut
Upadhyay


08/03/2022



#90
Benzo(a)pyrene
Concen: 40.445 ng
RT: 15.474 min Scan# 2242
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35


Tgt Ion:252 Resp: 673341
Ion Ratio Lower Upper
252 100
253 21.5 17.0 25.6
125 12.0 8.8 13.2





#91
Dibenzo(a,h)anthracene
Concen: 39.863 ng
RT: 17.057 min Scan# 2516
Delta R.T. 0.012 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040



Tgt Ion:278 Resp: 675505
Ion Ratio Lower Upper
278 100
139 15.7 12.8 19.2
279 23.9 18.6 28.0


Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 08/03/2022
Supervised By :Jagrut Upadhyay 08/03/2022



08/03/2022
Supervised By :Jagrut
Upadhyay

08/03/2022



#92
Benzo(g,h,i)perylene
Concen: 39.720 ng
RT: 17.498 min Scan# 2586
Delta R.T. 0.006 min
Lab File: BF129510.D
Acq: 02 Aug 2022 16:35

Tgt Ion:276 Resp: 687780
Ion Ratio Lower Upper
276 100
277 24.0 19.1 28.7
138 22.8 18.0 27.0

